(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 1 August 2002 (01.08.2002)

PCT

(10) International Publication Number WO 02/059381 A2

- (51) International Patent Classification⁷: C12Q 1/68, C07K 14/47, C12N 15/63, 15/10, A01K 67/027
- (21) International Application Number: PCT/US02/00473
- (22) International Filing Date: 7 January 2002 (07.01.2002)
- (25) Filing Language:

English

(26) Publication Language:

English

'30) Priority Data:

60/260,080

6 January 2001 (06.01.2001) U

- 1) Applicant (for all designated States except US): THE GENERAL HOSPITAL CORPORATION [US/US]; 55 Fruit Street, Boston, MA 02114 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): SLAUGENHAUPT, Susan [US/US]: 23 Thomas Street, Quincy, MA 02169 (US). GUSELLA, James, F. [US/US]; 7 Woodstock Drive, Framingham, MA 01701 (US).
- (74) Agent: SONNENFELD, Kenneth, H.; Morgan & Finnegan, LLP. 345 Park Avenue, New York, NY 10154 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: GENE FOR IDENTIFYING INDIVIDUALS WITH FAMILIAL DYSAUTONOMIA

70 02/059381 A2

(57) Abstract: This invention relates to methods and compositions useful for detecting mutations which cause Familial Dysautonomia. Familial dysautonomia (FD; Riley-Day syndrome), an Ashkenazi Jewish disorder, is the best known and most frequent of a group of congenital sensory neuropathies and is characterized by widespread sensory and variable autonomic dysfunction. Previously, we mapped the FD gene, DYS, to a 0.5 cM region of chromosome 9q31 and showed that the ethnic bias is due to a founder effect, with >99.5% of disease alleles sharing a common ancestral haplotype. To investigate the molecular basis of FD, we sequenced the minimal candidate region and cloned and characterized its 5 genes. One of these, IKBKAP, harbors two mutations that can cause FD. The major haplotype mutation is located in the donor splice site of intron 20. This mutation can result in skipping of exon 20 in the mRNA from FD patients, although they continue to express varying levels of wild-type message in a tissue-specific manner. RNA isolated from patient lymphoblasts is primarily wild-type, whereas only the deleted message is seen in RNA isolated from brain. The mutation associated with the minor haplotype in four patients is a missense (R696P) mutation in exon 19 that is predicted to disrupt a potential phosphorylation site. Our findings indicate that almost all cases of FD are caused by an unusual splice defect that displays tissue-specific expression; and they also provide the basis for rapid carrier screening in the Ashkenazi Jewish population.

GENE FOR IDENTIFYING INDIVIDUALS WITH FAMILIAL DYSAUTONOMIA

This application claims priority to provisional application Serial No. 60/260,080, the entirety of which is incorporated herein by reference.

This invention was made with government support under Grant Number NS36326 awarded by The National Institutes of Health. The U.S. government has certain rights in the invention.

FIELD OF THE INVENTION

This invention relates generally to the gene, and mutations thereto, that are responsible for the disease familial dysautonomia (FD). More particularly, the invention relates to the identification, isolation and cloning of the DNA sequence corresponding to the normal and mutant FD genes, as well as characterization of their transcripts and gene products. This invention also relates to genetic screening methods and kits for identifying FD mutant and wild-type alleles, and further relates to FD diagnosis, prenatal screening and diagnosis, and therapies of FD, including gene therapeutics and protein/antibody based therapeutics.

BACKGROUND OF THE INVENTION

Familial Dysautonomia (FD, Riley-Day Syndrome, Hereditary Sensory and Autonomic Neuropathy Type III) [OMIM 223900] is an autosomal recessive disorder present in 1 in 3,600 live births in the Ashkenazi Jewish population. This debilitating disorder is due to the poor development, survival, and progressive degeneration of the sensory and autonomic nervous system (Axelrod et al., 1974). FD was first described in 1949 based on five children who presented with defective lacrimation, excessive sweating, skin blotching, and hypertension (Riley et al., 1949). The following cardinal criteria have evolved for diagnosis of FD: absence of fungiform papillae on the tongue, absence of flare after injection of intradermal

- 2 -

histamine, decreased or absent deep tendon reflexes, absence of overflow emotional tears, and Ashkenazi Jewish descent (Axelrod and Pearson, 1984, Axelrod 1984).

The loss of neuronal function in FD has many repercussions, with patients displaying gastrointestinal dysfunction, abnormal respiratory responses to hypoxic and hypercarbic states, scoliosis, gastroesophageal reflux, vomiting crises, lack of overflow tears, inappropriate sweating, and postural hypotension (Riley et al. 1949; Axelrod et al. 1974, Axelrod 1996). Despite recent advances in the management of FD, the disorder is inevitably fatal with only 50% of patients reaching 30 years of age. The clinical features of FD are due to a genetic defect that causes a striking, progressive depletion of unmyelinated sensory and autonomic neurons (Pearson and Pytel 1978a; Pearson and Pytel 1978b; Pearson et al. 1978; Axelrod 1995). This neuronal deficiency begins during development, as extensive pathology is evident even in the youngest subjects. Fetal development and postnatal maintenance of dorsal root ganglion (DRG) neurons is abnormal, significantly decreasing their numbers and resulting in DRG of grossly reduced size. Slow progressive degeneration is evidenced by continued neuronal depletion with increasing age. In the autonomic nervous system, superior cervical sympathetic ganglia are also reduced in size due to a severe decrease in the neuronal population.

Previously, the FD gene, *DYS*, was mapped to an 11-cM region of chromosome 9q31 (Blumenfeld et al. 1993) which was then narrowed by haplotype analysis to <0.5cM or 471 kb (Blumenfeld et al. 1999). There is a single major haplotype that accounts for >99.5% of all FD chromosomes in the Ashkenazi Jewish (AJ) population. The recent identification of several single nucleotide polymorphisms (SNPs) in the candidate interval has allowed for further reduction of the candidate region to 177 kb by revealing a common core haplotype shared by the major and one previously described minor haplotype (Blumenfeld et al. 1999).

SUMMARY OF THE INVENTION

This invention relates to mutations in the *IKBKAP* gene which the inventors of this invention discovered and found to be associated with Familial Dysautonomia. The mutation associated with the major haplotype of FD is a base

pair mutation, wherein the thymine nucleotide located at bp 6 of intron 20 in the IKBKAP gene is replaced with a cytosine nucleotide (T C) (hereinafter "FD1 mutation"). The mutation associated with the minor haplotype is a base pair mutation wherein the guanine nucleotide at bp 2397 (bp 73 of exon 19) is replaced with a cysteine nucleotide (G C) (hereinafter "FD2 mutation" This base pair mutation causes an arginine to proline missense mutation (R696P) in the amino acid sequence of the IKBKAP gene that is predicted to disrupt a potential phosphorylation site

In accordance with one aspect of the present invention, there is provided an isolated nucleic acid comprising a nucleic acid sequence selected from the group consisting of:

nucleic acid sequences corresponding to the genomic sequence of the FD gene including introns and exons as shown in Figure 6;

nucleic acid sequences corresponding to the nucleic acid sequence of the FD gene as shown in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide;

nucleic acid sequences corresponding to the nucleic acid sequence of the FD gene as shown in Figure 6, wherein the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;

nucleic acid sequences corresponding to the nucleic acid sequence of the FD gene as shown in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide and the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;

nucleic acid sequences corresponding to the cDNA sequence including the coding sequence of the FD gene as shown in Figure 7;

nucleic acid sequences corresponding to the cDNA sequence shown in Figure 7, wherein the arginine at position 696 is replaced by a proline;

In accordance with another aspect of the present invention, there is provided a nucleic acid probe, comprising a nucleotide sequence corresponding to a portion of a nucleic acid as set forth in any one of the foregoing nucleic acid sequences

-4-

In accordance with another aspect of the present invention, there is provided a cloning vector comprising a coding sequence of a nucleic acid as set forth above and a replicon operative in a host cell for the vector.

In accordance with another aspect of the present invention, there is provided an expression vector comprising a coding sequence of a nucleic acid set forth above operably linked with a promoter sequence capable of directing expression of the coding sequence in host cells for the vector.

In accordance with another aspect of the present invention, there is provided host cells transformed with a vector as set forth above.

In accordance with another aspect of the present invention, there is provided a method of producing a mutant FD polypeptide comprising: transforming host cells with a vector capable of expressing a polypeptide from a nucleic acid sequence as set forth above; culturing the cells under conditions suitable for production of the polypeptide; and recovering the polypeptide.

In accordance with another aspect of the present invention, there is provided a peptide product selected from the group consisting of: a polypeptide having an amino acid sequence corresponding to the amino acid sequence shown in Figure 8; a polypeptide containing a mutation in the amino acid sequence shown in Figure 8, wherein the arginine at position 696 is replaced with a proline; a peptide comprising at least 6 amino acid residues corresponding to the amino acid sequence shown in Figure 8, and a peptide comprising at least 6 amino acid residues corresponding to a mutated form of the amino acid sequence shown in Figure 8. In one embodiment, the peptide is labeled. In another embodiment, the peptide is a fusion protein.

In accordance with another aspect of the present invention, there is provided a use of a peptide as set forth above as an immunogen for the production of antibodies. In one embodiment, there is provided an antibody produced in such application. In one embodiment, the antibody is labeled. In another embodiment, the antibody is bound to a solid support. In accordance with another aspect of the present invention, there is provided a method to determine the presence or absence of the familial dysautonomia (FD) gene mutation in an individual, comprising: isolating genomic DNA, cDNA, or RNA from a potential FD disease

carrier or patient; and assessing the DNA for the presence or absence of an FD-associated allele, wherein said FD-associated allele is the FD1 and/or FD2 mutation wherein, the absence of either FD-associated allele indicates the absence of the FD gene mutation in the genome of the individual and the presence of the allele indicates that the individual is either affected with FD or a heterozygote carrier.

In one embodiment, the assessing step is performed by a process which comprises subjecting the DNA to amplification using oligonucleotide primers flanking the FD1 mutation and the FD2 mutation. In another embodiment, the assessing step further comprises an allele-specific oligonucleotide hybridization assay.

In another embodiment, DNA is amplified using the following oligonucleotide primers: 5'- GCCAGTGTTTTTGCCTGAG - 3'; 5'- CGGATTGTCACTGTTGTGC-3'; 5'- GACTGCTCTCATAGCATCGC-3'. In another embodiment, the assessing step further comprises an allele-specific oligonucleotide hybridization assay. In another embodiment, the allele-specific oligonucleotide hybridization assay is accomplished using the following oligonucleotides: 5'- AAGTAAG(T/C)GCCATTG-3' and 5'- GGTTCAC(G/C)GATTGTC. In yet another embodiment, neuronal tissue from an individual is screened for the presence of truncated IKBKAP mRNA or peptides, wherein the presence of said truncated mRNA or peptides indicates that said individual possesses the FD1 and/or FD2 mutation in the IKBKAP gene.

In accordance with another aspect of the present invention, there is provided an animal model for familial dysautonomia (FD), comprising a mammal possessing a mutant or knock-out or knock-in FD gene. In another emodiment, there is provided a method of producing a transgenic animal expressing a mutant IKAP mRNA comprising:

- (a) introducing into an embryonal cell of an animal a promoter operably linked to the nucleotide sequence containing a mutation associated with FD;
- (b) transplanting the transgenic embryonal target cell formed thereby into a recipient female parent; and

- 6 -

(c) identifying at least one offspring containing said nucleotide sequence in said offspring's genome.

In accordance with another aspect of the present invention, there is provided a method for screening potential therapeutic agents for activity, in connection with FD, comprising: providing a screening tool selected from the group consisting of a cell line, and a mammal containing or expressing a defective FD gene or gene product; contacting the screening tool with the potential therapeutic agent; and assaying the screening tool for an activity.

In accordance with another aspect of the present invention, there is provided a method for treating familial dysautonomia (FD) by gene therapy using recombinant DNA technology to deliver the normal form of the FD gene into patient cells or vectors which will supply the patient with gene product in vivo.

In another embodiment, there is provided a method for treating familial dysautonomia (FD), comprising: providing an antibody directed against an FD protein sequence or peptide product; and delivering the antibody to affected tissues or cells in a patient having FD.

In accordance with another aspect of the present invention, there is provided kits for carrying out the methods of the invention. These kits include nucleic acids, polypeptides and antibodies of the present invention. In another embodiment the kit for detecting FD mutations will also contain genetic tests for diagnosing additional genetic diseases, such as Canavan's disease, Tay-Sachs disease, Goucher disease, Cystic Fibrosis, Fanconi anemia, and Bloom syndrome.

It will be appreciated by a skilled worker in the art that the identification of the genetic defect in a genetic disease, coupled with the provision of the DNA sequences of both normal and disease-causing alleles, provides the full scope of diagnostic and therapeutic aspects of such an invention as can be envisaged using current technology.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1. Genomic structure of *IKBKAP*. The figure illustrates the orientation and placement of the 37 exons within a 68 kb genomic region of

chromosome 9q31. The primers used for analysis of the splice defect are indicated as 18F (exon 18), 19F (exon 19) and 23R (exon 23). Asterick indicates the locations of the two mutations identified; the mutation associated with the major AJ haplotype is located at bp 6 of intron 20, whereas the mutation association with the minor AJ haplotype is located at bp 73 of exon 19. The 4.8 and 5.9 designations at exon 37 indicate the lengths of the two *IKBKAP* messages that differ only in the length of their 3' UTRs.

Figures 2A-2C. Demonstration of mutations in IKBKAP. Figure 2A shows the antisense sequence of the T - C mutation (shown by arrows adjacent to the G and A lanes) at bp 6 of intron 20 that is associated with the major FD haplotype. Lanes 1 and 2 are FD patients homozygous for the major haplotype (homozygous GG), lane 3 is an FD patient heterozygous for the major haplotype and minor haplotype 2 (heterozygous GA), lane 4 is an FD patient heterozygous for the major haplotype and minor haplotype 3 (heterozygous GA), and lanes 5 and 6 are non-FD controls (homozygous AA). Figure 2b shows heterozygosity for the G-C mutation (shown by arrows adjacent to the G and C lanes) at bp 73 of exon 19. Lane 1 is an FD homozygous for the major haplotype (homozygous GG), lanes 2-4 are three patients heterozygous for the major haplotype and minor haplotype 2 (heterozygous GC), lane 5 is a patient heterozygous for the major haplotype and minor haplotype 3 (homozygous GG), and lane 6 is a non-FD control (homozygous GG). Figure 2c shows the sequence of the cDNA generated from the RT-PCR of a patient heterozygous for the major and minor 2 haplotypes. The arrow points to the heterozygous G-C mutation in exon 19. The boundary of exons 19 and 20 is also indicated, illustrating that this patient expresses wild-type message that includes exon 20, despite the presence of the major mutation on one allele.

Figures 3A-3B. Northern blot analysis of *IKBKAP*. Figure 3A is a human multiple tissue northern blot that was hybridized with *IKBKAP* exon 2 and shows the presence of two messages of 4.8 and 5.9 kb (northern blots hybridized with other *IKBKAP* probes yielded similar patterns). Figure 3b is a northern blot generated using mRNA isolated from lymphoblast cell lines: lanes 1, 2, and 5 FD patients homozygous for the major haplotype; lane 3 individual carrying two definitively

-8-

non-FD chromososomes, lane 4 FD patient heterozygous for the major haplotype and minor haplotype 2; lane 6 control brain RNA (Clontech). The level of expression of *IKBKAP* mRNA relative to β-actin mRNA is quite variable in lymphoblasts. We observed no consistent increase or decrease in mRNA levels between FD patients homozygous for the major haplotype, those heterozyous for the major haplotype and minor haplotype 2, and non-FD individuals.

Figures 4A-4B: RT-PCR analysis of the exon 20 region of *IKBKAP* showing expression of the wild-type message and protein in patients. Figure 4A was generated using primers 18F (exon 18) and 23R (exon 23). Lanes 1 and 2 are FD patients homozygous for the major haplotype, lane 3 is an FD patient heterozygous for the major haplotype and minor haplotype 2, lanes 4 and 5 are non-FD controls, lane 6 is a water control. Figure 4b is a western blot generated using cytoplasmic protein isolated from patient lymphoblast cell lines and detected with a carboxyl-terminal antibody. Lanes 2, 4, 6, and 8 are patients homozygous for the major haplotype, lanes 3, 5, 7, and 9 are non-FD controls, lane 1 is a patient heterozygous for the major and minor haplotype 3, and lane 10 is a patient heterozygous for the major and minor haplotype 2 and lane 11 is a Hela cell line sample.

Figure 5. RT-PCR analysis of the exon 20 region of *IKBKAP* showing variable expression of the mutant message in FD patients. The analysis was done using primers 19F (exon 19) and 23F (exon 23). Lanes 1 and 2, control fibroblasts; lanes 3, 4, and 5, FD fibroblasts homozygous for the major mutation; lanes 6 and 7 FD lymphoblasts homozygous for the major mutation, lanes 8 and 9 non-FD lymphoblasts, lane 10 FD patient brain stem, lane 11 FD patient temporal lobe (showing a faint 319 bp band and no 393 bp band), lane 12 water control. RT-PCR of control brain RNA (Clontech) showed only the 393 bp band (data not shown).

- Figure 6. The genomic sequence for IKBKAP.
- Figure 7- The cDNA sequence for IKBKAP
- Figure 8- the amino acid sequence of the IKBKAP gene

Figure 9- Comparison of the amino acid sequence of Ikap across several species. Alignment of the amino acid sequence of Ikap (M_musculus) with that of

Homo sapiens (H_sapiens), Drosophila melanogaster (D_melanogaster), Saccharomyces cerevisiae (S_cervisiae), Arabidopsis thaliana (A_thaliana), and Caenorhabditis elegans (C_elegans).

Figure 10- Comparison of the Novel Mouse *Ikbkap* Gene with Multiple Species Homologs

Figure 11- Mouse Ikbkap Exon and Intron Boundaries

Figure 12- Comparison of the synthetic regions of mouse chromosome 4 (MMU4) and human chromosome 9 (HSA9q31). This diagram on the left shows the location of *Ikbkap* in relation to mapped and genetic markers (boldface). Distances are given in centimorgans. The positions of the homologous genes that map to human chromosome 9q31 are shown on the right.

DETAILED DESCRIPTION OF THE INVENTION

This invention relates to mutations in the *IKBKAP* gene, which the inventors of the instant application discovered are associated with Familial Dysautonomia. More specifically, the mutation associated with the major haplotype of FD is a T-C change located at bp 6 of intron 20 in the *IKBKAP* gene as shown in Figure 1. This mutation can result in skipping of exon 20 in the mRNA from FD patients, although they continue to express varying levels of wild-type message in a tissue specific manner. The mutation associated with the minor haplotype is a single G-C change at bp 2397 (bp 73 of exon 19) that causes an arginine to proline missense mutation (R696P) that is predicted to disrupt a potential phosphorylation site.

These findings have direct implications for understanding the clinical manifestations of FD, for preventing it and potentially for treating it. The IKAP protein produced from *IKBKAP* gene was originally isolated as part of a large interleukin-1-inducible IKK complex and described as a regulator of kinases involved in pro-inflammatory cytokine signaling (Cohen et al. 1998). However, a recent report questioned this conclusion, by reporting that cellular IKK complexes do not contain IKAP based on various protein-protein interaction and functional

- 10 -

assays. Rather, IKAP appears to be a member of a novel complex containing additional unidentified proteins of 100, 70, 45, and 39 kDa (Krappmann et al. 2000).

IKAP is homologous to the Elp1 protein of S. cerevisiae, which is encoded by the IKI3 locus and is required for sensitivity to pGKL killer toxin. The human and yeast proteins exhibit 29% identity and 46% similarity over their entire lengths. Yeast Elp1 protein is part of the RNA polymerase II-associated elongator complex, which also contains Elp2, a WD-40 repeat protein, and Elp3, a histone acetyltransferase (Otero et al. 1999). The human ELP3 gene encodes a 60 kDa histone acetyltransferase that shows more than 75% identity with yeast Elp3 protein, but no 60 kDa protein has been found in the human IKAP-containing protein complex. Consequently, it is considered unlikely that IKAP is a member of a functionally conserved mammalian elongator complex (Krappmann et al. 2000). Instead, it has been reported that the protein may play a role in general gene activation mechanisms, as overexpression of IKAP interferes with the activity of both NF-kB-dependent and independent reporter genes (Krappmann et al. 2000). Therefore, the FD phenotype may be caused by aberrant expression of genes crucial to the development of the sensory and autonomic nervous systems, secondary to the loss of a functional IKAP protein in specific tissues.

FD is unique among Ashkenazi Jewish disorders in that one mutation accounts for > 99.5% of the disease chromosomes. As in other autosomal recessive diseases with no phenotype in heterozygous carriers, one might have expected to find several different types of mutations producing complete inactivation of the *DYS* gene in the AJ population. The fact that the major FD mutation does not produce complete inactivation, but rather allows variable tissue-specific expression of IKAP, may explain this lack of mutational diversity. Mutations causing complete inactivation of IKAP in all tissues might cause a more severe or even lethal phenotype. Indeed, *CG10535*, the apparent *Drosophila melanogaster* homologue of *IKBKAP*, maps coincident with a larval recessive lethal mutation (*l(3)04629*) supporting the essential nature of the protein (FlyBase). Thus, the array of mutations that can produce the FD phenotype may be limited if they must also allow expression of functional or partially functional IKAP in some tissues to permit

survival. With the identification of *IKBKAP* as *DYS*, it will now be possible to test this inactivation hypothesis in a mammalian model system.

Despite the overwhelming predominance of a single mutation in FD patients, the disease phenotype is remarkably variable both within and between families. The nature of the major FD mutation makes it tempting to consider that this phenotypic variability might relate to the frequency of exon 20 skipping in specific tissues and at specific developmental stages, which may be governed by variations in many factors involved in RNA splicing. Even a small amount of normal IKAP protein expressed in critical tissues might permit sufficient neuronal survival to alleviate the most severe phenotypes. This possibility is supported by the relatively mild phenotype associated with the presence of the R696P mutation, which is predicted to permit expression of an altered full-length IKAP protein that may retain some functional capacity. To date, this minor FD mutation has only been seen in four patients heterozygous for the major mutation. Consequently, it is uncertain whether homozygotes for the R696P mutation would display any phenotypic abnormality characteristic of FD. The single patient with minor haplotype 3 and mixed ancestry, whose mutation has yet to be found, is also a compound heterozygote with the major haplotype. The existence of minor haplotype 3 indicates that IKBKAP mutations will be found outside the AJ population, but like the R696P mutation, it is difficult to predict the severity of phenotype that would result from homozygosity.

Since FD affects the development and maintenance of the sensory and autonomic nervous systems, the identification of *IKBKAP* as the *DYS* gene allows for further investigation of the role of IKAP and associated proteins in the sensory and autonomic nervous systems. Of more immediate practical importance, however, the discovery of the single base mutation that characterizes >99.5% of FD chromosomes will permit efficient, inexpensive carrier testing in the AJ population, to guide reproductive choices and reduce the incidence of FD. The nature of the major mutation also offers some hope for new approaches to treatment of FD. Despite the presence of this mutation, lymphoblastoid cells from patients are capable of producing full-length wild-type mRNA and normal IKAP protein; while in neuronal tissue exon 20 is skipped, presumably leading to a truncated product.

- 12 -

Investigation of the mechanism that permits lymphoblasts to be relatively insensitive to the potential effect of the mutation on splicing may suggest strategies to prevent skipping of exon 20 in other cell types. An effective treatment to prevent the progressive neuronal loss of FD may be one aimed at facilitating the production of wild-type mRNA from the mutant gene rather than exogenous administration of the missing IKAP protein via gene therapy.

FD Screening

With knowledge of the primary mutation and secondary mutation of the FD gene as disclosed herein, screening for presymptomatic homozygotes, including prenatal diagnosis, and screening for heterozygous carriers can be readily carried out.

1. Nucleic Acid Based Screening

Individuals carrying mutations in the FD gene may be detected at either the DNA or RNA level using a variety of techniques that are well known in the art. The genomic DNA used for the diagnosis may be obtained from an individual's cells, such as those present in peripheral blood, urine, saliva, bucca, surgical specimen, and autopsy specimens. The DNA may be used directly or may be amplified enzymatically in vitro through use of PCR (Saiki et al. Science 239:487-491 (1988)) or other in vitro amplification methods such as the ligase chain reaction (LCR) (Wu and Wallace Genomics 4:560-569 (1989)), strand displacement amplification (SDA) (Walker et al. PNAS USA 89:392-396 (1992)), self-sustained sequence replication (3SR) (Fahy et al. PCR Methods Appl. 1:25-33 (1992)), prior to mutation analysis. in situ hybridization may also be used to detect the FD gene.

The methodology for preparing nucleic acids in a form that is suitable for mutation detection is well known in the art. For example, suitable probes for detecting a given mutation include the nucleotide sequence at the mutation site and encompass a sufficient number of nucleotides to provide a means of differentiating a normal from a mutant allele. Any probe or combination of probes capable of detecting any one of the FD mutations herein described are suitable for use in this

invention. Examples of suitable probes include those complementary to either the coding or noncoding strand of the DNA. Similarly, suitable PCR primers are complementary to sequences flanking the mutation site. Production of these primers and probes can be carried out in accordance with any one of the many routine methods, e.g., as disclosed in Sambrook et al..sup.45, and those disclosed in WO 93/06244 for assays for Goucher disease.

Probes for use with this invention should be long enough to specifically identify or amplify the relevant FD mutations with sufficient accuracy to be useful in evaluating the risk of an individual to be a carrier or having the FD disorder. In general, suitable probes and primers will comprise, preferably at a minimum, an oligomer of at least 16 nucleotides in length. Since calculations for mammalian genomes indicate that for an oligonucleotide 16 nucleotides in length, there is only one chance in ten that a typical cDNA library will fortuitously contain a sequence that exactly matches the sequence of the nucleotide. Therefore, suitable probes and primers are preferably 18 nucleotides long, which is the next larger oligonucleotide fully encoding an amino acid sequence (i.e., 6 amino acids in length).

By use of nucleotide and polypeptide sequences provided by this invention, safe, effective and accurate testing procedures are also made available to identify carriers of mutant alleles of *IKBKAP*, as well as pre- and postnatal diagnosis of fetuses and live born patients carrying either one or two mutant alleles. This affords potential parents the opportunity to make reproductive decisions prior to pregnancy, as well as afterwards, e.g., if chorionic villi sampling or amniocentesis is performed early in pregnancy. Thus, prospective parents who know that they are both carriers may wish to determine if their fetus will have the disease, and may wish to terminate such a pregnancy, or to provide the physician with the opportunity to begin treatment as soon as possible, including prenatally. In the case where such screening has not been performed, and therefore the carrier status of the patient is not known, and where FD disease is part of the differential diagnosis, the present invention also provides a method for making the diagnosis genetically.

Many versions of conventional genetic screening tests are known in the art. Several are disclosed in detail in WO 91/02796 for cystic fibrosis, in U.S. Pat. No.

- 14 -

5,217,865 for Tay-Sachs disease, in U.S. Pat. No. 5,227,292 for neurofibromatosis and in WO 93/06244 for Goucher disease. Thus, in accordance with the state of the art regarding assays for such genetic disorders, several types of assays are conventionally prepared using the nucleotides, polypeptides and antibodies of the present invention. For example: the detection of mutations in specific DNA sequences, such as the FD gene, can be accomplished by a variety of methods including, but not limited to, restriction-fragment-length-polymorphism detection based on allele-specific restriction-endonuclease cleavage (Kan and Dozy Lancet ii:910-912 (1978)), hybridization with allele-specific oligonucleotide probes (Wallace et al. Nucl Acids Res 6:3543-3557 (1978)), including immobilized oligonucleotides (Saiki et al. PNAS USA 86:6230-6234 (1989)) or oligonucleotide arrays (Maskos and Southern Nucl Acids Res 21:2269-2270 (1993)), allele-specific PCR (Newton et al. Nucl Acids Res 17:2503-25 16 (1989)), mismatch-repair detection (MRD) (Faham and Cox Genome Res 5:474-482 (1995)), binding of MutS protein (Wagner et al. Nucl Acids Res 23:3944-3948 (1995), denaturing-gradient gel electrophoresis (DGGE) (Fisher and Lerman et al. PNAS USA 80:1579-1583 (1983)), single-strand-conformation-polymorphism detection (Orita et al. Genomics 5:874-879 (1983)), RNAase cleavage at mismatched base-pairs (Myers et al. Science 230:1242 (1985)), chemical (Cotton et al. PNAS USA 85:4397-4401 (1988)) or enzymatic (Youil et al. PNAS USA 92:87-91 (1995)) cleavage of heteroduplex DNA, methods based on allele specific primer extension (Syvanen et al. Genomics 8:684-692 (1990)), genetic bit analysis (GBA) (Nikiforov et al. Nuci Acids Res 22:4167-4175 (1994)), the oligonucleotide-ligation assay (OLA) (Landegren et al. Science 241:1077 (1988)), the allele-specific ligation chain reaction (LCR) (Barrany PNAS USA 88:189-193 (1991)), gap-LCR (Abravaya et al. Nucl Acids Res 23:675-682 (1995)), and radioactive and/or fluorescent DNA sequencing using standard procedures well known in the art.

As will be appreciated, the mutation analysis may also be performed on samples of RNA by reverse transcription into cDNA therefrom. Furthermore, mutations may also be detected at the protein level using, for example, antibodies specific for the mutant and normal FD protein, respectively. It may also be possible

to base an FD mutation assay on altered cellular or subcellular localization of the mutant form of the FD protein.

2. Antibodies

Antibodies can also be used for the screening of the presence of the FD gene, the mutant FD gene, and the protein products therefrom. In addition, antibodies are useful in a variety of other contexts in accordance with this invention. As will be appreciated, antibodies can be raised against various epitopes of the FD protein. Such antibodies can be utilized for the diagnosis of FD and, in certain applications, targeting of affected tissues.

For example, antibodies can be used to detect truncated FD protein in neuronal cells, the detection of which indicates that an individual possesses a mutation in the IKBKAP gene.

Thus, in accordance with another aspect of the present invention a kit is provided that is suitable for use in screening and assaying for the presence of the FD gene by an immunoassay through use of an antibody which specifically binds to a gene product of the FD gene in combination with a reagent for detecting the binding of the antibody to the gene product.

Antibodies raised in accordance with the invention can also be utilized to provide extensive information on the characteristics of the protein and of the disease process and other valuable information which includes but is not limited to:

- 1. Antibodies can be used for the immunostaining of cells and tissues to determine the precise localization of the FD protein. Immunofluorescence and immuno-electron microscopy techniques which are well known in the art can be used for this purpose. Defects in the FD gene or in other genes which cause an altered localization of the FD protein are expected to be localizable by this method.
- 2. Antibodies to distinct isoforms of the FD protein (i.e., wild-type or mutant-specific antibodies) can be raised and used to detect the presence or absence of the wild-type or mutant gene products by immunoblotting (Western blotting) or other immunostaining methods. Such antibodies can also be utilized for therapeutic applications where, for example, binding to a mutant form of the FD protein reduces

- 16 -

the consequences of the mutation.

- 3. Antibodies can also be used as tools for affinity purification of FD protein. Methods such as immunoprecipitation or column chromatography using immobilized antibodies are well known in the art and are further described in Section (II)(B)(3), entitled "Protein Purification" herein.
- 4. Immunoprecipitation with specific antibodies is useful in characterizing the biochemical properties of the FD protein. Modifications of the FD protein (i.e., phosphorylation, glycosylation, ubiquitization, and the like) can be detected through use of this method. Immunoprecipitation and Western blotting are also useful for the identification of associating molecules that may be involved in the mammalian elongation complex.
- 5. Antibodies can also be utilized in connection with the isolation and characterization of tissues and cells which express FD protein. For example, FD protein expressing cells can be isolated from peripheral blood, bone marrow, liver, and other tissues, or from cultured cells by fluorescence activated cell sorting (FACS) Harlow et al., eds., Antibodies: A Laboratory Manual, pp. 394-395, Cold Spring Harbor Press, N.Y. (1988). Cells can be mixed with antibodies (primary antibodies) with or without conjugated dyes. If nonconjugated antibodies are used, a second dye-conjugated antibody (secondary antibody) which binds to the primary antibody can be added. This process allows the specific staining of cells or tissues which express the FD protein.

Antibodies against the FD protein are prepared by several methods which include, but are not limited to:

1. The potentially immunogenic domains of the protein are predicted from hydropathy and surface probability profiles. Then oligopeptides which span the predicted immunogenic sites are chemically synthesized. These oligopeptides can also be designed to contain the specific mutant amino acids to allow the detection of and discrimination between the mutant versus wild-type gene products. Rabbits or other animals are immunized with the synthesized oligopeptides coupled to a carrier such as KLH to produce anti-FD protein polyclonal antibodies. Alternatively, monoclonal antibodies can be produced against the synthesized oligopeptides using

conventional techniques that are well known in the art Harlow et al., eds., Antibodies: A Laboratory Manual, pp. 151-154, Cold Spring Harbor Press, N.Y. (1988). Both in vivo and in vitro immunization techniques can be used. For therapeutic applications, "humanized" monoclonal antibodies having human constant and variable regions are often preferred so as to minimize the immune response of a patient against the antibody. Such antibodies can be generated by immunizing transgenic animals which contain human immunoglobulin genes. See Jakobovits et al. Ann NY Acad Sci 764:525-535 (1995).

2. Antibodies can also be raised against expressed FD protein products from cells. Such expression products can include the full length expression product or parts or fragments thereof. Expression can be accomplished using conventional expression systems, such as bacterial, baculovirus, yeast, mammalian, and other overexpression systems using conventional recombinant DNA techniques. The proteins can be expressed as fusion proteins with a histidine tag, glutathione-S-transferase, or other moieties, or as nonfused proteins. Expressed proteins can be purified using conventional protein purification methods or affinity purification methods that are well known in the art. Purified proteins are used as immunogens to generate polyclonal or monoclonal antibodies using methods similar to those described above for the generation of antipeptide antibodies.

In each of the techniques described above, once hybridoma cell lines are prepared, monoclonal antibodies can be made through conventional techniques of, for example, priming mice with pristane and interperitoneally injecting such mice with the hybrid cells to enable harvesting of the monoclonal antibodies from ascites fluid.

In connection with synthetic and semi-synthetic antibodies, such terms are intended to cover antibody fragments, isotype switched antibodies, humanized antibodies (mouse-human, human-mouse, and the like), hybrids, antibodies having plural specificities, fully synthetic antibody-like molecules, and the like.

3. <u>Expression Systems</u>

Expression systems for the FD gene product allow for the study of the

- 18 -

function of the FD gene product, in either normal or wild-type form and/or mutated form. Such analyses are useful in providing insight into the disease causing process that is derived from mutations in the gene.

"Expression systems" refer to DNA sequences containing a desired coding sequence and control sequences in operable linkage, so that hosts transformed with these sequences are capable of producing the encoded proteins. In order to effect transformation, the expression system may be included on a vector; however, the relevant DNA may then also be integrated into the host chromosome.

In general terms, the production of a recombinant form of FD gene product typically involves the following:

First a DNA encoding the mature (used here to include all normal and mutant forms of the proteins) protein, the preprotein, or a fusion of the FD protein to an additional sequence cleavable under controlled conditions such as treatment with peptidase to give an active protein, is obtained. If the sequence is uninterrupted by introns it is suitable for expression in any host. If there are introns, expression is obtainable in mammalian or other eukaryotic systems capable of processing them. This sequence should be in excisable and recoverable form. The excised or recovered coding sequence is then placed in operable linkage with suitable control sequences in an expression vector. The construct is used to transform a suitable host, and the transformed host is cultured under selective conditions to effect the production of the recombinant FD protein. Optionally the FD protein is isolated from the medium or from the cells and purified as described in Section entitled "Protein Purification".

Each of the foregoing steps can be done in a variety of ways. For example, the desired coding sequences can be obtained by preparing suitable cDNA from cellular mRNA and manipulating the cDNA to obtain the complete sequence. Alternatively, genomic fragments may be obtained and used directly in appropriate hosts. The construction of expression vectors operable in a variety of hosts are made using appropriate replicons and control sequences, as set forth below. Suitable restriction sites can, if not normally available, be added to the ends of the coding sequence so as to provide an excisable gene to insert into these vectors.

The control sequences, expression vectors, and transformation methods are dependent on the type of host cell used to express the gene. Generally, prokaryotic, yeast, insect, or mammalian cells are presently useful as hosts. Prokaryotic hosts are in general the most efficient and convenient for the production of recombinant proteins. However, eukaryotic cells, and, in particular, yeast and mammalian cells, are often preferable because of their processing capacity and post-translational processing of human proteins.

Prokaryotes most frequently are represented by various strains of E. coli. However, other microbial strains may also be used, such as Bacillus subtilis and various species of Pseudomonas or other bacterial strains. In such prokaryotic systems, plasmid or bacteriophage vectors which contain origins of replication and control sequences compatible with the host are used. A wide variety of vectors for many prokaryotes are known (Maniatis et al. Molecular Cloning: A Laboratory Manual pp. 1.3-1.11, 2.3-2.125, 3.2-3.48, 2-4.64 (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y. (1982)); Sambrook et al. Molecular Cloning: A Laboratory Manual pp. 1-54 (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y. (1989)); Meth. Enzymology 68: 357-375 (1979); 101: 307-325 (1983); 152: 673-864 (1987) (Academic Press, Orlando, Fla. Pouwells et al. Cloning Vectors: A Laboratory Manual (Elsevier, Amsterdam (1987))). Commonly used prokaryotic control sequences which are defined herein to include promoters for transcription initiation, optionally with an operator, along with ribosome binding site sequences, include such commonly used promoters as the beta-lactamase (penicillinase) and lactose (lac) promoter systems, the tryptophan (trp) promoter system and the lambda derived PL promoter and N-gene ribosome binding, site, which has become useful as a portable control cassette (U.S. Pat. No. 4,711,845). However, any available promoter system compatible with prokaryotes can be used (Sambrook et al. supra. (1989); Meth. Enzymology supra. (1979, 1983, 1987); John et al. Gene 61: 207-215 (1987).

In addition to bacteria, eukaryotic microbes, such as yeast, may also be used as hosts. Laboratory strain Saccharomyces cerevisiae or Baker's yeast, is most often used although other strains are commonly available.

- 20 -

Vectors employing the 2 micron origin of replication and other plasmid vectors suitable for yeast expression are known (Sambrook et al. supra. (1989); Meth. Enzymology supra. (1979, 1983, 1987); John et al. supra. (1987). Control sequences for yeast vectors include promoters for the synthesis of glycolytic enzymes. Additional promoters known in the art include the promoters for 3-phosphoglycerate kinase, and those for other glycolytic enzymes, such as glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase. Other promoters, which have the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, and enzymes responsible for maltose and galactose utilization. See Sambrook et al. supra. (1989); Meth. Enzymology supra. John et al. supra. (1987). It is also believed that terminator sequences at the 3' end of the coding sequences are desirable. Such terminators are found in the 3' untranslated region following the coding sequences in yeast-derived genes. Many of the useful vectors contain control sequences derived from the enolase gene containing plasmid peno46 or the LEU2 gene obtained from Yepl3, however, any vector containing a yeast compatible promoter, origin of replication, and other control sequences is suitable (Sambrook et al. supra. (1989); Meth. Enzymology supra. (1979, 1983, 1987); John et al. supra.

It is also, of course, possible to express genes encoding polypeptides in eukaryotic host cell cultures derived from multicellular organisms (Kruse and Patterson Tissue Culture pp. 475-500 (Academic Press, Orlando (1973)); Meth. Enzymology 68: 357-375 (1979); Freshney Culture of Animal Cells; A Manual of Basic Techniques pp. 329-334 (2d ed., Alan R. Liss, N.Y. (1987))). Useful host cell lines include murine myelomas N51, VERO and HeT cells, SF9 or other insect cell lines, and Chinese hamster ovary (CHO) cells. Expression vectors for such cells ordinarily include promoters and control sequences compatible with mammalian cells such as, for example, the commonly used early and later promoters from

Simian Virus 40 (SV 40), or other viral promoters such as those from polyoma, adenovirus 2, bovine papilloma virus, or avian sarcoma viruses, herpes virus family (such as cytomegalovirus, herpes simplex virus, or Epstein-Barr virus), or immunoglobulin promoters and heat shock promoters (Sambrook et al. supra. pp. 16.3-16.74 (1989); Meth. Enzymology 152: 684-704 (1987); John et al. supra. In addition, regulated promoters, such as metallothionine (i.e., MT-1 and MT-2), glucocorticoid, or antibiotic gene "switches" can be used.

General aspects of mammalian cell host system transformations have been described by Axel (U.S. Pat. No. 4,399,216). Plant cells are also now available as hosts, and control sequences compatible with plant cells such as the nopaline synthase promoter and polyadenylation signal sequences are available (Pouwells et al. supra. (1987); Meth Enzymology 118: 627-639 (Academic Press, Orlando (1986); Gelvin et al. J. Bact. 172: 1600-1608.

Depending on the host cell used, transformation is done using standard techniques appropriate to such cells (Sambrook et al. supra. pp. 16.30-16.5 (1989); Meth. Enzymology supra 68:357-375 (1979); 101: 307-325 (1983); 152: 673-864 (1987). U.S. Pat. No. 4,399,216; Meth Enzymology supra 118: 627-639 (1986); Gelvin et al. J. Bact. 172: 1600-1608 (1990). Such techniques include, without limitation, calcium treatment employing calcium chloride for prokaryotes or other cells which contain substantial cell wall barriers; infection with Agrobacterium tumefaciens for certain plant cells; calcium phosphate precipitation, DEAE, lipid transfection systems (such as LIPOFECTIN.TM. and LIPOFFECTAMINE.TM.), and electroporation methods for mammalian cells without cell walls, and, microprojectile bombardment for many cells including, plant cells. In addition, DNA may be delivered by viral delivery systems such as retroviruses or the herpes family, adenoviruses, baculoviruses, or semliki forest virus, as appropriate for the species of cell line chosen.

C. THERAPEUTICS

Identification of the FD gene and its gene product also has therapeutic implications. Indeed, one of the major aims of this invention is the development of

- 22 -

therapies to circumvent or overcome the defect leading to FD disease. Envisioned are pharmacological, protein replacement, antibody therapy, and gene therapy approaches. In addition the development of animal models useful for developing therapies and for understanding the molecular mechanisms of FD disease are envisioned.

1. Pharmacological

In the pharmacological approach, drugs which circumvent or overcome the defective FD gene function are sought. In this approach, modulation of FD gene function can be accomplished by agents or drugs which are designed to interact with different aspects of the FD protein structure or function.

Efficacy of a drug or agent, can be identified in a screening program in which modulation is monitored in vitro cell systems. Indeed, the present invention provides for host cell systems which express various mutant FD proteins (especially the T-C and G-C mutations noted in this application) and are suited for use as primary screening systems.

In vivo testing of FD disease-modifying compounds is also required as a confirmation of activity observed in the in vitro assays. Animal models of FD disease are envisioned and discussed in the section entitled "Animal Models", below, in the present application.

Drugs can be designed to modulate FD gene and FD protein activity from knowledge of the structure and function correlations of FD protein and from knowledge of the specific defect in various FD mutant proteins. For this, rational drug design by use of X-ray crystallography, computer-aided molecular modeling (CAMM), quantitative or qualitative structure-activity relationship (QSAR), and similar technologies can further focus drug discovery efforts. Rational design allows prediction of protein or synthetic structures which can interact with and modify the FD protein activity. Such structures may be synthesized chemically or expressed in biological systems. This approach has been reviewed in Capsey et al., Genetically Engineered Human Therapeutic Drugs, Stockton Press, New York (1988). Further, combinatorial libraries can be designed, synthesized and used in

screening programs.

The present invention also envisions that the treatment of FD disease can take the form of modulation of another protein or step in the pathway in which the FD gene or its protein product participates in order to correct the physiological abnormality.

In order to administer therapeutic agents based on, or derived from, the present invention, it will be appreciated that suitable carriers, excipients, and other agents may be incorporated into the formulations to provide improved transfer, delivery, tolerance, and the like.

A multitude of appropriate formulations can be found in the formulary known to all pharmaceutical chemists: Remington's Pharmaceutical Sciences, (15th Edition, Mack Publishing Company, Easton, Pa. (1975)), particularly Chapter 87, by Blaug, Seymour, therein. These formulations include for example, powders, pastes, ointments, jelly, waxes, oils, lipids, anhydrous absorption bases, oil-inwater or water-in-oil emulsions, emulsions carbowax (polyethylene glycols of a variety of molecular weights), semi-solid gels, and semi-solid mixtures containing carbowax.

Any of the foregoing formulations may be appropriate in treatments and therapies in accordance with the present invention, provided that the active agent in the formulation is not inactivated by the formulation and the formulation is physiologically compatible.

2. Protein Replacement Therapy

The present invention also relates to the use of polypeptide or protein replacement therapy for those individuals determined to have a defective FD gene. Treatment of FD disease could be performed by replacing the defective FD protein with normal protein or its functional equivalent in therapeutic amounts.

FD polypeptide can be prepared for therapy by any of several conventional procedures. First, FD protein can be produced by cloning the FD cDNA into an appropriate expression vector, expressing the FD gene product from this vector in an in vitro expression system (cell-free or cell-based) and isolating the FD protein

- 24 -

from the medium or cells of the expression system. General expression vectors and systems are well known in the art. In addition, the invention envisions the potential need to express a stable form of the FD protein in order to obtain high yields and obtain a form readily amenable to intravenous administration. Stable high yield expression of proteins have been achieved through systems utilizing lipid-linked forms of proteins as described in Wettstein et al. J Exp Med 174:219-228 (1991) and Lin et al. Science 249:677-679 (1990).

FD protein can be prepared synthetically. Alternatively, the FD protein can be prepared from total protein samples by affinity chromatography. Sources would include tissues expressing normal FD protein, in vitro systems (outlined above), or synthetic materials. The affinity matrix would consist of antibodies (polyclonal or monoclonal) coupled to an inert matrix. In addition, various ligands which specifically interact with the FD protein could be immobilized on an inert matrix. General methods for preparation and use of affinity matrices are well known in the art.

Protein replacement therapy requires that FD protein be administered in an appropriate formulation. The FD protein can be formulated in conventional ways standard to the art for the administration of protein substances. Delivery may require packaging in lipid-containing vesicles (such as LIPOFECTIN.TM. or other cationic or anionic lipid or certain surfactant proteins) that facilitate incorporation into the cell membrane. The FD protein formulations can be delivered to affected tissues by different methods depending on the affected tissue.

3. Gene Therapy

Gene therapy utilizing recombinant DNA technology to deliver the normal form, of the FD gene into patient cells or vectors which will supply the patient with gene product in vivo is also contemplated within the scope of the present invention. In gene therapy of FD disease, a normal version of the FD gene is delivered to affected tissue(s) in a form and amount such that the correct gene is expressed and will prepare sufficient quantities of FD protein to reverse the effects of the mutated FD gene. Current approaches to gene therapy include viral vectors, cell-based

delivery systems and delivery agents. Further, ex vivo gene therapy could also be useful. In ex vivo gene therapy, cells (either autologous or otherwise) are transfected with the normal FD gene or a portion thereof and implanted or otherwise delivered into the patient. Such cells thereafter express the normal FD gene product in vivo and would be expected to assist a patient with FD disease in avoiding iron overload normally associated with FD disease. Ex vivo gene therapy is described in U.S. Pat. No. 5,399,346 to Anderson et al., the disclosure of which is hereby incorporated by reference in its entirety. Approaches to gene therapy are discussed below:

a. Viral Vectors

Retroviruses are often considered the preferred vector for somatic gene therapy. They provide high efficiency infection, stable integration and stable expression (Friedman, T. Progress Toward Human Gene Therapy. Science 244:1275 (1989)). The full length FD gene cDNA can be cloned into a retroviral vector driven by its endogenous promoter or from the retroviral LTR. Delivery of the virus could be accomplished by direct implantation of virus directly into the affected tissue.

Other delivery systems which can be utilized include adenovirus, adenoassociated virus (AAV), vaccinia virus, bovine papilloma virus or members of the herpes virus group such as Epstein-Barr virus. Viruses can be, and preferably are, replication deficient.

b. Non-viral gene transfer

Other methods of inserting the FD gene into the appropriate tissues may also be productive. Many of these agents, however, are of lower efficiency than viral vectors and would potentially require infection in vitro, selection of transfectants, and reimplantation. This would include calcium phosphate, DEAE dextran, electroporation, and protoplast fusion. A particularly attractive idea is the use of liposomes (i.e., LIPOFECTIN.TM.), which might be possible to carry out in vivo.

Synthetic cationic lipids and DNA conjugates also appear to show some promise and may increase the efficiency and ease of carrying out this approach.

4. Animal Models

The generation of a mouse or other animal model of FD disease is important for both an understanding the biology of the disease but also for testing of potential therapies.

The present invention envisions the creation of an animal model of FD disease by introduction of the FD disease causing mutations in a number of species including mice, rats, pigs, and primates.

Techniques for specifically inactivating or mutating genes by homologous recombination in embryonic stem cells (ES cells) have been described (Capecci Science 244:1288 (1989)). Animals with the inactivated homologous FD gene can then be used to introduce the mutant or normal human FD gene or for introduction of the homologous gene to that species and containing the T-C, G-C or other FD disease-causing mutations. Methods for these transgenic procedures are well known to those versed in the art and have been described by Murphy and Carter, Curr. Opin. Cell Biol. 4:273-279 (1992)

ILLUSTRATIVE EXAMPLES

The following examples are provided to illustrate certain aspects of the present invention and not intended as limiting the subject matter thereof.

Example 1

Identification of the *IKBKAP* gene and the mutations associated with FD were obtained as follows:

Patient Samples

Blood samples were collected from two major sources, the Dysautonomia Diagnostic and Treatment Center at New York University Medical Center and the Israeli Center for Familial Dysautonomia at Hadassah University Hospital, with

approval from the institutional review boards at these institutions, Massachusetts General Hospital and Harvard Medical School. Either F.A. or C.M. diagnosed all patients using established criteria. Epstein Barr virus transformed lymphoblast lines using standard conditions. Fibroblast cell lines were obtained from the Coriell Cell Repositories, Camden, NJ. RNA isolated from post-mortem FD brain was obtained from the Dysautonomia Diagnostic and Treatment Center at NYU. Genomic DNA, total RNA, and mRNA were prepared using commercial kits (Invitrogen and Molecular Research Center, Inc.). Cytoplasmic protein was extracted from lymphoblasts as previously described (Krappmann et al. 2000).

dentification of IKBKAP and mutation analysis

Exon trapping experiments of cosmids from a physical map of the candidate region yielded 5 exons that were used to screen a human frontal cortex cDNA library. Several cDNA clones were isolated and assembled into a novel transcript encoding a 1332 AA protein that was later identified as *IKBKAP* (Cohen et al. 1998). The complete 5.9 kb cDNA sequence of *IKBKAP* has been submitted to GenBank under accession number AF153419. In order to screen for mutations in FD patients, total lymphoblast RNA was reverse transcribed and overlapping sections of *IKBKAP* were amplified by PCR and sequenced. Evaluation of the splicing defect was performed using the following primers: 18F: GCCAGTGTTTTTGCCTGAG; 19F: CGGATTGTCACTGTTGTGC; 23R: GACTGCTCTCATAGCATCGC (Fig. 1).

DNA Sequencing

Sequencing was performed using the AmpliCycle sequencing kit (Applied Biosystems) or on an ABI 377 automated DNA sequencer using the BigDye terminator cycle sequencing kit (Applied Biosystems). The control sequence of the candidate region was obtained by constructing subclone libraries from BACs and sequencing using vector specific primers. The FD sequence was generated by sequencing cosmids from a patient homozygous for the major FD haplotype using sequence specific primers.

- 28 -

Expression Studies

Several human multiple tissue northern blots (Clontech) were hybridized using the following radioactively labeled probes: *IKBKAP* exon 2, *IKBKAP* exons 18/19/20, *IKBKAP* exon 23, and a 400 bp fragment of the *IKBKAP* 3'UTR immediately following the stop codon. Poly (A)⁺ RNA was isolated from patient and control lymphoblast lines, northern blotted, and hybridized using a probe representing the full coding sequence of *IKBKAP*. Cytoplasmic protein extracted from lymphoblast cell lines was western blotted and detected using ECL (Amersham) with an antibody raised against a peptide comprising the extreme carboxyl terminus (AA 1313-1332) of human IKAP, the protein encoded by *IKBKAP* (Krappmann et al. 2000).

To identify DYS, exon trapping and cDNA selection were used to clone and characterize all of the genes in the 471 kb candidate region: EPB41L8 (unpublished data) or EHM2 (Shimizu et al. 2000), C9ORF4 (Chadwick et al. 1999a), C9ORF5 (Chadwick et al. 2000), CTNNAL1 (Zhang et al. 1998), a novel gene with homology to the glycine cleavage system H proteins (CG-8) (unpublished data), IKBKAP (Cohen et al. 1998), and ACTL7A and ACTL7B (Chadwick et al. 1999b). As FD is a recessive disorder, the a priori expectation for the mutation was inactivation of one of these genes. Consequently, each of these were screened for mutations by RT-PCR of patient lymphoblast RNA and direct sequencing of all coding regions. Although many SNPs were identified, there was no evidence for a homozygous inactivating mutation. Thus, it was concluded that the mutation would be found in non-coding sequence and the control genomic sequence of the entire 471 kb candidate region was generated using BACs from a physical map. Direct sequence prediction using GENSCAN and comprehensive searches of the public databases did not reveal any additional genes in the candidate region beyond those found by cloning methods. However, SNPs identified during sequence analysis enabled us to refine the haplotype analysis and narrow the candidate interval to 177 kb shared by the major haplotype and the previously described minor haplotype 1 (Blumenfeld et al. 1999). This reduced interval contains 5 genes, CTNNAL1, CG-8, IKBKAP, ACTL7A and ACTL7B, all previously screened by RT-PCR without yielding a

coding sequence mutation. A cosmid library was constructed from a patient homozygous for the major haplotype, assembled the minimal coverage contig for the now reduced candidate interval, and generated the sequence of the mutant chromosome.

Comparison of the FD and control sequences revealed 152 differences (excluding simple sequence repeat markers), which include 26 variations in the length of dT_n tracts, 1 VNTR, and 125 base pair changes. Each of the 125 base pair changes was tested in a panel of 50 individuals known to carry two non-FD chromosomes by segregation in FD families. Of the 125 changes tested, only 1 was unique to patients carrying the major FD haplotype. This T - C change is located at bp 6 of intron 20 in the *IKBKAP* gene depicted in Figure 1, and is demonstrated in Figure 2A. IKAP was originally identified as an IκB kinase (IKK) complex-associated protein that can bind both NF-κB inducing kinase (NIK) and IKKs through separate domains and assemble them into an active kinase complex (Cohen et al. 1998). Recent work, however, has shown that IKAP is not associated with IKKs and plays no specific role in cytokine-induced NF-κB signaling (Krappmann et al. 2000). Rather, IKAP was shown to be part of a novel multi-protein complex hypothesized to play a role in general transcriptional regulation.

The *IKBKAP* gene contains 37 exons and encodes a 1332 amino acid protein. The full-length 5.9 kb cDNA (GenBank accession number AF153419) covers 68 kb of genomic sequence, with the start methionine encoded in exon 2. *IKBKAP* was previously assigned to chromosome 9q34 (GenBank accession number AF044195), but it clearly maps within the FD candidate region of 9q31. Northern analysis of *IKBKAP* revealed two mRNAs of 4.8 and 5.9 kb (fig. 3a and b). The wild-type 4.8 kb mRNA has been reported previously (Cohen et al. 1998), while the second 5.9 kb message differs only in the length of the 3' UTR and is predicted to encode an identical 150 kDa protein. As seen in figure 3b, the putative FD mutation does not eliminate expression of the *IKBKAP* mRNA in patient lymphoblasts.

A base pair change at position 6 of the splice donor site might be expected to result in skipping of exon 20 (74 bp), causing a frameshift and therefore producing a

- 30 -

truncated protein. However, initial inspection of our RT-PCR experiments in patient lymphoblast RNA using primers located in exons 18 and 23 (Fig.1) showed a normal length 500 bp fragment that contained exon 20 (Fig. 4A), indicating that patient lymphoblasts express normal *IKBKAP* message. The Western blot shown in Figure 4B demonstrates that full-length IKAP protein is expressed in these patient lymphoblasts. However, as the antibody used was directed against the carboxylterminus of IKAP it would not be expected to detect any truncated protein should it be present. The presence of apparently normal IKAP in patient cells is at odds with the expectation of an inactivating mutation in this recessive disease.

In the absence of any evidence for a functional consequence of the intron 20 sequence change, the only alteration unique to FD chromosomes, additional genetic evidence was sought to support the view that it represents the FD mutation. The 658 FD chromosomes that carry the major haplotype all show the T – C change. *In toto*, 887 chromosomes have been tested that are definitively non-FD due to their failure to cause the disorder when present in individuals heterozygous for the major FD haplotype. None of these non-FD chromosomes exhibits the T – C mutation, strongly indicating that it is not a rare polymorphism. The frequency of the mutation in random AJ chromosomes was 14/1012 (gene frequency 1/72; carrier frequency 1/36), close to the expected carrier frequency of 1/32 (Maayan et al. 1987).

In view of the strong genetic evidence that this mutation must be pathogenic, it was postulated that its effect might be tissue-specific. RNA extracted from the brain stem and temporal lobe of a post-mortem FD brain sample was therefore examined. In contrast to FD lymphoblasts, RT-PCR of the FD brain tissue RNA using primers in exons 19 and 23 (expected to produce a normal product of 393 bp) revealed a 319 bp mutant product, indicating virtually complete absence of exon 20 from the *IKBKAP* mRNA (Fig. 5, lanes 10-11). As additional FD autopsy material could not be obtained, intensive analyses of additional lymphoblast and fibroblast cell lines were performed to determine whether exon-skipping could be detected. Fibroblast lines from homozygous FD patients yielded variable results. Some primary fibroblast lines displayed approximately equal expression of the mutant and

wild-type mRNAs while others displayed primarily wild-type mRNA. In addition, extensive examination of additional patient lymphoblast lines indicated that the mutant message could sometimes be detected at low levels. An example of the variability seen in FD fibroblasts and the presence of the mutant message in some FD lymphoblasts is shown in Figure 5. In fact, close re-examination of figure 4a shows a trace of the mutant band in 2 (lanes 1 and 2) of the 3 FD samples. The absence of exon 20 in the FD brain RNA and the preponderance of wild-type mRNA in fibroblasts and lymphoblasts indicate that the major FD mutation acts by altering splicing of *IKBKAP* in a tissue-specific manner.

To identify the mutations associated with minor haplotypes 2 and 3, (Blumenfeld et al. 1999) we amplified each *IKBKAP* exon, including adjacent intron sequence, from genomic DNA. A single G – C change at bp 2397 (bp 73 of exon 19) that causes an arginine to proline missense mutation (R696P) was identified in all 4 patients with minor haplotype 2 (fig. 2b). This was subsequently confirmed by RT-PCR in lymphoblast RNA as shown in figure 2c for a region that crosses the exon 19-20 border. The PCR product, generated from an FD patient who is a compound heterozygote with minor haplotype 2 and the major haplotype, clearly shows that RNA is being expressed equally from both alleles based on heterozygosity of the G – C point mutation in exon 19. However, the RNA from the major haplotype allele shows no evidence for skipping of exon 20 which would be expected to produce a mixture of exon 20 and 21 sequence beginning at the end of exon 19. This confirms our previous observation that lymphoblasts with the major FD mutation produce a predominance of normal *IKBKAP* transcript.

The R696P mutation is absent from 500 non-FD chromosomes, and it has been seen only once in 706 random AJ chromosomes in an individual who also carries the minor haplotype. This mutation is predicted to disrupt a potential threonine phosphorylation site at residue 699 identified by Netphos 2.0 (Blom et al. 1999), suggesting that it may affect regulation of IKAP. Interestingly, the presence of this minor mutation is associated with a relatively mild disease phenotype, suggesting that a partially functional IKAP protein may be expressed from this

allele. No mutation has been identified for minor haplotype 3, which represents the only non-AJ putative FD chromosome.

Example 2- FD Diagnostic Assays

As discussed above, the allele-specific oligonucleotide (ASO) hybridization assay is highly effective for detecting single nucleotide changes in DNA and RNA, such as the T-C or G-C mutations or sequence variations, especially when used in conjunction with allele-specific PCR amplification. Thus, in accordance with the present invention, there is provided an assay kit to detect mutations in the FD gene through use of a PCR/ASO hybridization assay.

PCR Amplification

Genomic DNA samples are placed into a reaction vessel(s) with appropriate primers, nucleotides, buffers, and salts and subjected to PCR amplification.

Suitable genomic DNA-containing samples from patients can be readily obtained and the DNA extracted therefrom using conventional techniques. For example, DNA can be isolated and prepared in accordance with the method described in Dracopoli, N. et al. eds. Current Protocols in Human Genetics pp. 7.1.1-7.1.7 (J. Wiley & Sons, New York (1994)), the disclosure of which is hereby incorporated by reference in its entirety. Most typically, a blood sample, a buccal swab, a hair follicle preparation, or a nasal aspirate is used as a source of cells to provide the DNA.

Alternatively, RNA from an individual (i.e., freshly transcribed or messenger RNA) can be easily utilized in accordance with the present invention for the detection of the FD2 mutation. Total RNA from an individual can be isolated according to the procedure outlined in Sambrook, J. et al. Molecular Cloning--A Laboratory Manual pp. 7.3-7.76 (2nd Ed., Cold Spring Harbor Laboratory Press, New York (1989)) the disclosure of which is hereby incorporated by reference.

In a preferred embodiment, the DNA-containing sample is a blood sample from a patient being screened for FD.

In amplification, a solution containing the DNA sample (obtained either directly or through reverse transcription of RNA) is mixed with an aliquot of each of dATP, dCTP, dGTP and dTTP (i.e., Pharmacia LKB Biotechnology, N.J.), an aliquot of each of the DNA specific PCR primers, an aliquot of Taq polymerase (i.e., Promega, Wis.), and an aliquot of PCR buffer, including MgCl.sub.2 (i.e., Promega) to a final volume. Followed by pre-denaturation (i.e., at 95.degree. C. for 7 minutes), PCR is carried out in a DNA thermal cycler (i.e., Perkin-Elmer Cetus, Conn.) with repetitive cycles of annealing, extension, and denaturation. As will be appreciated, such steps can be modified to optimize the PCR amplification for any particular reaction, however, exemplary conditions utilized include denaturation at 95.degree. C. for 1 minute, annealing at 55.degree. C. for 1 minute, and extension at 72.degree. C. for 4 minutes, respectively, for 30 cycles. Further details of the PCR technique can be found in Erlich, "PCR Technology," Stockton Press (1989) and U.S. Pat. No. 4,683,202, the disclosure of which is incorporated herein by reference.

In a preferred embodiment, the amplification primers used for detecting the T-C mutation and the G-C mutation in the FD gene are 5'-GCCAGTGTTTTTGCCTGAG – 3' / 5'-GACTGCTCTCATAGCATCGC- 3' and 5'-CGGATTGTCACTGTTGTGC- 3' / 5'-GACTGCTCTCATAGCATCGC- 3, respectively.

Hybridization

Following PCR amplification, the PCR products are subjected to a hybridization assay using allele-specific oligonucleotides. In a preferred embodiment, the allele-specific oligonucleotides used to detect the mutatons in the FD gene are as follows:

5'- AAGTAAG(T/C)GCCATTG- 3' and 5'- GGTTCAC(G/C)GATTGTC.

In the ASO assay, when carried out in microtiter plates, for example, one well is used for the determination of the presence of the normal allele and a second well is used for the determination of the presence of the mutated allele. Thus, the results for an individual who is heterozygous for the T-C mutation (i.e. a carrier of FD) will show a signal in each of the wells, an individual who is homozygous for

- 34 -

the T-C allele (i.e., affected with FD) will show a signal in only the C well, and an individual who does not have the FD mutation will show only one signal in the T well.

In another embodiment, a kit for detecting the FD mutation by ASO assay is provided. In the kit, amplification primers for DNA or RNA (or generally primers for amplifying a sequence of genomic DNA, reverse transcription products, complementary products) including the T-C mutated and normal alleles are provided. Allele-specific oligonucleotides are also preferably provided. The kit further includes separate reaction wells and reagents for detecting the presence of homozygosity or heterozygosity for the T-C mutation.

Within the same kit, or in separate kits, oligonucleotides for amplification and detection of other differences (such as the G-C mutation) can also be provided. If in the same kit as that used for detection of the T-C mutation, separate wells and reagents are provided, and homozygosity and heterozygosity can similarly be determined.

In another embodiment a kit combining other diseases (i.e., Canavan's)

Example 3- FD Diagnostic: Other Nucleotide Based Assays

As will be appreciated, a variety of other nucleotide based detection techniques are available for the detection of mutations in samples of RNA or DNA from patients. See, for example, the section, above, entitled "Nucleic Acid Based Screening." Any one or any combination of such techniques can be used in accordance with the invention for the design of a diagnostic device and method for the screening of samples of DNA or RNA for FD gene mutations in accordance with the invention, such as the mutations and sequence variants identified herein. Further, other techniques, currently available, or developed in the future, which allow for the specific detection of mutations and sequence variants in the FD gene are contemplated in accordance with the invention.

Through use of any such techniques, it will be appreciated that devices and methods can be readily developed by those of ordinary skill in art to rapidly and accurately screen for mutations and sequence variants in the FD gene in accordance

with the invention.

Thus, in accordance with the invention, there is provided a nucleic acid based test for FD gene mutations and sequence variants which comprises providing a sample of a patient's DNA or RNA and assessing the DNA or RNA for the presence of one or more FD gene mutations or sequence variants. Samples of patient DNA or RNA (or genomic, transcribed, reverse transcribed, and/or complementary sequences to the FD gene) can be readily obtained as described in Example 2. Through the identification and characterization of the FD gene as taught and disclosed in the present invention, one of ordinary skill in the art can readily identify the genomic, transcribed, reverse transcribed, and/or complementary sequences to the FD gene sequence in a sample and readily detect differences therein. Such differences in accordance with the present invention can be the T-C or G-C mutations or sequence variations identified and characterized in accordance herewith. Alternatively, other differences might similarly be detectable.

Kits for conducting and/or substantially automating the process of identification and detection of selected changes, as well as reagents utilized in connection therewith, are therefore envisioned in accordance with the invention of the present invention.

As discussed above, through knowledge of the gene-associated mutations responsible for FD disease, it is now possible to prepare transgenic animals as models of the FD disease. Such animals are useful in both understanding the mechanisms of FD disease as well as use in drug discovery efforts. The animals can be used in combination with cell-based or cell-free assays for drug screening programs.

EXAMPLE 4- Creating Animal Models of FD

The first step in creating an animal model of FD is the identification and cloning of homologs of the IKBKAP gene in other species.

Isolation of Mouse cDNA Clones

The human IKBKAP sequence (GenBank Accession No. AF153419) was used to search the mouse expressed sequence tag database (dbEST) using the BLAST

program (www.ncbi.nlm.nih.gov/BLAST). A single 5' EST from a mouse brain library (GenBank Association No. AU079160) was identified that showed marked similarity to the 5' end of IKBKAP. The corresponding cDNA clone, MNCB-3931, was obtained from the Japanese Collection of the Research Bioresource/National Institute of Infectious Disease. In addition, eight EST's that were similar to the 3' end of the ORF were found to belong to UniGene cluster Mn.46573 (www.ncbi.nlm.nih.gov/Unigene). Examination of this cluster yielded several poly (A+)- containing clones, and we obtained the clone UI-M-CG0p-bhb-g-07-0-U1 (GenBank Accession No. BE994893) from Research Genetics.

RT-PCR Analysis

RNA (1 ug/ml from BALB/c mouse brain was obtained commercially (Clontech). Oligo-dT 15 and random hexamer primers were annealed to the template at 65° C for 10 min in the presence of 1X first-strand buffer, 2mM dNTP mix, and 4 mM DTT. The reaction mixture was incubated at 42° C for 90 min after addition of Supperscript TM II RT (200 U/ul) and Rnase inhibitor (80 U/ul) (GIBCO).

DNA Sequencing and Analysis

DNA sequencing was performed using the AmpliCycle sequencing kit (Applied Biosystems) for the 33 [P]-labeled dideoxynucleotide chain termination reaction, using the following conditions: 30 sec at 94° C, 30 sec at 60° C, and 30 sec at 72° C for 30 cycles. The radioactively labeled sequence reaction product was denatured at 95 C for 10 min and run on a denaturing 6% polyacrylamide gel for autoradiography. Basic sequencing manipulations and alignments were carried out using a program from Genetics Computer Group (GCC; Madison, WI). The cDNA sequence generated throughout the experiments were aligned and assembled into a 4799-bp cDNA named Ikbkap.

Isolation of Full-Length cDNA

To obtain the full-length cDNA sequence, PCR was performed on the mouse cDNA template using primers designed from the sequence of the 5' – and 3' –cDNA

clones. The PCR conditions were as follows: 15 sec at 95° C, 30 sec at 54° C to 60° C, and 3 min at 68° C for 9 cycles; then 15 sec at 95° C, 30 sec at 54 to 60° C, and 3 min with increment of 5 sec for each succeeding cycle at 68 C for 19 cycles, followed by 7 min at 72° C. The PCR products were electrophoresed on a 1% agarose gel stained with ethidium bromide and were cleaner using a Qiaquick PCR cleaning kit (Qiagen) in the preparation for cycle sequencing. Successive primers were designed in order to obtain the full-length Ikbkap sequence, which was deposited in GenBank under Accession No. AF367244.

Northern Blot Analysis

Expression of Ikbkap was examined using both mouse embryo and adult mouse multiple tissue Northern blots (Clontech). The blots were probed with a 1045-bp PCR fragment that contains exons 2 through 11, which was generated using primer 1 (5'-GGCGTCGTAGAAATTGC-3') and primer 2 (5'-GTGGTGCTGAAGGGGCAGGC-3'). The probe was radiolabeled (Sambrook et al., 1989) and was hybridized according to the manufacturer's instructions.

Chromosome Mapping of the Mouse Ikbkap Gene

Several of the mouse Ikbkap ESTs belogned to the Unigene cluster Mn.46573, which has been mapped to chromosome 4 (UniSTS entry: 253051) between D4Mit287 and D4Mit197. To assess synteny between mouse chromosome 4 and human chromosome 9, we used several resources available at NCBI (www.nbci.nlm.nih.gov/Homology).

Determination of Genomic Structure of the Mouse Ikbkap

The 37 human IKBKAP exons were searched against the Celera database to obtain homologous mouse sequences. Approximately 130 mouse genomic fragements (500-700 bp) were obtained using the Celera Discovery System and Celera's associated database, and these fragements were assembled into seven contigs. In order to assemble the coomplete genomic sequence, we obtained six mouse bacterial artificial chromosomes (BACs) from Researcg Genetics after they

screened an RPCI-23 mouse library using 4300bp human probe that contained exon 2. To verify that these BAC clones contained the entire Ikbkap gene, we amplified fragments from the 5' and 3' ends of the gene, as well as a fragment from the 3' flanking gene Actl7b (Slaugenhaupt et al., 2001) We designed primers at the ends of each of the seven contigs constructed from the Celera data and generated PCR products from the BACs. Subsequently, we sequenced and closed five of the gaps, with the resulting two contigs assembled and deposited to Celera (Accession No. CSN009).

Creating a Targeting Vector

After cloning and sequencing the mouse homolog of the human IKBKAP gene, a targeting vector can then be constructed from the mouse genomic DNA. The targeting vector would consist of two approximately 3 kb genomic fragments from the mouse FD gene as 5' and 3' homologous arms. These arms would be chosen to flank a region critical to the function of the FD gene product (for example, exon 20).

In place of exon 20, negative and positive selectable markers can be placed, for example, to abolish the activity of the FD gene. As a positive selectable marker a neo gene under control of phosphoglycerate kinase (pgk-1) promoter may be used and as a negative selectable marker the 5' arm of the vector can be flanked by a pgk-1 promoted herpes simplex thymidine kinase (HSV-TK) gene can be used.

The vector is then transfected into R1 ES cells and the transfectants are subjected to positive and negative selection (i.e., G418 and gancyclovir, respectively, where neo and HSV-TK are used). PCR is then used to screen for surviving colonies for the desired homologous recombination events. These are confirmed by Southern blot analysis.

Subsequently, several mutant clones are picked and injected into C57BL/6 blastocytes to produce high-percentage chimeric animals. The animals are then mated to C57BL/6 females. Heterozygous offspring are then mated to produce homozygous mutants. Such mutant offspring can then be tested for the FD gene mutation by Southern blot analysis. In addition, these animals are tested by RT-PCR

WO 02/059381 PCT/US02/00473

- 39 -

to assess whether the targeted homologous recombination results in the ablation of the FD gene mRNA. These results are confirmed by Northern blot analysis and RNase protection assays.

Once established, the FD gene-/-mice can be studied for the development of FD-like disease and can also be utilized to examine which cells and tissue-types are involved in the FD disease process. The animals can also be used to introduce the mutant or normal FD gene or for the introduction of the homologous gene to that species (i.e., mouse) and containing the T-C or G-C mutations, or other disease causing mutations. Methods for the above-described transgenic procedures are well known to those versed in the art and are described in detail by Murphy and Carter supra (1993).

The techniques described above, can also be used to introduce the T-C or G-C mutations, or other homologous mutations in the animal, into the homologous animal gene. As will be appreciated, similar techniques to those described above, can be utilized for the creation of many transgenic animal lines

To the extent that any reference (including books, articles, papers, patents, and patent applications) cited herein is not already incorporated by reference, they are hereby expressly incorporated by reference in their entirety.

While the invention has been described in connection with specific embodiments thereof, it will be understood that it is capable of further modification, and this application is intended to cover any variations, uses, or adaptations of the invention following, in general, the principles of the invention and including such departures from the present disclosure as come within known or customary practice in the art to which the invention pertains and as may be applied to the essential features hereinbefore set forth, and as fall within the scope of the invention and the limits of the appended claims.

WE CLAIM:

- 1. An isolated and purified nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of:
 - (a) the nucleic acid sequence in Figure 6;
- (b) the nucleic acid sequence in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide;
- (c) the nucleic acid sequence in Figure 6, wherein the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;
- (d) the nucleic acid sequence in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide and the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;
 - (e) the nucleic acid sequence in Figure 7;
- (f) the nucleic acid sequence in Figure 7, wherein the guanine nucleotide at position 2397 is replaced by a cytosine nucleotide.
- 2. An isolated and purified nucleic acid molecule according to claim 1, wherein the nucleic acid molecule has the nucleic acid sequence shown in Figure 6.
- 3. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide.
- 4. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 6, wherein the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide.
- 5. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 6,

wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide and the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide,

- 6. An isolated and purified nucleic acid molecule according to claim 1, wherein the nucleic acid molecule has the nucleic acid sequence shown in Figure 7.
- 7. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 7, wherein the guanine nucleotide at position 2397 is replaced by a cytosine nucleotide.
- 8. An isolated polypeptide comprising the amino acid sequence in Figure 8.
- 9. An isolated polypeptide comprising the amino acid sequence in Figure 8, wherein the arginine at position 696 is replaced by a proline.
- 10. A recombinant vector comprising a nucleic acid molecule according to claim 1.
- 11. The recombinant vector according to claim 10, wherein said nucleic acid molecule is operably linked to an expression control sequence suitable for expression of said nucleic acid sequence in a host cell.
- 12. A host cell comprising the recombinant vector according to claim 11, wherein said host cell is selected from a group comprising a strain of E.coli, Pseudomonas, Bacillus subtilis, Bacillus stearothermophilus, or other bacilli, other bacteria, yeast, other fungi, insect cells, plant cells, or murine, bovine, porcine, human or other mammalian cells.

- 42 -
- A method of producing a wild-type IKAP polypeptide, comprising: 13.
- (a) culturing a host cell transformed with a vector of claim 10 containing a DNA molecule encoding for a wild-type IKAP polypeptide in a cell culture medium under conditions whereby the IKAP polypeptide is expressed, and
 - (b) isolating the thus-produced wild-type IKAP polypeptide.
 - 14. A method of producing a mutant IKAP polypeptide, comprising:
- culturing a host cell transformed with a vector of claim 10 containing a DNA molecule encoding a mutant IKAP polypeptide in a cell culture medium under conditions whereby the mutant IKAP polypeptide is expressed, and
 - isolating the thus-produced mutant IKAP polypeptide. (b)
- 15. A method of screening a subject to determine if said subject has a mutation associated with FD, comprising:
- providing a biological sample containing the DNA of the (a) subject to be screened;
 - (b) detecting FD mutations in said biological sample.
- 16. The method according to claim 15, wherein the FD mutation is a T-C mutation at position 34,201 in the DNA sequence of Figure 6.
- 17. The method according to claim 15, wherein the FD mutation is a G-C mutation at position 33,714 in the DNA sequence of Figure 6.
- 18. The method according to claim 15, wherein the FD mutation is a T-C mutation at position 34,201 and a G-C mutation at position 33,714.
- 19. The method according to claim 15, wherein the FD mutation is detected by an allele-specific oligonucleotide hybridization assay.

- 20. The method according to claim 15, wherein the DNA from said biological sample is amplified using oligonucleotide primers flanking the mutation.
- 21. The method according to claim 20, wherein the DNA is amplified with oligonucleotide primers 18F and 23R.
- 22. The method according to claim 20, wherein the DNA is amplified with oligonucleotide primers 19F and 23R.
- 23. The method according to claim 20, wherein the DNA is amplified with oligonucleotide primers 18F, 19F and 23R.
- 24. The method according to claim 23, wherein the amplified DNA is screened for FD mutations using an allele-specific oligonucleotide hybridization assay.
- 25. The method according to claim 24, wherein the hybridization assay is accomplished using probes that span the T-C mutation at nucleotide position 34,201 in the IKBKAP gene.
- 26. The method according to claim 24, wherein the hybridization assay is accomplished using probes that span the G-C mutation at nucleotide position 33,714 in the IKBKAP gene.
- 27. The method according to claim 24, wherein the hybridization assay is accomplished using probes selected from the following sequences:
 - (a) 5'- AAGTAAG(T/C)GCCATTG- 3', and
 - (b) 5'- GGTTCAC(G/C)GATTGTC-3'.
- 28. The method according to claim 15, wherein the FD mutation is detected by method selected from the group consisting of:


- (a) restriction-fragment-length-polymorphism detection based on allele-specific restriction-endonuclease cleavage,
- (b) hybridization with allele-specific oligonucleotide probes including immobilized oligonucleotides or oligonucleotide arrays,
 - (c) allele-specific PCR, mismatch-repair detection (MRD),
 - (d) binding of MutS protein,
 - (e) denaturing-gradient gel electrophoresis (DGGE),
 - (f) single-strand-conformation-polymorphism detection,
 - (g) RNAase cleavage at mismatched base-pairs,
 - (h) chemical or enzymatic cleavage of heteroduplex DNA,
 - (i) methods based on allele specific primer extension,
 - (j) genetic bit analysis (GBA),
 - (k) oligonucleotide-ligation assay (OLA),
 - (l) allele-specific ligation chain reaction (LCR)
 - (m) gap-LCR, and
 - (n) radioactive and/or fluorescent DNA sequencing.
- 29. A kit for assaying for the presence of an FD mutation in an individual comprising at least one oligonucleotide probe capable of detecting the FD1 mutation or the FD2 mutation.
- 30. A kit according to claim 29, further comprising primers capable of amplifying the region containing said mutations.
 - 31. A kit according to claim 30, wherein said primers are 18F and 23R.
 - 32. A kit according to claim 30, wherein said primers are 19F and 23R
- 33. A kit according to claim 30, wherein said primers are 18F, 19F and 23R.

- 34. A kit according to claim 29, further comprising an oligonucleotide probe which specifically hybridizes to one or more additional mutant or wild-type genes, wherein said additional gene codes for a protein associated with an additional genetic disease.
- 35. A kit according to claim 34, wherein the additional genetic disease is selected from the group comprising: Canavan's disease, Tay-Sachs disease, Goucher disease, Cystic Fibrosis, Fanconi anemia, and Bloom syndrome.
- 36. A method of detecting a FD mutation in a sample, comprising isolation of RNA from a tissue sample, amplifying the RNA using primers in exons 19 and 23; determining whether said sample contains a mutant product or a wild-type product, wherein the identification of a mutant product indicates the presence of an FD mutation in said sample.
- 37. The method according to claim 36, wherein said RNA is isolated from neuronal tissue.
- 38. A method of detecting a FD mutation in a sample, comprising the utilization of an antibody capable of detecting a truncated protein product that is indicative of FD.
- 39. A method of producing a transgenic animal expressing a mutant IKAP mRNA comprising:
- (a) introducing into an embryonal cell of an animal a promoter operably linked to the nucleotide sequence containing a mutation associated with FD;
- (b) transplanting the transgenic embryonal target cell formed thereby into a recipient female parent; and
- (c) identifying at least one offspring containing said nucleotide sequence in said offspring's genome.

WO 02/059381 PCT/US02/00473

- 46 -

- 40. The method according to claim 39, wherein said mutation is the FD1 mutation.
- 41. The method according to claim 39, wherein said mutation is the FD2 mutation.
- 42. The method according to claim 15, further comprising a determination of whether said individual is homozygous or heterozygous for said mutation.
- 43. An oligonucleotide for detecting a mutation associated with FD, said oligonucleotide having a sequence selected from sequences which detect an FD mutation or bind to a region flanking said FD mutation.






Fig. 3A




Fig. 313





FIG. 4A






FIG. 5

FIGURE 6

IKBKAPgenomic.seq Length: 66479

1	CCAGTGCTGC GGCTGCCTAG TTGACGCACC CATTGAGTCG CTGGCTTCTT
51	TGCAGCGCTT CAGCGTTTTC CCCTGGAGGG CGCCTCCATC CTTGGAGGCC
101	TAGTGCCGTC GGAGAGAGAG CGGGAGACCGC GGACAGAGAC GCGTGCGCA
151	TTCGGAGCCG ACTCTGGGTG CGGACTGTGG GAGCTGACTC TGGGTAGCCG
201	GCTGCGCGTG GCTGGGGAGG CGAGGCCGGA CGCACCTCTG TTTGGGGGGT
251	CTCAGGTAAG CGATCCATCC AGGGTAGGGG CACGGGAGTG GACCTCTCCG
301	CCGGCGGTGT CCGGGTGAAG GAGACCCGGA GCCTCCTCTG CCTGCTGCGG
351	GCCGGGGACT GGAGTGCGGG CTGCACCACC TCTTTCCTAG AGCCTTAAAT
401	TCTTTTTGCA GCCTTGCCAC CTGCTCCATC GGGGGCGCTG GGAGGCGCGA
451	CAGCCCAGGG ATGCCTGCTG CCCCTCCAGC CGGACTTAAC CCAGCCTCTT
501	GATTGCTTGC AGGGGGTTGA TAATAACGCT GAAAGCGAGA GTAT TAATTC
551	ACGATGGAAG GCGGCGGTTA ATAGAGGCTC GGGTGCTGTG GTG CGGGTCC
601	TTTCTCGCGT GTGAGACTTT TTCGTGGAGG TGGTGTCCTC TGTGCTTCTC
651	CATCTAACGT GGTGTTTTAC GTGGCTTTCT CTCCCGTTAA CGATGATCTC
701	CGTGGAGACA GTGGCTGAGT AATCTTCAGA TCCCAGTACT TAGCAAGTGC
751	TCAGTCGGTG TTGGATGTAG GCCACAAACC GGATCGTAAA GAATTCAACT
B01	GTATATTGAC AGCCACGGAA CTAATCAATG AATAGATCCG TATGAAGAGT
851	AAGCAAAAAG GCAGCAAAGA CAGTTTTTCA GCTTGGGGAC ATAGAGTAGA
901	AATGGTCTGT CCCCAAATAG TGGGAACTGT CATTTGGGGG AAGAATAGCA
951	AGTTCTTTGC TTTCCAGGTC GCATTTGATG TGCATGTGAG ACATGCTTGT
001	GATTCTATCA GGAGGTTGAA AATGTGGGTT TAGTGGTAAG TITGGGCTAA
051	TTCAGTCAGG GCTAGGCATT TAGGCCTAAT CAGCGTATTG GTGATCTACC
101	TGGTATATGT AATCATGCAT GTGATGTCTA GCCAAGAGGT GGATAGTCGA
151	AGGAGCAAGG GAAGAAAATG AAGCAGTTAT CAGGAAATTA AGAGAGAATC
201	CACGATTGAC CTTTGGTGTG GAGGGATCTT TAGCACATTT AAGAACTGCG

1251	AAGAGTTTGA ATCAGTGGAG GCAGGAAGGT TGGAGGTTGC AGATG TCCAA
1301	GAAAGAGTAC TAATAGGCCT AGGTCCTGTG GCAATATGGA GGATATTCCT
1351	TTCCTAGCCT GGAAAGAAGT GGAGGGAAGT CTTCCTCCGA GAAGA TAAGG
401	GAATAAGGCT GATGGGTGTG AAATTTCAGA GAAACTAGTT TTGAGGCGTT
1451	TTTATGATGT TTAAAGATGA AAAACGAGCA GGCACGGTGG CTCAGGCCTG
1. 01	TAATCCCAGC ACTITGGGAG GCAGAGGCGG GTGGATCACT TGAGGTTAGG
:5 51	AGTTCAAGAA CAGCCTGGGC AACATGGTGA AACCCTGTCT CTACT AAAAA
1601	Tacaaaaatt aactgggcat ggtgccgggc gcctgtaatc ccagctactc
1651	CGGAGGCTGA GGCAGGAGAA TCGCTTGAAC CCGGAAGGCA GATGTTGCGG
17	TGAGCCGAGA TCGCGCCATT GCACCCCAGC CTGGGCAATA AGAG CGAAAC
1	TCCGTCTCAA AAAACAAAAA AACCTGCATG ATATGTTAGA GGTTCAAGTA
1801	ATTTCTAGCA GTTCTTGAAT ATAATTGTCA CCAAAACTTA CTAAAATCAT
¹851	TGTCTTCCTC ACTTCCATCA TATATAAACT TACCTTTCTC TTATCCCACA
1901	TTATATATA TATAATTCCT ATGACACTTG ACATTATCTT CTGTGTACTA
1951	TTAGGATTGA TTCATCTTTA TTCTTTCTAT GTCATACATA TGTGGGGTGC
2001	CAAGATGAGA GAAGTCTCCT TGGATTAAAG TGACAATAAG ACCGGTGTGG
2051	TCCTTGTAAT TGCTACCCCT AACATAAGTT AGGGACTTAC AATCATAAGC
2101	CTTAAAGGGA TCTGAATATA AATAACTAGC ACAGTAACAT TTTTT CCCC
2151	TACTTAGGTA ATGTTATGCA TITAAGCAAG CCTGATTTTG CCAGA CCAAA
2201	GTAGATGTCT TGTTTAGCAC TCTTTTCTCA CGTTTTATAT TGTCCTGGGA
2251	AAAGCCTGGC CAGAAGAACA AAGTTACTGG AAGTAGTTAT GTCAGGTCAT
2301	CAGGGTCCTT GAAATGTTGG TCATCATTTT GAAGTAAATT GTTGTCATGT
2351	CCCAGTATTT TCTCTTCCCC TTTAGAACAG TAAATGCTTT TCTATCTTTG
2401	ATTTCAGTTT TTTTATGAAT GTATAAAACC AGTTTATAAA TGAATAGACC
2451	TGGTGAATAT TAAAGTCATT TCAGATTCTC TTCAACTGCC AGTATATAAA
2501	AATGGATTTT CAAATAGTGC TAATCAGTGG GATACCCTTT TGTT TTTCCT
	CATGATTTTA TAAAGATGTC CTAATATGCA AAAATAAAAT
	TCATTTGTTC TTTCAACTTT CCCAAAGGAA TAACTGATAT TACATCTTTT

2651 TTGAAGAAAA CATTCTAAAG TTGAGAATCT TGCCTCCT AAAAAGAACA 2701 TAAAATAGGT TTCAGAATTC CTAATTTGTA GACCATAACT GTATAGAGTG 2751 GGTCAGGTTG CTGCTATAAT CCATACATGG GTGTGTACTC AGAGAGGTAA 2801 GTTTTTCTT TTCTTGGTTA TTCTGATTCT GACTACCACT TCTTCACCCC 2851 CTGAATCATT TCATTTAAAT AAATATGGTC ATTTATCACT ATTAAGCTAT 2901 TTATTTTCT CTTAGAGATT AATGATTCAT CAAGGGATAG TTGTAC TTGT 2951 CTCGTGGGAA TCACTTCATC ATGCGAAATC TGAAATTATT TCGGACCCTG 3001 GAGTTCAGGG ATATTCAAGG TCCAGGGAAT CCTCAGTGCT TCTCTCCG 3051 AACTGAACAG GGGACGGTGC TCATTGGTTC AGAACATGGC CTGATAGAAG 3101 TAGACCCTGT CTCAAGAGAA GTAAGTTACT GATGTAGAAT GCCAGCATGT 3151 GGGTATGACC CTTGATTTCT CTTCTTCCAA ATTTCTTTCC CCACA TGGTC 3201 TITCTITATA TCTTATTGAA TITATATCCT CCCAAATAAA CATCITTTGC 3251 TTCATATATA TGCCATGTTA GACATAGCTT AAATCGTAAT CCTTCTTTAA 3301 CTCTGCTGCT ATTTTAACCT AAGTCAGTAG AACTCTGACC TTACTTTTTG 3351 AGTGTGTGCC GTACTTTTTA CCCTCTTTGT CATGCAAATT CTGTT TATAA 3401 GAGTGGTTTT TTTTTTTTT TTTTTGAGAC GGAGTCTCGC TCTGT CACCC 3451 AGGCTGGAGT GCAGTGGTGT GATCGTGGCT CACTGCAAGC TCCGCCTCCC 3501 CGGGTTCACA CCATTCTCCT GCCTCAGCCT CCCGAGAAGC TGGGACTACA 3551 GGCGCCGCC ACCGCGCCCG GCTAATTTTT TGTATTTTTA GTAGATGTGC 3601 GGTTTCACCG TGTTAGCCAG GATGGTCTTG ATCTCCTGAC CTCGTGATCC 3651 GCCTGCCTCA GCGCCCGGCC AAGAGTGGTT TTTAATTGGG AAT GAACACG 3701 AAAGTTGCCC ATGGAGCTTT CTAAAAGTTT GAGCCCACAT CTCATGTCAA 3751 CTAAATCAGA ATCTTTAGTG TTGGCTCCTA ACTATATGTA CTTTAAAAAC 3801 CTCTGTGGGT TGGTTTTGAT ATGGTCCCTT GATTATGTTC TTCT.ACTAAT 3851 ACATTTTAGG CAGTTACATC CTTTAGTGCC TTTTCCCCAT ACTA TAGAAA 3901 TCTTAGAAAA GCATAGCTAT TAGCATCATA TTTTAGTGGA CAAT TTTAAA 3951 GAGACCAGGC TTATTGTTTT TGTTTTTGTG TTTGTTTGGC AAAAAGGTCA 4001 CATTACCTAT TTTTCTTGTT AGAGATGACA GAGTAGTGAT ATTTCTCAAA

PCT/US02/00473

4051	TGAAAGTTTG GATTTTCATC TAGAAAAAAT ATTTTTGAAA GCTTTTATGT
4101	AATAAAAGAA GCATTAAAAA GTATTTCTGG AAATGTTATC AATTATTCTT
4151	GAAAGTAGAC TGGGTTAATT TGCTTGTGTT TACTTTGGTG AAAGGTGAAA
4201	AATGAAGTTT CTTTGGTGGC AGAAGGCTTT CTCCCAGAGG ATGGAAGTGG
4251	CCGCATTGTT GGTGTTCAGG ACTTGCTGGA TCAGGAGTCT GTGTGTGTGG
4301	CCACAGCCTC TGGAGACGTC ATACTCTGCA GTCTCAGCAC ACAA CAGGTA
4351	AGTGGAAGAC TCCAGTGAGG GGGGAGTCTC AAGCATCCTC AAATAGGTTA
4401	CTTGCTATTT GTGGAAGTTT TCAAATCAGT AGCCATAATA GTTACACTTT
4451	TGCTAATTAA TTTTTGCATT ATATATTTCT TTATTTAAAA AATTGTTAAC
4501	ATGGCTTTAT CTATATGTTA AGATTCTTCT AAAACTGAGT TTTGTCTGCT
4551	GCATCTATTA ATCAGAGTGA TCAGAATGTT CCAAATGAGA ATATATTTT
4601	TTAAAAGTTA AAACTGGCTA TTCTTATGTG GTGTAGATCA CCTCT TATCA
4651	GACCCTCATC TTGAGTTGCA ACCTTTGTTT CTCAATTTAG GAAGT CTTTG
4701	TITATCTGAC TTAGATTTTC TGTTATGAAT GTTGATTGGC TAAATTTAGA
4751	GTCCCTGAAG TCTAGGCACT AAAGTAAATA CATTGTCATT ACCTGCACAT
4801	GTGATGACTG CCAGTAGAGC TAGACTTCAA GCAATTGCTT CTTTCTCTAC
4851	TITAGTGTAT AGTTGAGTTT CTGATTTCTA TCCTCACCTT CTTAACAGCA
4901	AGGGTTTCAA ATTACACTTG GCTGATTCTT TAAATCTTCT TCCAT TACTT
4951	CATTAGTTGT GATCTCCTTA ACATTGATTA TGTCACAGAA GTTAGAGTAT
5001	TACTAATAGT AGGATAATGA TAGCAGCTTA CATTTATTAA CTATCATGTG
5051	CCTGGCACTT TTTAAAGTGC TTTTCATGCA AATTTATTTA ATCTTCACCA
5101	TGACCTTATG CAGTAGGTTG TTGTTTCCTA TTCTTCAGAA GAGGCAGTTA
5151	AGGCACAGAG TGCTTAAGTA ATTAGACCAG GGTCACACAG TAATCAAATG
5201	GGGTTTGACC CTAGCAGTCT AAATCTGGCA CCTCTGCTCT TAACCATTCC
5251	ATTTAGTACA ATCATAAACC TTTACTTGCA GTTCATGGTG GGAAATATCA
5301	AACTTGTCAT ATACAGCTTG TTTTTTTTC GTATTTGAAA GATAGATGCT
5351	TITACTTTCC AAACATTTTG TAGCATTGTT TCCTGGTTAC TGAGCTCTTC
5401	CAGTCTATTT ATCTTCATTT AATGGTGCTG ATTCTGCCCT TTAGTGGCTT

5451	CTCAATTGTC TGAAAGGTAG AGCCCACTAT TGTGCCTTAT AAGCCCCT TT
5501	CACTATCTGT TCCCCACATT CCTTTTTAGC CTCATCCCCC CATTGTTCCT
5551	GTGTGTACGT AAACCTTATG TTTTAGTTGC AGCTGATTTT TAACTGCTCT
5601	TTTTCTGGC TTTGTGCCTC TACACTGTGT TTTCTTCCTG GTCTCTCTT
5651	CCTGTCCTTA TTACCACTCT TTGAAACACG TCAGAAAAAC TTTTTCTGGA
5701	CTTTGGGCCA CTTGTCATTC CCTGTGCTGA GACGCATTTT GCTTTCCAGA
5751	GATCTTGGTC ATTGCTGTTA TCCTCTGTAG GGTCTTCTTT TATCTCCCTC
5801	GTGAGACAGC TCTGGGAAGA AAAAGATATT TATTTCTAAT CCCTGTGCCT
5851	AATAACAGGT CTATTCTCTT GATATCCATT ACTGAAGAAA TGTTTGTTGA
5901	GTAAGTTCTT GTTTTAATTT TTAAATATAA ATTTTTAATT TTTATGAGTA
5951	CATAGTAGGT ACATATATT ATGGGCTACA TGAGATGTTC TGATACAGGC
6001	ATGCAGTGCA AAATAACCAC ATCATGGAGA ATAGGATATC CATCCCATCA
6051	AGCGTTTATC CTTTGTGTTA CAAACAATCC AATTACAGTC TTTTAGTTAT
6101	TITAAAATGT GCAATTACTG TTGACTGTAG TTACCTTGTT GTGCTATCAA
6151	ATAGCAGGTC TTATTTATTC TATTTTTTT TGTACCTATT AACCATCCCA
6201	ACTTCCCTCA GCCCCTCACT ACCCTTCCCA GCCTCTGGTA ACCATCCTTG
6251	TACTCTCTGT GTCCGTGAGT TCAATTGTTT TGATTTTTAG ATCGCACAAA
6301	TAAGTGAGAA CATGTGATGT TTGTCTTTTT GTGTCTGGTT TATTTCACTT
6351	AATGTAATCA TCTCCAGTTC CATCTATGTT GTTGCAGATG ACAGGATCTT
6401	ATTCTTTTT TATGGCTGAA TAGTACTCCA TTGTGTATAG TACCACAATT
6451	TCTTTATCCA GTCATCCATT GATGGACACT TAGGTTGCTT CCAAATCTTA
650 1	GCTATTGTGA ACAGAGCTGC AACAAACATG AGAGTGCAGA TATCTCTTCC
6551	ATATACTGAT GTCTTTTCGT TTTGTTTTT TAATTGTTTT GATTGAAGTT
6601	GCAGTCAGTT TTTACTGAGA TGCTAGTGTT TGAATCTCTC TTTT CAATTT
6651	TCTCTGTCTC AGCTGGAGTG TGTTGGGAGT GTAGCCAGTG GTATCTCTGT
6701	TATGAGTTGG AGTCCTGACC AAGAGCTGGT GCTTCTTGCC ACAGGTAAGG
6751	TTGTTACTGG TGCCTCACTG GCTTTTTTAA AACATTATTC CAGA TGTCTT
6801	ACAGGCTTCA TCAGCTTTAG GCTGCTTGAA TTTCAAAAAA TTTCTTTGAA

6851	CCAGTATAAT ACCAATTATG AACCAGTATA ATACCAATTA TGTATGTGTG
6901	TGTGTATATA TATATAAAAC GTAGAGTGAT TTTTTTTTGG TGACTGAAGT
6951	TTTGCCTCTT AGTCTATCAT TATAAAAAGT TGTTTCATGT AACTTTTTAA
7001	GTCTTTGGGA GTAAGAAACA AAGTCATAAA ACTTGGGGAG GCTGCTAAGT
7051	CCCCAGTTAG AGTTAAAAAT GTCAGCAATA TGTATTTAA CTTATTCTAA
7101	GAGTTGCTGT ATGGACACAT TCTAAAAGCC CTTCTTGGGT TCTGTTGCTG
7151	TTTTTCCCCT TTAAGTCTCA TCATTCCAGA TGAGTTTAGT AAACCAGCTC
7201	CACTGATGAC ATTTATATTT AGAGGTATCT TGGGGACAAG GAGTGTTGAA
7251	GTTAGTGGAG GAGGGCTTTG TGGACTTTTA AGTTCAACTG TACACACATT
7301	AATAGCTGAG CATAAGCACC AGGTGACTTA TCTAGGGAAA GCTTTTTGGG
7351	GTTTTTGTC ATTGTTGTTT TTTTAAGTCA AAGCATTTTG GATGAATTCT
7401	GTCTGCTCTG TTCAGACTAA CTCCAGCTCC TTAGCTTACA GTGCCATAGG
7451	TACTTAGGAA TGGCAAATTT GTTACATGAA AACAAAATCA TTTTT GTTTG
7501	TGTTTCTCTA AGGTCAACAG ACCCTGATTA TGATGACAAA AGATTTTGAG
7551	CCAATCCTGG AGCAGCAGAT CCATCAGGAT GATTTTGGTG AAAGTAAGTA
7601	TAGCTTTGTG CAATATTTTG TGACCTACGT TTCTCCCAT TTTTGACCAT
7651	TTCCTTGTGC ACTAATAGCC ATGTCATTAG GCCAAAGAAC TGTGAAAGTT
7701	AAACCCCAG CTATTAAATG TCTATTAGCC CAGTTCCTTC AGCCCATCCC
7751	AAATCTTAAA AGGCCTACTG ATGCCTCTCC AGGTCTGAGG GTT TAAGGTC
7801	ACTTAGATAG TTATTACCCA AACCCTAGGA AAGTCTTAGG CTGGGCTTTC
7851	AGTGAAAGGG ACTGTACAAG GTAGTATTTC TGGGATACAG TTT TAGGGAG
7901	AAGAAAAGAA GAAAGATGGA ATAGAAGGCT GGTTTTTGTT ACTACGATTA
7951	GATCCAATCT GCATTTCCAT GGGAACAATC AGATTATTTT CTTG CTAAAA
8001	TCTAGCCAAG GTCATCTGGG CATTAAGGCT GTGGGGGTAT TGAAGGGCAG
8051	TGCAGGAGAA GAGAGACGCT TATTAAGCAT AAGCTTTGGC CATCTTGAAG
8101	TCACAAAGTA GCTGGCCTGA TTGAAGAGGG ATGGGGAAGA AGATGTTCCA
8151	ACTTCTGTTA TGGTCTAACT TCCTGCCTTC TTGCTCCATC AACT CTGAGA
8201	AATCATTTAG ACAACTTCTA CCCATTTATT TACAAATAAT GTATTTGTTC

8251	AGAAATAATI TIGGAGGGCT GGGCACAGTG GCTCATGCCTGTAATCCCAG
8301	CACTITTGGA GGATGAGGCA GGAGGATTGC TTGAGCCCAG GAGTTTGATA
8351	CTAGCCTAGG CAACGTAGGG AGACCCAGCA TCTACAAAGA ATTTAAAAAAT
8401	TAGCTGGGCT TGGTGGTATC AGCACAGTAA TGACATGATG TGCAGGTACT
8451	GGGGTAGCAT AAGGGAAGGA AACGAGTAAC TAGAGAGGGA TGATTTATTT
8501	CCCCTAGGAG GCCAACTTGA GCTGAGTCTC AGCTGAATTG GTGTTGGGTA
8551	GGTGAGGGAT AAGGGTGGGG AGTAGTCAGC TGAATTGGTA TTGGGCAGGT
8601	GAGGGATAAG GGTTTGGAGT AGTCAGCTGA ATTGGTATTG GGTAGGTGAG
8651	GGATAAGGGT GGGGAACAGT CCAAGCAAGT GAATGTGTCC ATTTCAAGTG
8701	TCCATTTCAA GGGAGGGTTA TTTCATAGAA ACATTGTGGG TTACTCAGGG
8751	AACTGTGAGT AATTCAGCAT TGCTGAAGTG GCAGAATGTG AGTGTAGAAT
8801	GAAATAAATG GAACAGATTT GATTGAGTTT GTAGTAGGGA ATATGGACAT
8851	TGAGTTATAG TTGATCAGCC ATTACAAGTT TTGATGATAA GAGGTTTAAA
8901	GAGATTTATT TAATAGAAAG ATGGCTCGTG ATGGCATATT TTTGTTTT
8951	TTGTGTGGG AGAGGGAAGA GATGAGAGGC AGGGTGATCA GGTAGGAGGT
9001	TGCTACAGGA ATCCAGATGA AAGATAAGGA AGGTTTGTGT GGGGCTAGAA
9051	GCAGGAATCA TTCAGGAAAA AACTTGATTC ACAATGAGGA TGGGAGTACA
9101	TTTTTTAGAA TTAGCTGGGA AACTTTTTTA GAATATATGT GCATGATTCC
9151	CCTTCTGCCC TAGGCCAGTT TGAGAAATAC CAATTTAGAA AGTGAAATAA
9201	ATAGGCTTTG CGTATGTAAG GTGAATAAGA AAAAGTTGAG CAGGACTCCA
9251	GCCAGAACCT CAGGTGTTGG GAATAAAGAT GCCAGTAACA GGGAAGATGG
9301	AGAAGTGCTG GTCTGTAAGG GGTGGGTGGT GAGATCTGTT TTGGATTTGT
9351	TGAAGGACCA TATGTGATTG CCATGTGGAG TATGCAAATA TAAGGCTGAA
9401	GCTCAGGAGA GGCCAGAGCT ATGGACTGAG AGTAGTGGGT ATGTAGGAAA
9451	TTCTGACAGT TTTGGGAACA GATGGACTGT CTCAGGGAGC AGATGCTGTA
9501	CAGGAAGAGT CTAGAATCCA GGGTGGAACT CTGGGGCATC CAGCTTTGAG
9551	GACAGTCAGA GAGAGAGTAA CAGCACACAG TATACTTTGG GATGGGAAAG
9601	TGCTCTGGGC CTGGTGTTTC CCACTGACTT TTTCACACAA ATCCTAATGC

WO 02/059381 PCT/US02/00473

9651 A	AGTAAATCAA AGGAAATGTA GGCCAAGTTA AGATCTTAGG ICICAGAAAT
9701 (STGTTTCTCA GTACAAAAA AAAAAAATCA TTCTATGGAG TGATGAATAT
9751 7	TTTTCCTCTA TCCTGGGGTC AGTAGACTTG TTCTGAAAAG GGCTAGGTCA
9801	GAATATGTT CAGCTTTGCA GGCTGTATGA TCTGTGTTGC AGCTGCTCAA
9851 7	TTCTAATGTT GAGGTGTGAA AGTTATACAT GATACATAAG CACATCTATG
9901 7	TTCCAGTAAA CGTTTGTTTG TAAAAGCAGA TGTAGGCTGT AGTTTTGCAA
9951	ATCCCTGCTG TAACCCCATC ATTTCTTGTC TTCCATTGGA AAAGTTCTCT
10001	TTCTTCATTC CTTGGTCCTT AATCTTTCTG TGGAAACTTG CAGATAGAAG
10051	CCTGGGGGTT TGCACCAGGA TAGTCACTAC CATTTGTACG CAGCAGCAAT
10101	TGAGGTACTG TAGCACTTGG ATGTGAGCAG ACAGGAAATG GTCATATGGA
10151	CCCATAATTT ATAGGAATTG CAAACAGCCC TGCTTCATCA GAATCAGAAT
10201	CAATGGCAGG AGGAAAGTAT TGGGTCCTGG ATTAGGTGAT GTTTTCAGGA
10251	CCATCTTTAT TGTGCTTCTT GCAAATGGAT CCTACCTCCA GGAACAGAAG
10301	GGTTGTGTTG TTTCAGCAAC TCTGCCTAAT AGTTTATATA AGAGAAGTGT
10351	TACGATCTAG AAAGAACCCC AGTCAGCCTG GAAGGCAGAA GACCTGTGTT
10401	CTACTTTTTG GCTCCACCAT TAGGGAGGGT CTCAATCTCT AAGTCTATGT
10451	GAGGAGCTGT TTTGTGACCT GCAGCCCCTC TATCACCAGT GAGAGCTTGC
10501	AATCAGAATT TTATTCCCAG TTCTCATCTT GGGGTTTTAT GTTCCGGACA
10551	TATTTGTAA ACTCTTTATG TITCATTCTT CTTACTTATA AGGTGAGGGT
10601	GAGATCGCTG ACTTGTGTCA TCAAAGAAAC TTGGAATATG TAAGATGGCA
10651	GTAAAATGCT TTCCAAAATA AGGAAGGGCA TTTCAAATTC TTCAAAGTCA
10701	CTGCTGCATA TAATATGAAA TGGGTTTTGT TTGTTTGTTT TGAGATGGGG
10751	GTCTCGCTGT GTTACCCAGG CTAGAGAGTG CAGTAGTACA ATCAGGGCTC
10801	ACTGCAGCCT TGAACTCCTG GGTTCAAGTG ATCCTCCTAC TTTAGTCTCT
10851	TGAGTAGCTG GGACCACAGG TGTGTGCCAT CATGTCCAGC TTATTTTGTA
10901	TACTTTTTGT AGAGATGGGT GTCTCCCTAT GTTGCCCAGG CTGGTCTCGA
10951	ACTCCTGGAC TCAAGTGATC CTCCTGCCTC AGCCTCCCAA AGTGTTGGGA
11001	CTATAGGCAT GAGCCACCAT GCCCAGCCTG AAACATAGGT TTCTCAAATA

11051	TTGACTGCTG GTCAATTTAT TGAGAGGCGT TAGAGGACCT GAGT AATTGC
11101	CAATGACTAA CTTCATGAAG AATAGCAGTG AAACTGTTTT TGTTTCATTT
11151	CATGTGGCTT ATTAGTTGTC TTGCCAATTG TTCTGTAGGC AAGTT TATCA
11201	CTGTTGGATG GGGTAGGAAG GAGACACAGT TCCATGGATC AGAAGGCAGA
11251	CAAGCAGCTT TTCAGATGCA AATGGTAAGT TTGGTTTGAT GGAT AAAAAG
11301	CCTTGACTGG AACAAATGTA AGTTTGCCAC CCACCAGGAA CTCTTTGGTG
11351	TCCACTTAGA TGCCAGTAAT GAACAGTTCT CTTCTGCTTT AGTAAAACTG
11401	CCTAGAACCT TCAGGAAATG AATCCCTCTA GAAAGATCCT TTTTTCCTT
11451	GTTATTGCCA AGTTGCTTTG TGATTTATTT TCATAGTAGC AAATAATTAT
11501	AACCAATATT CATCACCCAG TTTAAAAAAT AAAACATCAC AGACAAAGGA
11551	AACCCCTGT GTATCCCGTC CCGATGTCCC TCCCCTTCCT CTCCAGAGAG
11601	AGCTGCCATC CTTCATTCAC ATGCATGTTC TCATACTTTT CCCATATATG
11651	TGTATATTAG ATATTTTCT TTTTCTGTTG GATGAAACTC TTTGTTTTCC
11701	TTACTTCTGG ATTGGAAAAT TCTGAAGACC ATATAATGAT GTCTTGATGA
11751	CTCAAGGCAG GACTTTTTAA TCTTCTAATG TAGGCGGGGC GGC CCCTGAA
11801	GGCAGAGGTG TGTGGACACA AGAAGAGTGC AGACTCTTGG GGCACCTGGC
11851	GAAGTAGTGT CCGTGTCACA TTAAATTCAT TTAAACTCTT ATATTTTATT
11901	TTAATTTATA CAATATGAAT ATTTTTTAAA ACTATGAATT GAAAAGTATT
11951	ACCCTTGAGT AAAATTAATG CCCCAAGAAG ATGTGCCATA TITACCCTCT
12001	GGCACACTAC CAAGTACCCC CAGGGGCATT ACAGATCTCT GTTAGAAAAG
	TACAGATTAC ATTATCCTCA TAACATTTAG AAGCTATGAG ACCTTGGCAG
12101	GGAAGTTTCC TAATGTTTCT GAGCCTCAGT ATTCTCTGTA AAGTGGACAA
12151	CATAATGTCT CCTTACAAGG GTTGAGATGG GCAGGTAATA GCATATATAA
12201	AACAGCTATC ATAGCATCAG CACAGTGTAG GCACTCAAAT GGTAGTTGCT
12251	GCTTTGTTT TAGTAGACAA ATAATTTTTG AAACTTTTTA AAGCGTAGTT
12301	TTTATTTCAA AACAACTTTA TTGTGAGTAA AATATGCATA GTGGGTCTAA
12351	TTTAACATTC TGAAAGCTAT TGACTTATTA GAACAGTAAA GGATTATTAG
12401	AGGGCAGAAA CATGGAGTAA GTACTCTGAG ACACAACCTT GCTTCTTTGG

12451	GGGTGATCCA CTACAACTGC CCAGCTI IGG ACAAGIGGTI ITCA IGTICC
12501	CCTGATTTT AAGTGATTTT TTTTTTTTT GGCAGGACTT AAAAGGTATC
12551	CTTGACTAAA CAGGAACTTG ACCAAGTAAA TAGTTGGTGC AATTTGAATA
12601	TTCTTCTTG CTATAAGCAA CAAGTAAATT ATGGTACAGC TTTCTAAGAC
12651	CATATCTTTT CGATTTAAAA ATAGCACTTT ACTCATACAT GTTATGACAT
12701	GGGTAAACCT CATAAAGATT ATGCTAAGTG AAAGAAGCCA GTCATAAAAG
12751	ATCACATATA ATATGATCCC ATTTGTATGA AGTGCCCAGA AGGGGCAAAT
12801	CCACAGAGGC AGAAAGTAGA GTAGTGGTTG GGTAGGGCTG TGGGGTGGGG
12851	TGGGGAAGGG GTGACTGCTA ATGGATATGG GGTTTCTTTT GGGGATGATG
12901	AAAATGCTCA AAATTTAGAT TATGGTGATG GCTATTCAAC TTTGTAAATA
	TACTITAAAA ACATTGATTC TTACCACTGA GTTTAAACAA CCAAAAAAAA
	ATCCCAAGGT GCATTGAATT GTGTACTTCA AATGGGTGAA CCTTAATAAT
	ATGTAAATTA TATCCCAGTA AAGGTGTTAA AAAATAGTAC TTTAAAGGAA
	TCTATGGTAG TTTTGAAAAT AAGGCAGTTT TCCATACTTT GTTAAACTCT
	GGAGAAGATG ACACTTTACT ACTGGTACCT GCTAGAGTAA GACTTATCTA
	GTATTAACAA AATTAGGGTT TATTAATGGT ATAGGATGAT CCAGGTAATG
	GGGGAAAAAA ACCGAGCATC CTGTTATCTA ATGTACTATC CAGTAAACTA
	CTCTAGCTTT TTTTCATGAA CTTTTTCTAA AGGCTTTCTA GGGCCTCGTC
	TTGGTTTGAA AGTTCACAGC TACCCTTCAG AAAAGAAAAC AAAAATCCAT
	GGAGTAGGCA GATACAAGTA CTCATGTGAG CATAATTTAC TTTGATTTTT
	TAAGTTGTGT TATTCTAGCC CTCAGCCTGT TCCCTGCCTG GGCTCTCCTA
	GTGCCCAGTA ACACTGATTC AAGAGGTTGC ATTTAGCTGG GCACAGTGGC
	TGATGCCTGC AATCCCAGCA CTTTGGGAGG CCAAGTTGGG CAGATCACCT
	GAGGTCAGGA GTTCAAGACC AGCATGTCCA ACATGGTGAA ATCCTATCTC
	TACTAAAAAT ACAAAAATTA GCCAGGCATG GTGGCAGATG CCTGTAATCT
	CAGCTACTTG AGAAGCTAAG GTAGTAGAAT CACTTGTACC TGGGAGGCAG
	AGGTTGCGGT GAGCCAAGAT TGTGCCACTG CACTCCAGCC TGGGCCATAA
13801	AGCAAGACTC CGTCTCAAAA AAAAAAAAAA AAAAATTGGG TGAGAGGGAG

13851	GAATTGAGGA GGATACCAAG GGTTGGGCCT GAACAATTGG AGGATACT
13901	ATATGTAGAA ATTTCTATGA GCTACTCTTC TAGAATAGAT GACTCAATAA
13951	TACCCTGCTT GCCATCTACG TTTTCTGTCC TTAATTATTT CCAGTTCTAT
#001	TTCATATAAT GCCTATTTCA GGCCTTAACC CTTCAGTAAA GGAGGTTTGG
051	TITCTATACC CTAGGACAGT TTCATTGAGA ATAAATTTTG TTAGGCTACC
;01	TATGTATTCC CTACTGTGCA GACTACAGTA CAGTACTAGC AGAAT TCTTA
:51	GGCTGTTACT AGAATATGAT GATGAATGCC CGGGTGGTCA TCTGTCTCCC
<i>u</i> 1	ACCCGGTAGA GTTGGCTTCA GGATTGAGAT ACACGTGGCC CTGGAGGAGA
2 5 %	STTTCTTCC CGTCATGCTG CAGAATGAGA ACATTTCCAT GTTTT CGTCA
٠.	TTGTCTGCTG CTGCCTTTAC CACCTCTGTG GCTCCTCCCT ATTCACCTTG
, .	TTCACATCTT * ACTCATCTG TGCCCTGTTG TGAAGCTTAC ACAATATGTA
•O1	AACAAAACTC TACCCTGTTG GACAAATGGA ACACTTGTTT CCTTGTTGTA
451	GTTACCTGAT AGGTTCCTTA GCTCATTATA TTCAGGATCT AGATCTGTAG
4501	CTCTTTCCT CTTTGCTGT TCTCAGAGGC CACTTTTTT TTTTTAATG
14551	CCGAAAGGAG GATTTGTTT GTTTTACATT TTTTCTTCT TTTTGATGAT
14601	TTCTGCGTTC TAAGAACCAA CCCTTGGATG GTTTCTGATT CTAGAGGCAG
14651	GCTTTCAAAG TAGCTTAAAAC CTCTTAAAAA ACATCTGTAT CTAGTGGTCT
14701	GAGGCTTGTT TGATTCTGGG ATACTTAAGG TCCCCCAGTA ATATTGGTGT
14751	TTGTTCCCCT TTTTAGCATG AGTCTGCTTT GCCCTGGGAT GACCATAGAC
14801	CACAAGTTAC CTGGCGGGG GATGGACAGT TTTTTGCTGT GAGTGTTGTT
14851	TGCCCAGAAA CAGGTATGGA AATATATTGC AGTTAAACAA CAATAAAAAA
14901	TTTTATCTT ATTAAAATTA AGGAAAATTT TCTTTCTTTT GCTTTGAGTA
14951	GGGTATTAAT TATACATATG AGGCAAGGAT GTGCTGCTTT AAATGTGAAA
15001	TGAGGTTAGA GTTAAGAATT AGAAGAGTCC TTTGAGGCCA TTTGGTCCAT
15051	CCTCCTACCT GGTGGACACA AATTTGTAAC AAAATTAATC TAATTGGCTA
15101	TGTAAAACCA TGGCAGTTTT TATTTGTAAG GAAGGTGTTT GAATAGTTCT
15151	GAATTGACAA CTTTTATCAT AATGTTTTAA GTGTGTATGT GTGTTTGACT
15201	CCACTCCCGC ACAGGGGCTC GGAAGGTCAG AGTGTGGAAC CGAGAGTTTG

15251	CTTTGCAGTC AACCAGTGAG CCTGTGGCAG GACTGGGACC AGCC CTGGCT
15301	TGGAAGTGAG TGGGAGAAGA AACCTTAGAG AAATTCTTGG AACCAGAGTA
15351	GAGGTGGTGG TACACATGGA TACAGATGAT ACAGATGTTT GTGTAACACA
15401	AAAGGATTTT TACGTTTCTT CATTTGGTTA TAAGGCTGTA TCTATCTTTG
15451	TITCTTCTTT TTTTTTTC TTATTCCCTG AAGTCTGAAT TCAACTCGAA
15501	TAGTAGATTT TACGCTTCTT CACAGATTTC ATTGTTCCAA GGCCGCATAT
15551	ATTTTGCATT CCTAACTCTT AAAAGGCTGT GGTTTTAAGG CAGGGTATAT
15601	ATGAAGCCAT TGTACAGAGC AGAAAATGGT GTTTAGAAGG GAAGGCCCAG
15651	TTTGCAAGGC TCTGTGGGGC AAATGGTGCT TTTGTGGAAA TTAGGGAAAG
15701	AGCCTCCTTC CTTGGCACAA AATTCCTACA GCAGAGGATC TGCTTGCCAA
15751	GGAGCATGCA GGCTGGATTC AGACCCTGCT CTTTCCTTCC ATTCTCCTCC
15801	TTGGCCCAGT ACCCTTGTGC AGGTTACAAT TTGCCTGTCA TATGTGGCTG
15851	CCTGATTTTA GATAGAAGAT GTATCTCCTC TGTTTCGGTG ATATCTGTTG
15901	TATGTAGACC TCTTGTTTCC CACCAGTATC TGAATGGTAT TATATGATAG
15951	AGCAGAAGAG AAATGTATTT GAATTAAAAC CCTAGAGACA AATATGAATA
16001	AGATGAGGCA ATTAAGATGT TTTCAACATT TGGTGAAGTC TTAAAAAAGA
16051	CCTACTGGAG CATAGAATAT TTGCTGAAGT TGTATAATGG AAGGAGAAAT
16101	AGATTTTGAT TTTTAGGACA TTATACCTGG AATGGTTTAG ATAACTTATT
16151	ATTTTAAAG TCATCCAAAT GCAATGTAAA TATGTAAGGT TTTGTGGGCA
16201	AATGGAGCCT CTGTGTAAAA CAGGAAAAGG CACTCTTTCC TCTGGGCAAG
16251	TACAGTCCCA CAGTGGGATG AACCGCTCGC CGAGAGACAA GGGACACATG
16301	GGATTTAAAA CTTCCTTGGA TAAAGATATT CATTAATTCG TTCATTCATT
16351	CATTCATGTT TGCTGGAAAA AAAACTCTTC TGGATTTTAT CTAT TCTTTA
16401	GTTAGGTGAG CTTTCGATAT TGTAACACTC TGAGTTTGCT TTAAGACCCT
16451	CAGGCAGTTT GATTGCATCT ACACAAGATA AACCCAACCA GCAGGATATT
16501	GTGTTTTTG AGAAAAATGG ACTCCTTCAT GGACACTTTA CAC TTCCCTT
16551	CCTTAAAGAT GAGGTTAAGG TAAGTGCCTG AGTTTGTTTC ACCCTCGAAT
16601	GTAGAGGACT TTCCATAGCT ATAGAGGGAA TTTTTTTTT TTT TTTTGA

16651	GATGGAGTTT CATTCTTGTT GCCCAGGTTG GAGTGCGATA GTGCAATCTC
16701	GGTTCACTGC AACCTCCGCC TCCTAGGTTC AAGTGATTCT CCTGCCTCAG
16751	CCTCCCGAGT AGCTGGGATT ACAGGCTTGC GCCACCACAG CCAG C
16801	TTGTATTTT AGTAGAGACG GGGTTTCTCC GTGTTGGTCA GGCTGGTCTC
16851	AAACCCCTGA CCTCAGGTGA TCCACCCGCC TCTGCCTCCC AAAGTGCTGG
16901	GATTACAGGC GTGAGCCACC ACGCCTGGCC TATAGAGGGG ATTT ATATTI
16951	GATATGGATA TATAAATAGT AGCTTTAGAG TAAATAGTAA TAAAAA TGGT
17001	GGCTTCCTAG AACTGATTTT TATTTAATAA AATATTGTTT TTCCAGTGAT
17051	TTTGCAAATA ATAGCATTTG TCCCCCACCT TAGATAAAAC AGAAGTAGGA
17101	AATAAAAATG CTAGTTTTTA TTGTTTATTT TGACAAAAGC ATAATTT TTC
17151	CAGTAATGAA GATGTTTTTC ATTTATAACA TTTAAATCTT AAGTGGTTTTG
17201	TATACCATTA AGATTCTTGC TGAAGTGAGA ACACATCAAA TGGTATCTCT
17251	GTGTAAAATT TTAAACATCC TAAGTTGAGA GACGAGTTTA ATGAACTCCC
17301	ATGTAACTAT TACTCACTTT CAGTAGATAC CAACATTTTG CAAAACTATT
17351	TTCATCGGTC CGCAACTCTT TGGCCTATAC ATATATATC TTACATATAT
17401	TTTTATTTCC TGGAGTTTTA ATTCTAGAAA TCATATTTTC AATATT TATT
17451	TATAACAGTT AAGGACATTT TTCTTTACAT AACCATAATT CTATTATTAC
17501	ATCTTATCTC TGTGTTGTCT AACACCCAGT CCATATTCCA GTTTCTCTGA
17551	TTGTCTAAAA ATGTCACCTT GTATTTGGTT AAGTTTCTTA AGTCTCTTTT
17601	AATCTTTAAG CATAATGTAT TTCTTTTTT TAAGTCCTCT ACATAATAAT
17651	GACATATTTT ACAGATTTGT TTAATGCCTC TGTAGGTTAG TGATTTACAG
17701	CTAGGGATGA GCTCAGGTAG TGGGATTATT TGATTTGAGA GAGGAAATAC
17751	AGCTATTATA AAGATTTGGA AGTAAATCCA TAACTGAAAG CCAA TGACAG
17801	ATCTTTTTC CCTTCTAGGT AAATGACTTG CTCTGGAATG CAGATTCCTC
17851	TGTGCTTGCA GTCTGGCTGG AAGACCTTCA GAGAGAAGAA AGCTCCATTC
17901	CGAAAACCTG TGGTAAGACA GCTGTAGTAC CCCAGCCTTC TGCCCCATAA
17951	AACGTAGTTG AAAGTAGACA GGTATGGGAT TTCCTTCATC CCTTCTACTT
18001	AGTCCCTTAG TAGAATCAAA GATGCTGAAG TGGGTAGGTG GAAATGGGGG

18051	TGGTTAGGTT TTGATTGATT GTGGATTTCA GTCATGTATT GGTTGGGGGTT
18101	CTCTAGAGAA ACAAATAATA CATATATATA ATTCGTCCCT CAGTATTCTC
3151	GGGGGATTAG TTCTAGGATT GCCCATGGAC GCCAAAATCC ACACATGGTC
10201	AAGTCCTGCA GTCAACCCTG CAGAACACTC AGATATGAAA AGTCAGCCTT
1825า	TIGTATACTT GGGTTTTGCA TTCCTCAAGT ACCATATTTT TGATGTGCGT
¹83 01	TTGGTTGCGG GTATAGAATC CACAATATGA AGGGCCGACT GTATTCATTG
8351	AAAAAAATAC GAATATAAAT GGACCTGTGT AGTTCAAGCC TGTGTTGTTC
- 401	AAGGGTCAGC TGTACTTACA TAGAGAGACG GTGAGAGAGG GAATAGGGTG
451	GGGCGGAGG GAGAGAGT AATAGAGTGT GGATAGATTT ACTTTAAAAG
. 501	ATTAGCTAAT GTAGGGGATG GCAAGTTTGA AATTTGTGGG GGCAGGTTGG
1	C GGCTGGAA ATTCAGGTAA GAATTGATGT TGCTGTCTTG AGTATGAAAT
. 331	CTGTAGGGCA GGCTGGAAAC TTAGGGAGGA TTTCTGTTAC AGCCTTAAGG
€ 151	CAGAATTTCT TCTTTTCTGC GAAGCCTCAG TTTTTGCTTT TAAGGTCTTC
18701	AGCTGAATGA ATGGGACCTT CCCACATTAT GGGGAATAAT CTGCTTTCCT
18751	TATAGTCAGC CGATTATAAA TATTAATCAC ATCTACAGAA TACCTTCACA
18801	GCAACATCTG GAGTTTAGCA GATAGCTGGG TGCCATAGCC TAGCCAACTT
18851	GACACAATAA AATTAACTGT TGTAAGTCAT CACGTGCTTT CCCTAGTGCA
18901	TGGTATTACC ACAGAAAAAA CACTAACCAA AGGAATTCTG TGGACGTGAA
18951	AGAAGATTTA GATTAAGCGT AAAAGTAAGA ATATTTTTAT AGCTT TTAAA
19001	ATGTATAAGT GTGTGGTTTT AAGTATTAAA TAATACTTGA AAATGTTAGA
19051	AAATAAGATG AGAAAAAAT CTCATAGTTC TACCACTTCG TAATAATCAC
19101	TATTCAAATT TTCTTGTCTT CTAGGTTTTT CATGTATATA TCTCAGTATA
19151	GCTATCATCT TGTTTTTGTT AAAAGTGTAG TAGGTATGGG CCAGGTGCGG
19201	TGGCTCATGC ACTTTGGGGG CCCAGCACTT TGGGAGGCCG AGGCGGGCGG
19251	ATCACGAGGT CAGGAGATCG AGACCGTCCT GGCTAACACG GTGTAACCCC
19301	ATCTCTACTA AAAATACAAA AAATTAGCTG GGCGTGGTGG CAGGCGCCTG
19351	TAGTCCCAGC TACTCAGGAG GCTGAGGCAG GAGAATGGTG TGAACCTGGA
19401	GGAGGCGGAG CTTGCAGTGA ATGGAGATCG TGCCACTGCA CTCCAGCCTT

19451	GGCGACAGAG TGAGACTGTC TCAAAACAAA ACAAAAAAAA GTGT AGGTGT
19501	GATACATCTG CATCATTTTA AATTGCTGTA TAATACTCGT TTATTCTCGT
19551	TCATTAAATC TCATGCTGTT AGACATTTAC AGTTTTGTCA TTTCTCATTA
19601	TTGTAAACAG CAATGCATGG TACATTTTTG TTCATAAATC TTTTA CTTG
19651	ATTATTTCT AAGTAGCTTT CAAACTCTTT AATCAGTAGA ACCCCCCCC
19701	TTTTTTTTTTTTTGGAGA CGGAGTCTCT CTCTTTCCCC CAGGCTGGAG
19751	TGCAGTGGCC CGATCTCGGT CACTGCAAGC TCTGCCTCCC GGGTTCACTC
19801	CATTTTCCTG CCTCAGCTTC CCGAGTAGCT GGGTCTACAG GCGCCCGCCA
19851	CCAAGCCTGG CTAATTTTT GTATTTTTGG TAGAGGCAGG GTTCACCGC
19901	GTTAGCCAGG ATGGTCTCGA TCTCCATCTC GTGATCTGCC CGTCTCGGCC
19951	TCCCAAAGTG CTGGGATTAC AGGCGTGAGC CACCGTGCCC GGCCTCAGTA
20001	GAACCCTTTT AACTGCAATG TTAAGAAACT CATTATTCAT TCAACACAAT
20051	AGTTCTTAAC CCTGGCCACA CCTTTAGAAA AAAAATGATA TTCAGGCTTC
20101	ATCTAAGAGT TCAGTTCAGT GTGTTGGAAT GGAGATTATA CGTAAGTATT
20151	TAATTAAAAA CCAAAAGCCC CCAAGTGATT TTAAACAGCC GCAGTTGAGA
20201	ACCACCGATT AACCAGTGTG TCAAGGGATG GCACTGTGAT ATGCTGAGCA
20251	TAAAAATATT GCACAGGATG AAACCCTGTC TCTACTAAAA ATGCAAAAAT
20301	TAGTCCGGCG TGGTGGTGCG CGCCTGTAGT CCTAGCTACT CGGGAGGCTG
20351	AGACAAGGGA ATCGCTTGAA CTGGGAGGCA GAGGTTGCCG TGAGCCGAGA
20401	TTGAGCCACT GCACTCCAGC ATGGGTGACA GAGTGAGACT CCATCTCAAA
20451	AACATGTATA TATATATATA CACACACAC CACATTGCAC AAGAACAGCC
20501	ACAACATCTG TGCTCACAGA ACATCAGCAT GTGGTCTAACTTCAAAGTGT
20551	TGTAATAATG CGGTTTGAGA CTAGGTTATG TTTGCTGTGA TCACTAAGTT
20601	AAGCATTAGT GAGCAAGGAG ATTGAGAAAA TCCTTAATAT AAATAATATT
20651	TCTTAATATA ACTATAATTC CTAATATAAC TAAGGTCTTA ATTTA TATGT
20701	CATCTGTTTA GTAAAGGTTG GTTTTGGCAT GATTAAGTCT TGCTTGCTTA
20751	ATAGATGTTG GAAGGATAAT TTCATGCTTA TCTTCTTTGG ACAGCTGAAT
20801	CAGGATTAAT ACCCAGATAG CCTTGAACAT AAGTGCTTGC AAAGCACCTG

20851	AAAGAAAATA AGCATCTTAA GCCCAATACA ACACAATGAT GCTAG TCTAG
20901	ATCTTGGATT AAGTGTTTTA ATACTTTTAC TCTAATTGCC AAGTTATCTT
20951	CTTCCTAAAT CTTCATGAGA AAACCCACTA AAAGAATGCT TTTTCCTGGT
21001	AGCCTTCCAT TGTGATCATA AAGTTTGGAA GTAAAGTTGA AAATAAACAT
21051	GTGGGCCAGG CACGGTGGCT CAGGCCTGTA ATCTCAGCAC TITGGGAGGC
21101	CGAGGCAGGC GGATCACAAG GTCAGGAGAT CAAGACCATC CTGGCTAACA
21151	CGGTGAAACC ATGTTTCTAC TAAAAATACA AAAAAAAAAA
21201	TGTGGTGGTG GGCGCCTGTA GTCCTAGCTA CTCGAGAGGC TGAGGCAGGA
21251	GAATGGCATG AACCCGGGAG ATGGAGCTTG CAGTGAGCCG AGATTGCGCC
21301	ACTGCACTCC AGCCTGGCCG GCAGAGCGAG ACTCTGTGTC AAT AAAAAAA
21351	AAAAAAAAC GAAAATAAAC ATATGAATAA AAGTTAAAAA TAGAAAAAAA
21401	ACAAGAAAAT AAACATATAT TTCTGACCTT ATTGATTCTT GATATTTTAT
21451	CTGCATGGAA AGCTATTTT TGGCAGTTAT TATTGTTCTT ATTTTAGAGA
21501	CGAGGCTGAG CAGGAAGGGT CCTTTGAAAA AGAAAAGATT GCC CTTGAAC
21551	CCCTCTGGCA AGTGGGATGA AGTCTGCTTC CCAGCCTCTA ACGGCCTTCT
21601	TTTCATTTTC CCTTGCAGTT CAGCTCTGGA CTGTTGGAAA CTATCACTGG
21651	TATCTCAAGC AAAGTTTATC CTTCAGCACC TGTGGGAAGA GCAAGATTGT
21701	GTCTCTGATG TGGGACCCTG TGACCCCATA CCGGCTGCAT GTTCTCTGTC
21751	AGGGCTGGCA TTACCTCGCC TATGATTGGC ACTGGACGAC TGACCGGAGC
21801	GTGGGAGATA ATTCAAGTGA CTTGTCCAAT GTGGCTGTCA TTGATGGAAG
21851	TAAGCTCCTG GGAAGTGTGT CCATGAGCCT GCAAGGGGTC CTGAGCCTAG
21901	GGCCTGCAGA TGTGGTGGTT TGACTGGAAC AGTGGGGAAT CTTTATTTGT
21951	TTTGGCTGTT TGGGTTACTT GTTTTTTTAT TGAATGGGAT ATAAGGTGGG
22001	GTATGTTCTC TCCTGAGAAC CATTGTCCCC CCTCCCCCAC CAGTTTCCTG
22051	TTATACTGCA TCTGTGGCCT TCACACGTTT ACTTGCCTGG CCTTTGAAGA
22101	CACTGAAAAC TTTGACTCTA GGTAGAGAGG ATGACAACAG TACAGTCTTG
22151	TGGGATTGGG TGTGTTAGCT TTATCTGTTT GCCCTGACAC AGATTTATAA
22201	TTGACCCTTA TACCACCCCA CTTGTGTTGC TTTGTTTCCT GATACAAATG

22251	CTTGCTGATA TATACCTCTC CAGTATGTTC AGTTCATGCA TAAACGTTTG
22301	CCTAATATGA AGATTAGGTT TATATTTTAT AATGAGGTAG AAGGTTTTTT
22351	TAGGGGGTGG GGTGGGAAGG GCAAGACTGA AGAGTGAAGT AGT CACCTTA
22401	ATGAATAGTT TCATTGCTGA TATGAAAGGG AGCACTGGCT TCTAAGATTG
22451	TAATGTGAGG TGGATATTAA TTCATATTCT GTGTAATATT CTACATAATA
22501	CTGATTTTAT AGTCATGTAT TCTATATAGA GAACTTAATC AGATCTGCGT
22551	TATTACCAAA TCCACACATA GGAAAGTGCT TTAAGGATTT TGAAAGTATT
22601	AATTCCCTTG GTTTAGTGTG GCTTGGTTGC AGGCCCAGGT TTAAAGCTAG
22651	AGGTCTGACC TCTTGGCCTT TTTGCCTTAG TCCCTGGCAC CTGAAACTCC
22701	AGGTACTGAG ATGGACTCCC CTAGGCCTAG AGGTGACAAT AGCCAATTAT
22751	GGACAGAACC CATGACATTT CCCCATCCCA CACTGTTTTT AGACTTGTTC
22801	CTGAGAAAAA CATTGAAAGT TATTTTTTG TGAATTGCCA TTATTGTTTA
22851	GATATACTGT GATGTTCAGA TGGCTTATCT TACAAATTGA ATATCCCTAG
22901	GTCTAATCCT CTTCTTTCTT TTTCACTGCA GACAGGGTGT TGGTGACAGT
22951	CTTCCGGCAG ACTGTGGTTC CGCCTCCCAT GTGCACCTAC CAACTGCTGT
23001	TCCCACACCC TGTGAATCAA GTCACATTCT TAGCACACCC TCAAAAGAGT
23051	AATGACCTTG CTGTTCTAGA TGCCAGTAAC CAGATTTCTG TTTA TAAATG
23101	TGGTATGTTA TAAAACTTTT GCCAAGATGT TCTGAATCAA GTCCCTTCTA
23151	CTCCTACATA AAAGCAAATT ATAGTTTGGT GTTGCCATAG GTCTAGTGTT
23201	TCTCAAAATT TTTAAGTCTG CAGTTGATAT CATTATCATT ATGATATTTA
23251	ATTGCCTTGG GTTTTTGTTT TTTTTTTTT TAATCCTATA CTGGTTTGTA
23301	CGAGCCATTC CTTTTCCCTT ACTGACTTGA AGAGTCAGTT ATTTAAGAAT
23351	AACATTGGAC TCTGGAAATA ACATAGTATG TTATACATTG TTAACATGTT
23401	TTACTCTTTT CATAGCCTTT ACACATATTT TCAGTTGATC TCATCCCTCC
23451	TAGGAGCTGT GTCAGAGATG GGGTTTTCCT CTTTTGTAGA TGAGGGAACA
23501	CAGTGTCAGA GGTTTTGTAA TTTGTTTGAA CAAGAATGGA CAAGGACCTC
23551	AACACAGGTG TTCTAGCTCC TAATCCACTT GTCCTGCCAC AGCCCCATTG
23601	CTGTCAGTTC TTCATTACTT TCCTGATGTG CTGGAGAATC TGAAATTTGT

WO 02/059381 PCT/US02/00473

23651	TTTTACTTGT GAGTTCTGTG GTTATGTCAT AAATTCTGCT GGCATATGGC
23701	AGTGTTAGCC TTGTTTTCAA ATATCTTTTG AATTCTCAGA AAAAGCCTAG
23751	ATAGTTGCCA AGAGAGAATA ATCAAAATTA ATTAATTTAA ATGGGAAGTC
23801	CTTACTTTCA TATCAGCTTT TCTGTTAAGT CAGCAGCCCA CTGTGTACAT
23851	GGATCCTATC TGGATGTATC ACCAGTTTCT CTGATTATAG TTTCAGTGTG
23901	TAAAATGCTG TTACAGTCCT CCTTAAACTT TTCAAAATAG CTTTAAAAAA
23951	AAGTGCAAAT ATGTTCATTG TCAAGGCAAA AAGAATCAGA TGTAAGCTTT
24001	TGTGGGACTT AACTGTATGA TGCTAATGAG TTTATATGTC ACTTTATGAT
24051	GTATGGTATG TTTTGTTCTG CATTCACTTA AAAAATAGCT TTATATCATT
24101	CATCTATTTA AAGTGTACAA TTCAATGGTT TATATGTGTG TGTATGAATA
24151	TATATACATA TGTATATGTA TATATATGTA TATTCACAGA GTTGTACAGC
24201	CATCACCACG ATCAATTTTA GGACGTTTTT ATCTCCTCAG AATGAAACCC
24251	TGTACCACCC TGCATTCATT TTACTTGAGA GAAAACTCCC TGTGATGAGA
24301	TAGGACAGGT TGAGAGCTCC ACTTTTGAAA GATTGTTCGG CATCAATATG
24351	TGGGGTTGGC CATAGGTCAG GGGCACCTGG AGGCAGAGAT TCTAGTTAGG
24401	AGAAGCTGTT GTCAAGTGTC CAGGCAGGAG CTAGCAAGAG CTTGAGCCAG
24451	AGCAGTGTTC ATAGAAATGG AAAGAAGAGA AAGATCATAA CAAATCCATG
24501	AAGTAAAAAC CCTGAGAAGT TAAAGAACCC ACTGGGGAGA GTTTGGATAT
24551	AAGAGAATCT GGAAAAAGAG ATCTTGGACT GGAACAGGTC AGGGCTCCGT
24601	GCCCAAGTGG AAGGGAAATT AAGAACTTGG AGTCAAGTGG TAGACATTTG
24651	AGTGGTGTGG AGACAAGTTC GTTGCCAAAG TTTTCAAAGA TGGTGTTTGA
24701	TGCATCCTGA GTATCACTCC TTTTTCCCCC TCATTGCTTC TTGATTGTTT
24751	ATTATATGCC AGGCTTTTTT CTAGTACTTG GCTTGTTGTA CTAGAAAACT
24801	AGTTGTACTT TGTCTACAAC TTGTTGTTCT AGGTGTAGAC AAAAGATATC
24851	AATTAAATAT GATCTATCAG ATGGCAAGTG CTGTGGAGAA AAATTAAGCA
24901	AAATAAGGGG TAGGGAGAGC TTAAGGATAA GGGTTTACAG GGGGAAGGTG
24951	TCTTTCCTAT TTAGTGTGAT CCCAAAGGCC TCTCTGTGAA GGTGACATTG
25001	AAGCAGAGAC CTGGTGAGAA TCACAGTGGG AGCCACGCAG ACATCTGGGG

25051 TAAGAGCGTC CCAAGCATTC TATGCTTGAA GGCAAAGAAG AAAAAAGAAA 25101 GAGCGTTCCA AGCAGAGTAA AAAGCAACCA CCGAAGTGCC TGTTGTGTTT 25151 AGGAAATAGC CAGGAGGCCA GGGTGGCTGC AGCAGAGCAA AGGAGGGGAA 25201 GGTGGTGGGT GAGTTCAGAG TGGTGATGGG AATCTGCTCT TGTAGGGCCT 25251 TGCGGCTTTT ACTCCGAGTG AGATAGGAGC CACCAGAGGG CTTAGAACAG 25301 AGGAGTGCAG TGTTCTGGCT GAATTTTTTA AAGGCTTGCA TTGGCTGCTG 25351 TGCAGTGAAT AAACTGGATG AAGAATAGAA AGAAAATGTC TTTTAAGCAG 25401 GTGCTTAGGA CTTTGGAGAA TTTGAGGATA TTGAGAGGTG GTTGAAGACA 25451 GTGGAGGAAA TTGTCCACAG CACTGGGCTG AGAGGGTAGC CCCTTCACCT 25501 GGTCTTGCTG AGATGTGGCC TTTGTCAGGG AAGATTATGA CTGATGTGTT 25551 CTTAAGAGGA AAGCAGAGAT TTTAAGGAGG TTGAGATGTG ATTATT TCT 25601 AGATTGCTGT TTGCCTTCTA GAACTCATTA ATTGCAGACA CCATCCCCTT 25651 AGTATTAGGT GAAATCTTAT AATTTACGAT GATAATATTT GCATTTTTGT 25701 TTTCCAGGTG ATTGTCCAAG TGCTGACCCT ACAGTGAAAC TGGGAGCTGT 25751 GGGTGGAAGT GGATTTAAAG TTTGCCTTAG AACTCCTCAT TTGGAAAAGA 25801 GATACAAGTA GGTTCTTAAT TATCTTGGGC TTCTGGGAAC AGAATCAGCC 25851 AGCATGCAGT CCTAAATTCA GCCATCTGAT AACAGTTCTA TGCCTGTTGC 25901 TGAGTGGAAC AAGAAATAAA GACAACACCC AGGCCCTGAC TTTCGGATCT 25951 GATTGGAGAA GCCAGTCATG TAGTTTGTCT GAATGCCATA TAATTTGATA 26001 GGTAGCAGGA GAGCATGAGT TGTAAGCCAG CCTAGGACCT ACTCCCAATA 26051 GCGCTTGGTT CTCCAGGAAA AATCATGTGG GAAAGATGGA GATGACAATG 26101 ATAAGGCGGA GCTGCATTCT CTTACATAAA TGGGGATGTA TGGGTTGTTA 26151 ACATGGATGA CCTAATGCAG CCTCTGTCTT TGCTCCATCC CAGAATCTAG 26201 AACTTCTGGG TGCTGTGCTT TGAGGCTCCT GGGATGGAAA TCAGAATGCA 26251 TTCTTCCATT GAAACAGTAT TGTAAACAAT TGGATGTTAT TGAATACCTC 26301 AGGTACACTA TAGGCATTTG CAAAATGACC TAGAAACCAA ATTATAATGC 26351 CACATCTGTG AGAGAACTTT TTTAAAAAGT ACCACTTATT GAGTACTTAC 26401 AGATTAAAAA AACAAAGTGT AGAGGTTAGG TAACTTACCC AAGGTCATGG

26451	ACCTGGTAAC TAGAGAATTT AGGGTTTGAT TCTATTCTGT LIGAIAAGTC
26501	CATGTTCTTC ATTACTAAAC TACTCTGCCT CCAGGGAACA TTTATTGTTA
26551	GATTAATAGA AATAATTAAC TGAGTACAAC AAATAGCAGA ATTTAATAAA
26601	TAATGTTTCT TAAATATATG TGATATATTT AATAAATACA GCAGAAGTGT
26651	TCAACCTCTG TATGATTTTG AGGCTGCCTG TATAATGCTT AGTAGTTTTT
26701	AAAGAGCATT TACATGCATT ATTTCACTTC ATAGACTTGA AACCACTAGA
26751	GTAGAGATAG AGGACAAATT AGAAAGTATG AGGCAGTTTA GAATATAGTT
26801	TCATTTAAAA AAAATTGATG GGGATAATGC CAATTCGTCT GAGATTTCAC
26851	AGAAGACATG AGTACTCATC GTGATCTTGG GGAAGGGATA GGTTTGGGGT
26901	TGGCAAAGAA TTGGGAACAT TGGGTCTGGT GGGGAAGAAA GTGTCAGTGA
26951	AAACCAGAGG TGGGACTGAT CCTCCATGGG ATACTCTATG TGAATGCAAT
27001	GGAGAGCCTG AGTCCGGGGA GAGATGTTTG AGGAGGAAGA TCAGGCTAGT
27051	GACCAACTTC TTCAGTGGGA GCTGCGGATT TGCCACCTGA TCTAAAAGGC
27101	AGGAAGTAGC CATTGTCGGT TCCTACGTGA GGTGACAAGA ACAGTGCGCT
27151	GGTCAGGTGT ATAAATGCTA CCAAAGAATG CATTAGAGAC ATGGAGACCA
27201	TCTCTCAAGC TAGTCAGTCA GTTTAATGTG AGGTGCTTAG GAAAGGACCC
27251	ATTCTACTGC AAGTGACATA CCTGCCAGAG CCTGGTTTGA ATGCTGGTAA
27301	GTCATGGCAG TGGAAAAGCT CTGGGGTTCA TTAGTGTAGG GACTAGGGCT
27351	GGTAATTTTC TTGTGTAGTC AGTTTCCTCA AGTGTTCTCT TCAAATTTAA
27401	AGATTTCAGG GTATGAGAAA TTTAGGGAAA ATATAAAAAC GTATTCTTAA
	GCCAGACAAA GATTAATTTT AGATTTTGTA GTATTTGGTA GTATCTCAGG
27501	TTTTGTCCCT CCAAATAATT AGGAGTGGAC TGTATACAAG ATGCTTCAGT
27551	CTTCCTTCAT CCAGGAACGT CTCAGTGGTT TTTAAGTTTT ATTCATGTCT
27601	TGGATATTCT TCAATATTTA CAATAGAATC CAGTTTGAGA ATAATGAAGA
27651	TCAAGATGTA AACCCGCTGA AACTAGGCCT TCTCACTTGG ATTGAAGAAG
27701	ACGTCTTCCT GGCTGTAAGC CACAGTGAGT TCAGCCCCCG GTCTGTCATT
27751	CACCATTTGA CTGCAGCTTC TTCTGAGATG GATGAAGAGC AT GGACAGCT
27801	CAATGTCAGG TATTGCAGTT TTTCCCTGTA CTCCACATGT TAAGCAAATG

27851 GAGTTAGGTT TTTGTCTTTT ATGAGCATAC AACTTTTGAC TTCTATT GAT 27901 CAAGGTTGAG GAGCAGTAGC TTTCTTGTTA GACACACTTA ACAAGAAGGT 27951 TAAGTCTAGT TATGAGCCAT GTCAAAATAA CAGACCAAAA ATATATCAAA 28001 AAGTGGTGAA AAATAGGATA AATATTAGTA GATGAAGCAA CTTTTTAAAG 28051 ATATGTTAAA TATTTTAATT TAGCATCTAC CCACATTTTT CCAGCGT GAT 28101 TGTTATATGT TATAATTGAT TTTAATAACT GTCAAGCATA ATTAGAGTGG 28151 CTAATTCTCA TGGGCTAATG TGATGGGAAG AAATTTTGTA TAAATGCAGT 28201 CATGCGCATA TATGTGTGTG TGTGTGTGTGTGTGTGTGTGTACATACC 28251 TTTTCTATGT TTAGATACAC AAATACTTGA CATGGTATTA CAATTGCCTG 28301 TAGTATTCTG TAAAGTAACA TGCTGTCCAG GTTTGTAGCC TGGTAGCAAT 28351 AGGCCATACC CCATAGGCTA GGGGTGTAGT AGGCTACACC ACCTAGGTTT 28401 GTGTAAGTAC TCTATGATGT TTGCACAATG ATGAAATCAC CTAACAACAC 28451 ATTTCTCAGA CGTATCCCCA TCGTTAAATG ATGCATAATT GCACATATAT 28501 GCTTTGTTTT GATGTGGTGA CTTCAAAATG CTTCTTCCAG CCTCCTCTTC 28551 TATATATCCT ATTTTGTACC TGACTACATT TACCATTAGA AAGTCTCTAT 28601 TCTTCTTTGC TGAAATTTCA CTGTTCTCTG GGCCTGAGTT TTGTTTTGAT 28651 TCCTGACTAT ATCTTCATTA TGTAACAGGT TTCAGTTAAT GAATGCTCTT 28701 CTGTGTAATG TAAGCCCTGT TGTATAGTTG ATAGCATTTT CTAGCCAGTT 28751 CCCAGAACTC CTTGTTTCCA GTGTCAATAC TTGGCACCTT TGTCCACTGA 28801 CACTAATCCC CAGATTAATT TGTAATTAAA GCCCTACTGG TGAGATTTCT 28851 GAGAAACGTT GTTGCAAAAT TAGGAACCTT TCCTTTATAT ATATACATTA 28901 CATAAATTTA TAGACATAAA ACATTTTAAT GCAGTCATTT GCTGCTACTC 28951 TTTGACTCAT AGTCTTTCGT GATATTTTGA AAAAGCCTTT TGTTAACATG 29001 TCTAAATGCA GAATATGTTC TAGAAATATG TAGCACTTAA AGTAAGCCAT 29051 TAGATTACCT TTTGAAAAGC GGAGCAATTT ACTAAGTTTC TACTTCTTCA 29101 GATTTGAAAT TCTTCATCAT TAGCTTGTAG AGGCAAAAGC TTGATGCAGT 29151 CATCTCATTT GCTGTAAAGG AAATGAGAAG TCATTTACAG TATATTTCTA 29201 CTGCTTTGAC TTTTATTTCT CAAAAAGACT GTTTTGTTCA TATAAAATAT

29251	TAATGCTTTT GAGGACTACA AAGTCCCTCG ATTTAGTTTA CATTTACTTT
29301	AGCTTATACT TTGTAAAAAA TACTCTTCTA AATGCTTTGT CTGTTTTAGC
29351	TTACTTATTT CTCATAATAC CTCTGTAAAG TATATGCCAT TTGCACCATC
29401	ATTTTACAGA TGAGACAACT AAGACATGGA GCAGTTAGGT AACTTGCCTG
29451	AGATCATGCA GGTGGAGCCA GGATCAAATC CCAGCGAGTC TAGCTCCAGA
29501	GTTTGTTCTC TTCTTGACAG ATAATTTATC CTCACAAAAT TTGAAGCATT
29551	TGTAGAGGAA TTCCCTATTG TTATAATGTT TAGTTTTTT GTAGAT TGGT
29601	TAAAAACTTT GAATTAAATG TTAGCATTAA CATCATTTGC TTTTATCACT
29651	ACTICITIES CICTITITIC TITITITAAT CACTACCTCT TCCTCCTCTT
29701	TTGAGAAATT CTGCTTCCGT GGCTATGGTC CAAGCTACTT GAGAAGGTGA
29751	GGTGGGAGGA TCACTTGAGC CTAGGAGGTT GAGATTGCGG TGAGCTGTGA
29801	TTGTGTCAAC TGCATTTCAA CCTGGGCAAC AGAGCAAGAC ACTGTCCAAA
29851	AAAAAAAAA AAAATAGTGA AATTTTACTT CGCTCCATTG ACTCAGGGAA
29901	AAAATGTAAT GGTGATAACA AATTCCCTTC ATCTCATTAG TGAAAATCCA
29951	CAATTTTCCA TCAATCGATA TGATAGTGAT AGAGATATTG AGTGTGCTCA
30001	TTTTCCTACA GACCAGCTGC TTTAACTATT TTAAGCAGAC AGAAATGATA
30051	TTGGTACCAT CCATGTCTAA TGAAGGCAAT ACTTTGTAAT AAGTTGCAGT
30101	AAGTTGTGGC CAGAAGAGGA ATGATGACTT CACAGTGTAA ACAACTACCT
30151	TATTGGGTTT GTGGAAAATG GTGTCATGTA GCAGATGTGG CTT TATCTGG
30201	GCTTTGGTTT GGAGTAGTTT TATCTATTCA TCTAACCGTC TGTCTCTAAG
30251	TGTATAAGTG TGTGTGTGT TGTGTGTATA GTATTGGGTG TGTATATATG
30301	TATTTTGTCT ACATTGTATT GAAGTAGGTA GTGCAGCATC AAAAGGAAAT
30351	TGTTGATTTT CAAAATCAGT GAAATGTCAC TATTTTTGAG AAAAATGGTC
30401	TGTTTACACT CCCTTCTCCT TTTTTTTGTC AGTTCATCTG CAGCGGTGGA
30451	TGGGGTCATA ATCAGTCTAT GTTGCAATTC CAAGACCAAG TCAGTAGTAT
30501	TACAGCTGGC TGATGGCCAG ATATTTAAGT ACCTTTGGGG TGAGTATCAA
30551	GGTGTTAGGA AAGCATGTTA TGACTTACAT AGATGCTTAG TTCTTAAGAA
30601	CATGTACTTG TATCTTGTCA GTTCAATATT GATTGTCAGG TCTTTTAACT

30651 ACCCTGGAAA ACCCTAAGCT TTAGAGTGGA ATTGGCAAGT GTATTCTACT
30701 CCTGTTTCCT CTTTTAATGA ACTAACGTAC TCTTAAAAAA GTGATTGATG
30751 ACTATCGCAG GGACAAAAAA CGAAACACCG CATGTTCTCA CTCAT AGGTG
30801 GGAACTGAAC AGTGAGAACA CTTGGACACA GGAAGGAGAA CATCACAC
0851 TTGGGCCTGT CGTGGGGTGG GGGAGGGTGG AGGGATAGCA TTA GGAGATA
3901 TACCTAATGT AAATGACAAG TTAATGGGTG CAGCACACCA ACATGGCACA
3951 TGTATACATA TGTAACAAAC CTGCACATTG TGCACATGTA CCCTAGAACT
'01 TAAAGTATAA TAAAAATATA TATATAAATA AATAATGCCA GCATTAGAGA
1051 AAAAAAGTGA TTGAAATTGC ATGTTAAGTG TTTTAGCAAA TGTTGATGTT
1101 GATGGTTTTT TGCAAAGAGC GCATCAGCTA TTTGTGAACT AGATCTGTGA
ATCTTGCAGA GTCACCTTCT CTGGCTATTA AACCATGGAA GAACTCTGGT
J1 GGATTTCCTG TTCGGTTTCC TTATCCATGC ACCCAGACCG AATTGGCCAT
GATTGGAGAA GAGGTAGGTG AACACGGAGC AGGAAATTTA CTTAAAGTAG
31301 TTACCCAGGG ACTGATGGCA TTAAGTAGAA AGAGCGTGGG CTTTGGAGGT
31351 GGACTTGGGT CTCCACTAAA TGCCTAGACA ATAGTGGGAA ATGATCTCAC
31401 TTTCATAAGC CACACCTTAT TCATCTATAA AATGGGAAAA TCAGTATCTG
31451 TCTATCAGGG TTCAGAAGAC TAAATGAGAT AATATATGTG ATTAGCAACC
31501 TTTTATCCCT AGTTGTACAA ATCATTCAAA GTTAATTTTA TTTAGTAGGG
31551 GAAACAGAAA TGTGATCTTG AGAATAGTTT TAGTAGATTT TTATT CAACA
31601 CATACTAGAA TGCCTATAAT TGTGGTGGAT GGTAGAATGC AGTGGCTGGA
31651 AAACAAAACC GCTTGACTAA TTCCTGCTCT TCTGGAACTT GTGATCTATT
31701 AATTTCAATG TAATGATTCC CTTTGTTGGG AGTGTGATGG AAATGGACAG
31751 AGTATACTGG TAGAGAATAC TGAGATGTTT GAGGGGTAAT TTGAGGATGG
31801 TGGCTATGAG AATGGGAGTC CTGCATCTGG TGGTCCAGGA AGGCCTCTCG
31851 GAGGCAGTGA TGTGTGTGCT GAGATGTGAA GAAAAAGAAG GCTCTGTCTC
31901 CAGGCAGAAG GAACAACAAA CTCCTTGAGC TTAGCAAGAG CTCATCTTAT
31951 TCAAGGGACT GGATGGAAGT ATTGTGGCTG GAGCTCAGTG ACAGTCATAG
32001 GAGGGAATTT GGGTTCTTTA ATTGAACAAA GATTAGAAAC TTCTTGTGAT

PCT/US02/00473

3203	I TITIAMIAC AGAGIARIGI GITCIGCITC ATGGITTGGA CAGIGATICI
3210 ⁻	GGCTGCCCAG AAGAGACTTG ATTGGAGAGT GACGAGACTG GAATATGGGA
3215	TCAACACCGG TTGAGTGGAG TTAGTGAGGG GAAAAAGGAG ATGGGTTTGA
32201	GATATGTGTA GGAGATGGAG ATGTCAGGGC TCACTGATGG ATTGGATGGC
32251	TTCACATTCC GTTTTGCACT GGACCAGCCA CGTCTTAGGT ATCTATCTTT
32301	AGTCCTGATT ACAGGAACTT AGGTGTGAAA TCATAGGGTG GTAGAACTAT
32351	GTGATAGAAA AGGTAGGTTT AACTGATTTG AGATAGAATT GCTTGTGATT
32401	TCAGTTTTAT TTCTTTGCAG GAATGTGTCC TTGGTCTGAC TGACAGGTGT
32451	CGCTTTTCA TCAATGACAT TGAGGTATCA AGGCTTGGTT TGGTGTTGGA
32501	TCCTTTTCAC AGTGTTAGCT CCGAGTAATC TAGCTAGCTT TCACCCATGC
32551	CTCTCTGGCC TTCTCTTGCA GGTTGCGTCA AATATCACGT CATTTGCAGT
32601	ATATGATGAG TTTTTATTGT TGACAACCCA TTCCCATACC TGCCAGTGTT
32651	TTTGCCTGAG GGATGCTTCA TTTAAAAGTA AGTTTTCAAT GTATAAAACA
32701	GAAATGGTCC CTTCTCCAAT GTCTTTTGGA GTCTTGATGA CTTTTTGAAT
32751	TCTTCATTTA TTTTGGCTTT TTATCAAGGA GTCCTAGGCT GGAGAAAATC
32801	TTTAGAGTTA TTTTACTTAG ACCCTAATCT CAACATAATA TCTCAGTTAA
32851	ATCATTCTGC ACTTTAGTAA AGACATCCAA GGAAGGGAGT TCCTTA
32901	AGCAGCACAT TCTAAAGTTA AAAACTTTTC AGGAAATTTT ATTATGTAAC
32951	TGATCTAATA TTTTATTTGG AATTACTATG TAGATCCCCA ATGTTTTACC
33001	TTCTGTGTAG TCTTTTCCCA CTGTGCCCAC CCTCCACTGT ACATCTGCGC
33051	TCCATCTAGT GGTTTGTAGG ATATTGGCTG CATTTTGTCT TCTGTTCCAT
33101	GCCCTATCTA TCTCTGTGTG TGTGGCGTGT ATGTGTGTGT GGCGTGTATG
33151	TGTGTGTGC GTGTATGTGT GTGTGGCGTG TATGTGTGTG TG GCGTGTAT
33201	GTGTGTGGG CGTGTATGTG TGTGTGGCGT GTATGTGTGT GT GGCGTGTA
33251	TGTGTGTGTG TGTTCCTTAT TCTAAAAAGC CAACTTATTT TCTT TGCTTC
33301	CAACTTGGAA ATAGGGAATC TTTCTTTCAT TGATATGATT ATAGTACACT
33351	GATAATGCTA AGAAATAGAG AAGTTGCCCC AATTCTTAAC TGT GTTTCTC
33401	CACATCATTT GAGAAGCTGT GTATGTGAAT GTGCATGAGG GCTCTGTAAG

33451 AGAGAGGGCA AGTTCCAGGG ATGAGCGTGT TCATCAGCAG GGCTGATAGT 33501 CTTGAGGTTC AGTGGGAGAG CTAAGGCACA TGGTTGTTAT TTGTTCTCTT 33551 CTATTTCACA TAATGTGTGC GGTTTCAATT GCAGTTAATG GAGAGTGGCT 33601 TGTTGTGATA ATTAAGGCTT ATTAGTTAAT GGTGTGTTTA GCATTACAGG 33651 CCGGCCTGAG CAGCAATCAT GTGTCCCATG GGGAAGTTCT GCGGAAAGTG 33701 GAGAGGGGTT CACGGATTGT CACTGTTGTG CCCCAGGACA CAAAGCTTGT 33751 ATTACAGGTA AGCTGGTTTT TCAGACAAGA TAGATAGTCT GATTGTCATT 33801 CAGCCAAGTA CCAAGCATAA TTCTTGCAGG TTGTATTTTA GGCTTTCTTA 33851 TTCTTTGTAT CGTTTATTGT AAACCTTTCC TTGATAGTTT TCTGTTAGCT 33901 TTATTCAAAG GAGTGTTGAT ACAGGCTGTG ACCATAAGGC TCAAAGCGAA 33951 ACTITICTTG AAAGTCAAGA TAAATATAGA GAACAACAAG ATTCTGCTAA 34001 AAGTGTGCTG ATTTTAGAGA GTTGTGGTAA TTCTCTGTGA AGAGTTAGGT 34051 AAAATGGTGT ATCCTGGCTA TTTAAATGTT TTCTACTTAA TTAAA,AATGT 34101 TACTGCTTTA ATTTATTTAA GATGCCAAGG GGAAACTTAG AAGTTGTTCA 34151 TCATCGAGCC CTGGTTTTAG CTCAGATTCG GAAGTGGTTG GACAAGTAAG 34201 TGCCATTGTA CTGTTTGCGA CTAGTTAGCT TGTGATTTAT GTGTGAAGAC 34251 AATAAGTATT TTATTACAAT TTCGAGAACT TAAAATTATG AAAAGCCCTC 34301 ATTACCTATA TCATCAATCA GATTCTTAGA GGCTCTTTTT TTTTTTTA 34351 ACTITITAC TITAATGCAG TATTITGTAG TGGAGATTCC TAGCAGAAAG 34401 AATCGTGACA CTCATCATAT AAAGGAGGC TTCTCTTAAC CTGAGGGAAC 34451 ACATGTGGGT TTTAGGTGGC CTGTGAACCC AGGGAGATTG TACACACAA 34501 ACCTTGTCTT TGTGTATTTA TTCAAGTAGA AAGCCCACAG CTTTCAATAG 34551 ATTTACAGCG GGGCCTATGA CCCAGAAAAG CCTGAGCTAC TCTTGTGAAG 34601 GAAATGACTG ATTTTCTGAA CCTATTTGGA GGAAACTTTG TATTTGGAAAG 34651 ATCTATACTA ATGTTTTGTT TAAAAAGTAG ACCTGAATTC CATGATGATT 34701 TTCTTTGTTT TTTTTTGAG ACAGAGTCTT GCTCTGTCAC CCAGGCTGGA 34751 GTACAGTGGC GCAATCTCGG CTTACTGCAA CCTCTGCCTT CTGGGTTCAA 34801 GCAATCCTCC CACTTCAGCC TCCCGCATAG CTAGGATTAC AG GTGTGCAC

34851	CACGCCTGGC TAATTTITTI TITTGTATIT TCAGTAGAGA CAGGG TTTCA
34901	CCATGTTGGC CAGGCTGGTC TCAAACTCCT GACCTCAAGT GTTCTGCCCA
151	CCTCGGCCTC CCAAAGTGCT AGGATTACAG GTGTGAACCA CCGTGCCCGG
, 5001	GCTTCTGTAA TGATTTTCTG TTGTATGTAT GTGAAGATGT AGTTCTCAGA
13051	CAGTCATGAT GACTAAATTA CACCTTTTAA GAAGGTAAAT GAATGTGGTA
101	CCTGATTTT TTATTCTGTA ATTTCAGAGT AGAAATCCAG TGATAGTAGC
∍1 5 1	TTGGCATTGG GGCTGTAATC TGATTATAAC TGGTTTGTAT CATAATGAAA
201	ATATGCTGGG CCCATGGAGC TCAGTTTTTG TGAATATCTT TTCTATTCTT
251	TCTCTGTCTT CTCACAGACT TATGTTTAAA GAGGCATTTG AATGCATGAG
₹01	AAAGCTGAGA ATCAATCTCA ATCTGATTTA TGATCATAAC CCTAAGGTAA
: :	CTTTCT4AGC TGTCATTTAC TCTAGCTTAC TTTGTACTTA AACTAATATG
→01	ATCTGAACGA AGATGTTTTG TCCTTTTTTT GGTAGGTGTT TCTTGGAAAT
35451	GTGGAAACCT TCATTAAACA GATAGATTCT GTGAATCATA TTAACTTGTT
35501	TTTTACAGAA TTGAAGTAAG TATTTTGAAT AATTCATGTG TATCTTTTCC
35551	ATAGTTTTCT CTCTTCTTGT TAAGGAAATC AAGCATAAAT AGCTA.GAGAA
35601	GAAAAATTCC TTACTGTTCA TTTTTAAAAA TTGCTATAAC TCTTAGATGC
35651	CAGTTGGTTT TTTGCTCTTT TCCGTTCTTT TTAAAACAGC CTGTTTAAAA
35701	CTATGTCCTT AAAACATGTC ATTCAGAATT ATTATTTCAC TTGATTTTTA
35751	GGTATACATA TAAAACTACT TGTTTTTCCT AGGAGACTGA AATCAAATGG
35801	CATCTTTCTC TCTGATGATC TTTCCCCTCA ACTTTTAAT GAAACACTTT
35851	CAAAATAGAG AAAAGTTGAG AGAATTGTCC AGTAAGCAAC CTA TATATAC
35901	CCCACCTGGA TTCGCCAGTT TATATTTTTC TGTATACACA TTCTCATTCT
35951	CTATAATCTG TCCATCCATC ATTCATCTTG TTTGTAGACA AATTGCTAAG
36001	TGAGTTGTAG ACATCAGTCC ACTCTACCAC CTGTACTTCT CCTTGTATAT
36051	CATTAACTAG AGGGCATTCT TTGTGTATGG GTTGGTTTTG TTGTGTTTTT
36101	TCAGGTCATA TTTATCTACA GTGAAATGTC CAAATCTTAA GTGTGCCACT
36151	TAGTGAGTTT TGGCAAATGT ACACTTCATG TAACCTGAAC CTC TGTCAAG
36201	TTAGAGGGCA TTTACTCCTT TTCAGAAAGC TGCTTCAGAT TCCTTTCAAT

36251 CAGTCCCTGT CCCATTCCCC AGGCAACTAC TCTTCTGAAT TTTTACCAT 36301 AAATCAGTTT TGCCTGTTCA AGAACTTCAC CTAAATGGAA GCATACAGTA 36351 TTACTCTTCT GCATAAAGCT GTTTTCATTC AGCATATTGT CTTGAG ATTC 36401 ATCTGTGTTT TTATATGTAT CACTAGTTCA TTCTTTTTT ATTGGTC AGT 36451 AGTATGCCGT TGTGTAAATA CACCACTATT TGCTTATTCA TTCCCCTGTT 36501 GCTGGACATG TGGATTGTAC TACCCTGTTT GGGGCTAATG TGAC TAAAAC 36551 ATCTACAAAC ATTTGTATAA GTCTTTTGTG GACATGTTTT ATTTCTCAAT 36601 ATTITTATAA TTCAACTCTT TTCCAAAAGT CATTITTATT TATCATCATC 36651 AGCATGCCAG GTGTATGTTA GTAATTTGAT CGCTGGGCTA CATGTTCTGT 36701 TGATGACCAT TCCATACACA CCTGTTCTTA GAGAAGAAGA TGTCACGAAG 36751 ACCATGTACC CTGCACCAGT TACCAGCAGT GTCTACCTGT CCAGGGATCC 36801 TGACGGGAAT AAAATAGACC TTGTCTGCGA TGCTATGAGA GCAGTCATGG 36851 AGAGCATAAA TCCTCATAAG TATGTATGCT GTCACCAGGT GGCATCCTTT 36901 GAAAAACCGA AGTGTGTAGT TGTCCTTGTC CAGCCTACTT ACCTTTCTCA 36951 TTCTGGTGTT CTTCACTTAT TACCTCAGAT ACTGCCTATC CATACTTACA 37001 TCTCATGTAA AGAAGACAAC CCCAGAACTG GAAATTGTAC TGCAAAAAGT 37051 ACACGAGCTT CAAGGTAGAG ATCCGCTCAC AGAGAAAGTG CTTAAGGTGG 37101 CCGTGACTGC TACTAGTCTT CTGCAGGTGA CAATCACCAT GTCATTGCCA 37151 CACCACAGAT TTAACATGTG ACTTTTTAGT TGCCATTTTA AGACCCTTGT 37201 CAGTTTTTT CAGTGCTGCC CTCTAAAGCA TATATAAAAG TATCAGAAGT 37251 ATATATTCTT CTGATGTCCA GTTCTATTGA GAAAAATTTA TTGTCTTTTT 37301 GGTTATGTTG TTAGGTCTGT GGATTTTTTC CCCAAATGAT TGTGTTCTGT 37351 TTTGTTTTCT AAACACTGTT AGGAAATGCT CCCTCTGATC CTGATGCTGT 37401 GAGTGCTGAA GAGGCCTTGA AATATTTGCT GCATCTGGTA GATGTTAATG 37451 AATTATATGA TCATTCTCTT GGCACCTATG ACTTTGATTT GGTCCTCATG 37501 GTAGCTGAGA AGTCACAGAA GGTATGTGGA GTTCTTACTT TTATGCCATT 37551 TGGTTCTTGT TTATATAATG ATAGTGTGAA ACCCTGCTTC TGGTAGTGCA 37601 GTAGCTTTTC TGCTATCACT CTGTGAGTGC AGGGCTGGAG ACAGATCTGT

37651	GAGTTTCTAG GGCCCACATT CCTAAGCCCC TGTGCTTATG AAAGTGTTTT
37701	GATTGTGAGG TTGAAGAAGT GAAGTAAAAT TGCATGGCTT TTTT TGTTT
37751	CTTTTTTT GAGACGGAGT CTCACTCAGT CGCCCAGGCT GGAGTGCAGT
37801	GGTGCGATCT CGGCTTACTG CAAGTTCCAC CTCCCGTGTT CACGCCATTC
37851	TCCTGCCTCA GCCTCTCTAG TAGCTGGGAC TACAGGTGCC CATCACCACG
37901	CCCGGCTAAT TTTTGTATT TTTAGTAGAG ACAGGGTTTC ACTGTGTTAG
37951	CCAGGATGGT CTCCATCTCC TGACCTCGTG ATCCGCCTAC CTCAGTCTCC
38001	CAAAGTGCTG GAATTACAGG TGTGGGCCAC CATGTGCGGC CTAAAATTAC
38051	ATGGTTATTT TTAAGATGAT GGGCATATGT GTGAGCTAAT TTCTTCTCTT
38101	ATAAAGGAAA TGTAACAAGT GGTTCATGTT CCACTCCGGT TCTT TCT
38151	ATGGCTCTTT TTTCTAGTGG AGGGTGGGCA CATGGAGCAC AGA.AGGCTCA
38201	TGGCCTCCTT TCCTATGTTG GTACATTTGC TATGATCAAA AACTTTGAAC
38251	ACCACTGGTA TGCATATTTT TTATTTATTT TTTTGCAGCC TCAGTCTCTT
38301	CCCCATGACC TCTCCAAAAA TGAAAATCGG ATCCTTCATC TCTCTGCTTA
38351	AAATACTTCA TGAGCTCCCA TTGTTCCGAG GATATAATTC AGAAGCCATA
38401	ATACTGCTTA AAAACCCTTC CTTGACCTGG CCTCTGTGTA TCTT TCCATT
38451	CTCACTTCTT GGTATTGTCT TTTTTTCCTC TGCCCATGGA GGAAAGACAA
38501	TGCTTTTGTC CCCCTTCCCT TGCCCCTCAC CACCACATGC CTTGGTGGGC
38551	AGCATTACTT CTGCCATCCA TGGGCTTTGA CTGCTTCCAC CCTCACCATT
38601	CCCCTGGCTA ATTCTCACTA ATCTAGGTTA AAGGATGCCA AGG TGGCCTC
38651	TTCCCAGTAA GCCATTCATG CTTCCCTCCA GGGACTGGGT GAGGTGACCC
38701	TCCTATATGC TTCTGTTGCA CACAGTGCCT ACCCCTGCAG ACTACAGTGT
38751	GTCTTTATCT AGAGTGCGGT ATTTATTTAT TTATTTTTGA GACAAGGTCG
38801	GGCTCTATCA CCCGGGCTGG AGTGCAGTGG CACCATCTTG GCTCACTGCA
38851	ACCTACGCCT CCTAGGCTCA AGCAATCTCA CCTCAGCTTA CAGGCGTGCA
38901	CCACCATGCC TGGCTAAGTT TTGAATTTTT TTTGTTGAGA CGGGGTTTCG
38951	CCATGTTGCC CAGGCTGGTC TCAAACTTGT GAGCTGAAGC AATCCATCTG
39001	CCTCGGCCTC CCAGAGTGCT GGGAATGAGC ACTTAATTAT TTGTTGTCTT

39051 GGGTTTCTT CCTATGTTGT TCTTACATGT ATTTATCCTG TCAGCC CAGG 39101 GAAATTGCAT TAAAAACAGG AAACACCTCT CCATTAGGAA GAAAAACAAT 39151 TTGCTTACAG GGCATGGCAT AGAGCTGGAG ATGATAGTGC CAATAAATAC 39201 TAGGTTGGCA GGGTCTCAGA GTTTTGTGTC CAACTCAGTA TAATT TTATG 39251 TTTGTTTAA TGTGATCATT TCAGGAGAGC ATGGAATGTC ATGAAAACAG 39301 CACCAAGAGC AATGTCTTAG ACTTTTAGGA GAAACTTAGA TGCAT TTGTT 39351 GAATATCTTC TAGACTGAAA CCTTATTTCC CTTATTAGCC TATGAAATAA 39401 ATGATACTGT GAGACTTAGT TAAGGAAGTT ACTATTATTC CAAGTGTAAC 39451 TTATTAATAT CCGTATGTGA AAGCATTTTT GCCAAAGCTT GTTTGATGTT 39501 CAGCTGACCC TTGCACAACG TGAGTTTCAA CTGTGCGAGT TTGAACTGTG 39551 TGGGTTTATC TAAATGTGGA TCTCTCTCAA ACACAGTTGG CCCTTTGTGT 39601 CCACGGCTTC TGCATCCACA ATCAGTGTGG ATCAAAAGTA CAATATTTGC 39651 AGGATTTGAA ACTTGCAGAT ACAGAGGGCC AACATTTTGT GTAT CCAGGC 39701 TCCATGGGGT CAAATGTAGG ACTGGGGTAT GCTTGGATTT TGG TATCCTT 39751 GGGGTGTCCT GGAACCAATT CCCCATAGAT ACTGGGGGAC AACTGTAGTT 39801 TGATTTTATA TATTATATAA TATGCAGTTA ATATATAATA CACATTTAAA 39851 AATTATGTAG CTTTGGGTTT ATTGCTATAT GTAAATGCTA GTTTCTATTC 39901 CTATATATGA ATATCACAAG TAATAAAGTT CTCATTAATC ATTTTTTAG 39951 GATCCCAAAG AATATCTTCC ATTTCTTAAT ACACTTAAGA AAATGGAAAC 40001 TAATTATCAG CGGTTTACTA TAGACAAATA CTTGAAACGA TATGAAAAAG 40051 CCATTGGCCA CCTCAGCAAA TGTGGTAAGT GTGGGGATTA GTATGTTTAT 40101 CTCTACTTCA GATCTTCTTT GGAACTAGGC AAGGTATAAA TTAAACTGTT 40151 AGTTTAGACA GTGACTGATT TCACTTCCCA CTCCTGAAAA CTCTAACAAT 40201 TATGTATGCT CACGTTATTT TGTCCTGTGT TCTGAAAAGC TGAAGGTAAT 40251 CACTTTTAAT GAACTGGAGG AGCTCCCTAG GTAAGAACGT CAAGTAGATC 40301 CTTTTTTGGT TAAGAATGAG CACCTGTGAA GTTAACTTCA GTGTCTCAGA 40351 ATCAAAATTG GTTGACAGTT CTTCCTTCTC ATGCTGTTTG CAGACATGTC 40401 AGGGAAACTC TGCTTGTCTG GAGAGAGTGA TGAGGCCACC TCCCCGTGCC

40451 CTGCAAGACG CAGTTTTAAT TGACAGTGAT GGGGTGCCAG TTGTTCTTCC 40501 CATGCTGGAA CAGTTGTGAT TCTTTACTGA GGACTGATGG GGGAAAGGAA 40551 GAATCACCTG GGGTGCATGT TAAGCCTTCA GCTGCTGGCA TCCTTGGAGA 40601 ATCTGATTCA GGTGGTCTGG GATAGGACTG AGGCGTGCAT GTGTCTAATA 40651 AGCTTCCCAG GTGATGTCTT TTCAAGGAGG CTGAGAAAAC ACTGGGCTGG 40701 AAAGCTGGGA CTCTTAAGTA GGATGCTGAT CCCAATCAGT GCTGCTCTTG 40751 CCTCAGAATC TGCAGTGGTG CTCATTAAAA ATTCAAATTC CAGGATCCCA 40801 TTCTTCAGAT TCTCTGATTA TTTAGGTCTT AAAAAGTTCC TCATTTATTT 40851 TGTTTGGTGA CCATTGGTAT AAATGAAGTC CATTATGCTT CCCATGTCTT 40901 AAGCCTGTCT TTGTGTGAAT CTTTTTCCTG CAGGACCTGA GTACTTCCCA 40951 GAATGCTTAA ACTTGATAAA AGATAAAAAC TTGTATAACG AAGCTCTGAA 41001 GTTATATTCA CCAAGCTCAC AACAGTACCA GGTATGTGGT ATGTGAAAAT 41051 GAGGCTCTCC TGGTTTTGCT TTTTGCTTTA GTAGGAAAGG AGTGAGGATC 41101 CTAAGTTCAT AACACCATCC TTGGCTTCAA AATTTATCTT AAAACTAATT 41151 AGCCTCAATT TGAACTTCTT ATCTGGGAGA ATGGTCCTGA CCTGTTCTCT 41201 GATTCCTCAT CTGGAATACC ACAGCACCTT CCTCGTGGGG TTCCCTGCTT 41251 CTTTCCCACC CCTCCTCTAG CCCAACCTTA CTGCTGTAAG TCTGATTATC 41301 CTAACAAGTA CAGATCTTTC CCATATATTT CAGCATAAAG GGAAATTTTT 41351 GTTTGCTTGA AAAAGCATCC CTTTAGCTTT TTTTATATAC CACACACTTT 41401 GCTTCTAAGT TAAATGTGTT ATATGATCCT CTTAACAGCC TCATAGGGTG 41451 CTGTACACAA TTTGTAGATG AGGAAGCAAC TTGCCTGAGG ATCCAGAGCT 41501 ACAAAGTGCT GGACCTGGGA TACAGAGCCC AGGCTGCCTG ACCACCCTGC 41551 CCATGCCATT AACCACCACT CTACCATGCC ACCAGCATCA CCATTTTCAG 41601 TTTGTCCTCA GACAATATAC ACATCTTTCT TTGATCAAGC CCCTGCCAGC 41651 TTCTTTAGCA CCAGCTTCTG CCACTGTCCA CATTCCCAGT TACTTGTAGG 41701 TAGTTCTACA GATGTCACAT CGTGTGATTC CTCTGTCATT TCTCTACCCA 41751 CCAGCCTTCC TTTAGCCCCA TTTGTCCATC AGAACCCTTG GGTTACTCCT 41801 GAATGCCATT CCTGGACCAG GCGCCAAACA CTGAGCCCCC AGAGCAGCCT

41851	GCCCTCGCCT TGGTGATTGC ATTTGTCAAA CTGCTGATTA GCTGG TT TGT
41901	CACCTCCACC AGGCTGTGGG CTCCTTAAGG GCAGGGACTC CATGTTGTAT
41951	TCCTCTCTGA ATCTCTGGCT AACATCCAGC CTGGAGAATC GAGGATTTGG
42001	CCAGTGGATA CCTCTTTGCC CTTGTTTTCT GTTCTCTTCC ACACTCTCTC
42051	TGCTCTAGTC ACACTGGCCG TCCTGTTACT CCTCAGACCT GCTATACACA
42101	TTCCTGCTGC ATGGCCATGG TGCCTTCTGT GCCCTCTGCC TGGTGCCCCC
42151	TATCTCATCA CGTGGTTTAT TCTCCTGACA GCCATTAGAG CTCACACTCC
42201	CTGAGAGCTG CAAGGAGACT GTCCTCTGTC CCTTTACTCA CGTTTGCCAT
42251	TATGCTATAG ACTATATTTT GTCCCTAAGT CCATCCTCTG TTACTATAAG
42301	AGCAGCAACT TGGTGGTGGT TCTTATATGG TTTTTCATTT GTTTGGTTTT
42351	ATTTTTTGCC TTGCTGTAGT ATCCATACTG CCCAGAATGG TGCATATGTA
42401	GTTAAGAGTA ATTATTTGTT GAGTGAATAA ATGGCACATC CTCAGTAAGG
42451	TTTTGAATGA AAAAATGACT GTACTAACTG ATCAACTGTA AGATTTTCCC
42501	AGGTAATTCT TTCAAGGGAG TTCCAAGTAT AGGAACTAAG GCAGCTACAC
42551	TGGAGCTTTA GAGAAATGAT TGTCATATTT CCTCCTCAGT CCTAAATCTC
42601	CTCTTGTCAC AGGATATCAG CATTGCTTAT GGGGAGCACC TGATGCAGGA
42651	GCACATGTAT GAGCCAGCGG GGCTCATGTT TGCCCGTTGC GGTGCCCACG
42701	AGAAAGCTCT CTCAGCCTTT CTGACATGTG GCAACTGGAA GCAAGCCCTC
42751	TGTGTGGCAG CCCAGCTTAA CTTTACCAAA GACCAGCTGG TGGGCCTCGG
42801	CAGAACTCTG GCAGGTAAGT ACAATCATTT ATATGTTTAC ATCTACAAAG
42851	GTTTTAAAAA ATTTATTTCT TTTGTTTGGT AATTTTGCAA ATAAATTTAG
42901	GGCAGAATAC TCTGAGACAG TCTTGTTCTC ACTGATAAAA ATTAATTTAG
42951	AATGCTTTAA AGGATAAGCT ACTACAGCAA GAGTCCCAGA ATGCAGTGGC
43001	CCAATATGGA AAGAAGTTTA TTTCTCTCTC CCATAGGGAT TTATAGGCCC
43051	TTCCGTTGTG TGGCTCTGCA ACCTTTTAGG CAGATGGTTG TAGCTGGGTT
43101	ATCTCCACAG CTGTGGGGAA GGAAGGAGAG TGGGGAGAAG TTAGAATCAT
43151	GGTAAAACAT TTACCTTTAA GTTGGAAATG ACCTGGATGG AAGTTAAACT
43201	ATCACCTTCT ATTCCATCTC GGCCACGCCA TGTAGCTGGA TGGGCTGTGC

PCT/US02/00473

43251	CCTGTAAGAA GGTAAAGATG AATTTTTGGA TGGGTCCATTCTGTTAGA
43301	CAGTAGGTTG TTGGAATAGC CAGGAATGAG GTGGGGAAAA TAAAAGGCCA
43351	AATGTCGAAG CATTCTGAAA GCAAAGGCAG TTTAGCTGCG TCAGGGACAA
43401	GGGTTGCCCG AACCAGAGGC GAGGCTGGTA CCAGGGGCTC TAGTACCAGA
43451	GTGGAGGAAA GGGTAAGGAC ACCTATGAAA AGAGATGAGC AGAAGCTCTG
43501	GTCATCTCAG CAGTGCTTGA AGTAAAGCAA TGACTGGTAT ATTIT TTTCC
43551	CTAACTTGTA AATATTGTTG AGATCTCAAA GAAAAAAATA AAAAGCAGTC
43601	CTAAAAAAAT TCCAAACTCT ATCCTGTTAA ATTTTGTTAA ATTTATGTAC
43651	CAGTCCTTCT TTGTCATTTG CAGTATTCTT TTTTTCTTGG GATTATACCA
43701	GTGTATGGGA TTATCACTTT TCTTTTTCTG GTTATTAGCC TTTCCCAAAT
43751	CCCTCCGTTT CCATGCTGGC CTCTTTTTAC AAATGTCGAG AATTCCTTAT
43801	TTCAGGCCTT TTAGTTATTC GTTCGGTCTC CATTGTTCCT TTCTGCTTTA
43851	GAAATTTATG ATATTGGTTG TTTATACCTT CTATCTCTGT TCTTGGATCT
43901	CTTCTATTCT TTACAGCTCT TAGCTTGCTA TTTCCCATGT CTTATGAGGG
43951	AGTATTTCTA GTTTTTCTCA GATGTTTAGC AAAAGTAGGT GGGGAGGGCA
44001	GTGGTCAAAG ATGTTTGAGA AATGTTACAC ACTGGAGTCA CTCTGTGTGT
44051	ACATTTAACG TAGGCAGTTT ACACAAGAGA GCAAAAGAAA GGTAACTATT
44101	TAAATAGTGG AGGTGATTTT ACCTACTTTT TTTAGTGATA TATGCACTGG
44151	AGTGAGCATG CAATGAGAGA CCGGAATCTA CCAGCTCCTT CGAAAGCCTT
44201	GGGTTCTCTG TGCCTCTCAT TGTGGTTTAT CTCAATTGGG CTGAGAGTGA
44251	TTCTAGGATC TAAAGACACT GCATGACTCA AACATAAGTC AGCTACCTCC
44301	ATCTAGTGCT CAACCAAAGA AATAGTGGTC TCTTACTGTT AAGGGACGAA
44351	GTGGTTTAGT GAGAGATACC AGGTCATTTT CCCATATACA TGCTTTGGAA
44401	GCATCTTTCA AGGCTAATTT TGGCTGTATA TGATTTTCAA TTCCTGTGCT
44451	AAATTTAGAT TCTAGCTGCC ATTTAAGATA GGACTCTGTG GTGTATATAC
44501	CTATTCCCTC ACAGAAATTC AGAAAGTACA TAGTTTCATA CATAATAAAG
44551	ACATATTAAA GAAGCACTTG AGCTAAAGTA TCTGTTTAAC TTTGTAGTCA
44601	ACTGCTGCTT ATTGTCTCTA CAGGAAAGCT GGTTGAGCAG AGGAAGCACA

44651 TTGATGCGGC CATGGTTTTG GAAGAGTGTG CCCAGGTAAA CTCAATTCCT 44701 CCCTTCTAAA CCCCCCAGTC AGCAAGAAAG GTCTTCTCAA TTGTATCTTA 44751 GTGATCATGA AAGTTAAAGG AACTGTGCAT AATTGTTAAG TCCAGAGATA 44801 GTGTTTGCCC CAGAGGTCTT ATCTTGCTGG CTTGACTTGG AAATCTAAAT 44851 TTAGTACATC TCTAAGTTTG GTGAGGTAGA ATATGAAGGT GCTCTACTTT 44901 AACATACCAC TGGTTTGACC TTGGTAGAAA GTACTTAATT ACATC TCAAG 44951 GTAGCTGTGC TTTTTAAAAT TGAGTTTGCC AAAGTAGAAA CAATGAGAAA 45001 GGACCATTAT AAAACAGGAT CATTGAAGGC TACATACTCT TGGCTTTTTAC 45051 TCTCATTCTC CCTATTGGAA ATGTCTCTTT TACCTCAGGG ACCTGGAGGT 45101 ACAGCAGATT ATAAGGATAA GTACCCATAT GAGCATTTGG TAGTATTATA 45151 GGATTTATTA TGAAAATAAT AAAACTGCAG TAACACTGGC CACAGACTAA 45201 CAGTACACAG GTGCACAGTT GACACCAGGG ATTATTGCCT TGTAGAGTTT 45251 TGACCTTTGA TGAGAGAGTG TTTTTTACAG TTGTTACTGA TAGCACATTT 45301 ATGTAACTTA ATTGTGCTTT AAAAATATTT AATTGTCTCT TGTGTAATAA 45351 CAGTAAGTGA AAGACGATAA CTAAAATTTT ATATAATTAG ATCCTGGAGA 45401 GAATATTTGT TGGGTGATTG AATTGAAAAT ACCAGTGAAT GAAACATACC 45451 TAAAAGGGTA GATAGGTTGG GTTGGAAAGA TATACCACAT CGAGGGTTAA 45501 TTAAATGGAT AAGATGTCAT TATCTTTTT TCTTTGTAAA GGAAGATTAA 45551 TGCATAAAAT TATTTTGTGT AATTTACATA CAATAAAATT ATGTGTTGTA 45601 CAGTTGTATA ATTTACATAT AATAAAGCTA ATTCACCAAT TTTAGATGAA 45651 GAATTCAGTA CATTTGGACA TATGTTTGTA GCTGTGTAAC CACCATTGCA 45701 CTCATGATCT AGAACATTTC TAACACCCCC AAAAGTTCCC TACTTCCCCT 45751 TTTGCAGTCA GCCTTCTCCC TCCACTGCCA GCCTTTGGCA AACTGATCAG 45801 TCAGTAAAGT TTCACATTAT CTAGAATTTC ATATAAACAG AACCATATGG 45851 TATGTAGTCT TTTTAATCTG GCTCCTTTCA CTCACATAGT GCATTGGAGA 45901 TGCATCCATG TTGTAGTTTA TTCCTTTGTA TTGCTGAATA GTATCCCATT 45951 ATATGTATAT GTCAGAATTT GTTGATTTAC CAGTTGATGT ACATTTGGAT 46001 TGTTTCAGT TTGGGGTTAT TATGAATAAC GCAGCCATGA ACATTCTAGT

46051	GCAGGTCTTT ATGGGGACAG GAGTAGGAAT GCCACATCCC GTGGTAAGTG
46101	GATGTTTAAC TTTTTAGGAA GCTGCAGAAC TAATCTGCAG TGGCC GTATC
46151	ATTTTGCATT CCCCTCAGTG ATATGTGAGA GTGCTTCAGT GACTC CTATA
46201	CTCACCAACA CTGGGTGTAT TACTGTGACA CTAGATGTAT TATCTATTGC
46251	TACGTAACAA CTTACCTTAA AAGCTGGCAG CTTAAAACAA CAGAC CCTAT
46301	TATCCCACTT TTTCAATGGG CCAAGAATCT TGGCTGGGCT TAGCTGGGGC
46351	CTCTGGCTCA GGGTCCTTTA CAAGGCTGCA ATTAAGGTAT TGGC CAGGGC
46401	TAGAGTCATC TCAAGGCTTG ACTAGTTTTT AATTTCATTT TCTAATGTTT
46451	TATTACTAGT ATATAGAAAT ATAGCTGAAG TGTTTTGCAG GGAGGCTGTA
46501	TAATTGACCT TGTATCCTGC AACCTTGCTA AACTCATTTA TTAGTTCTAG
46551	AAGCTCTTGG GTGTATTCTC TAGGATTTTC TACATCAACA AACAT GGTTT
46601	CTATAAATAT AGTTTTATGT CTTTCTTACA ATCAATACTT TTTTCTATCT
46651	GTATTGCATT TTCTAGGGCT TCCAGTGTGG TGTTGAATAG AAGTGTTAAG
46701	AGTGAACATC CTTGCCTTTT TCCTGATATT GGAGAAAATT CACTTGTCTT
46751	TTAGCATTAA GTGTCATGTT TGCTTTTTTA AAATTTTATT CTATAT TATT
46801	TTATTTTTGA GACAGAGTCT TGCTCTGTCA CCCAGGCTGG AGTGCAGTGG
46851	TGTGATCTCA GCTCACTACA ACCTTGACCT CCTAGGCTCA AGCGATCCTC
46901	CCACCTCAGC CTCCTGAGTA GCTGGGACTG CAGGAACATG CCACCATGCC
46951	TGGCTAATTT TTGTATTTTT TGTAGGGATG GGGTTTTGCC ATGT TGCCCA
47001	GGCTGGTCTT GAACTGTTGG ATTCAAGCAA TTCGCCTGTC TCAGCCTCCC
47051	AAAGTGCTGG GATTACAGGC ATGAGCCTCC GTGCCTGGCC TGATATTTGC
47101	TITTTTTTT TITTTAATG CTCTCTATTG CAGAGTTGGC AAACTACAAC
47151	CTGTGACAAA TCCAGCATGC CACCTGTTTT TGTAAATAAA GCTTTATTGG
47201	AGCATAGCCA TGCTCATTAG TTTACATCTT GTGTATGGCT GCTTTAACAC
47251	TACAGCAGCA GAGTTAGAGT TGTGACACAG ATAGTTTGGC CCATAAGGCC
47301	TATATTTACT GTCTAATCTT TTACAGGAAA AATTTGCCAA TTCCTGCCCT
47351	CTTGGTTTGA GGAAATTCCC TTCTGTTCCT TGTTCTGAGA GTTTGTATCA
47401	TGAATGGGTG TTAAATTTTG TCAAATGCAT TTTCAACTAT GAAGGGTTTT

47451	GTTTTTAGAC GAGTGATATG GGGGACTAGG TGATTGATTT TCTACTGTTA
47501	AACCAACCTT GCATCTCTGG GTTCAACCCC ACTTGGTATT ATAGATTTAT
47551	TACCCTTTTT CTCTTGTGGC AGATTAGATC TACTAAAATT TTCTTGAGGA
47601	TTTTGTGTT TGTGTTCATG AGGGATATTG TAGTTTTTTC GTGTCTTTGC
47651	CATGTTTTGG GTATCAGGAT AATGCTGCTG TCATTGAGGG GTGACAAAAA
47701	TGAGGGGTGG TGTCCTTTAC ACTTCTGTTT TCTGGAGGAT TTCATGTAGA
47751	ATTGGTATGA GAGTCTAGCT TATGGTTAAA AACCTATGTG TGATGTTTCA
47801	GACCTGACCA TAAACAATTA CAGACTTTAC CTAGGAGGCC ACATGGGGAA
47851	AAGCTGCCCT CCCTACACCA GACTTGGCGT ACTGCCAATG CATTACAGTT
47901	TCTAAAGGGA GTTGCAGTCA AGGACTCAGG GCCCCCTGTT AGTCATGCTC
47951	TTGTAACAGT ATTTGCATTG AGAGTCCTGG CACTTTCATT CTTAGGTCTC
48001	TCTATCTGAG GACATGGGCC AAGGTCTTCT TCAGGCACCT CTGCCAAGGC
48051	CTGTTTATGC AAGAAGGAGT GGAAAAACCT TGACATTTTT TTCCACTGTG
48101	ACTCACTACC CAGTACTTTT CCACCCTTAG CCCCCTTCCT TTGCACCCAT
48151	ACCCCCAAGA TCCATCAAAC TGCTAAAGCC TTTTTTTCCA AGCTCCTTCA
48201	ACAGTGAACC AACCCTCATG TCTGTGTGGA TCCAGCTGAC TCTTGACTAG
48251	TGAGTTGTTC CTTGGGAAAA AATGGAACAG AGAGAGTTGG TGCTTTCCCT
48301	GGTTTTAGCC TCTTGCTTAT ACCAATGCAA TGCCTGAAGG CTTAATTCAT
48351	TTTTGACTTG TTGCTTTGAT CAGCTACTCC AACACCTGAC AGCTCAGCTC
48401	TTTCTCCCAG CTCTTGGGAG ATATTTTTT CTTTAAATGT TTAGTAGAAT
48451	ATACCAGTAA GGCCATCTCG GCCAGGAGTT TTCTTTAATG AAA GTTTTTC
48501	ACTATTAGTT CAGTTACTTT AGTAGACATT AACCTATTCA AGTTTATCTG
48551	TGTCTTCTGG AATGAGCATT GGTAGTTTAT GTCTTTCAAG TAATTTGTTC
48601	ATTTCATCTA AATTGTCAGA TTTATTGGTA TGAAGTGTTT ATAGTATTCT
48651	CTTATTTTAC TGTCCGTAGG GTCTATGGTG ATGTCCTGTC TTTCATTGTA
48701	GATATTGATG TGTCTTCTTT TTTCTGATTA TTCTGGCCAG AGGTTTATCA
48751	ATTTTATTGA TCTTATTAAA GAATGAACTG TTTCATTGTT TTTCTCTATG
48801	ATTITICTGT ATTCTAȚATC ATTCTTTȚTT TATTATTITA TTATTITATT

48851	TGCTCTTTAT TTTTCTAGTT TCTTAAGGTG ATGGCTTACT TTTATTTTTT
48901	TCTTATTTT TTCTTTGTT GTTGTTGTTT TTTTAAAGAA ACAGGGTCCC
48951	ACTCTTGCTC AGGCTGGAGT GCAGTGGCAC GATCATGGTT CACTGCAGTC
49001	TCAAACTCCT ACATTCAAGC TGTCCTCCCC CCTCAGCCTC CAGAGTAGTT
49051	GGGATTACAG GTGCATGCCA CCATGCCTGG CTAATTTTTA ATTTT TTTTG
49101	TAGAGATGGG GTGTTACTAG TTGCCCACGC TGGTCTGAAA CTCCTGGCCT
49151	CAAGTGATCC CTCCACCTCT GCCTCCCAAA GTGCTGGGAT TCCATGTGTA
49201	AGCCACTGTG CCTGGCCAAG GTGATGGCTT AAAGCTATTG ATTTGAGATG
49251	ATTCCTTACT TTATAGTTTA AGCATATAAT GCCATAATTT TCCTCAAGCA
49301	CCGTTTTAGT TACGTTATAC AAATTTTGAA ATGTTTTGTT TTCATTTCCT
49351	AATTTCCCTT GTGATTTCTT TATTGAACCT TGGCTTATTT AGAAGTATGT
49401	TTAACTTGCA GATATTGGAG ATTTGCCAGC CATCTTTTTG TTATTAATTT
49451	CTACTTTAAT TITGTTGTGA TTAGAGAACA TACATTTTAT TAATIT AAAT
49501	TTATAATTTA TTTTAATTTA TAATATGGTC TGTTTTACAG AATGTTGTGT
49551	GTGTATTTGA AAATAATATG AAAGCTACTA TTATTGGATG GAGTGTTCTA
49601	TAAATGTCAG TTAGATTAGG TTGATCATGC TGTTCTAGCT TTTTATATCC
49651	TTATTGATTT CCTCACTACT TGCTCTATCA ATGACTGGGA AAGTGTTGAA
49701	GTCTCCCAGT ATTTGTCTAT TTCTCCTTTG ATTCTACCAG TGTTTGCTTA
49751	ATGTATTTTG AAGCTCTGTT ATAGGTGCAT ACATGTTTAT GAGTATGTTA
49801	TAGATGTATT CATTTTGATA TCCTTCTTTC TCTGTTACTA TTCCTAATTC
49851	TGAATTTGAC TTTAATGTTA TTAATATAAT TCTTCCAGCC TTCTCTTGGT
49901	TAGTCTTTC ATTGCATATC TTTTTCTATC CTTTTACTTT TAATCTAGCT
49951	GAATGTAGTC TTTATTTTGA AAGTGCGTTC CTTGTTGATA GCATTATTGG
50001	TTCTTTTTT TTTTTAAATC TAATTTGACA ATCTCTGTCT TTTAATTGGA
50051	GGGTTTAGAC ATTTGCATTG AATGTGATTA CCAATATAGT TAGATTTAAA
50101	CCTACAGTCT TGCTGTTTGC TTTTTGTTTG TTTCATTGAT CCTTTGTTTC
50151	TTGTTTTTT CTTTTTTGC TTTCCTTTGG ATTTAGTATT TTTCATAATT
50201	CCATTTTACC TCCACTGTTG GCTTATTAGC TATACTTCTT CATTTCAGTA

50251	TTTTAGTGGT TGCTGTAGGA TTTATAATAA ATATCATTAA CTGACCATAT
50301	CTTCAGATAA TCGTATACTA CTTCATATAT AGTGTAAAAA CCTTACAAGA
19 351	GTATTCACTC CATAATACTT TGTTATTGCT TTTGCTTTAA GTGATCAATG
50401	ATTGTTTAAG GAAATTTTTT AATGACCTTT CATGTTTATT CTTTTTTTT
0451	TTTTTCCAAA AGATTCAGTA TTTTCCGAGT TTTCAAAAAC TGCTGG CCAC
. 0 501	TCAAAGTGGA TCAACAAAAA TTTAAGAGCT AAAACTGTAA AACTCTTTGAA
0551	GGCTGGGCAC AGAGGTTCAT GCCTGTGATT CCAGCACTTT GAGAAGCTGA
001	GGTGGGACAA TCACTTGAGC CCAGGGGTTT GAGACCAGCC TGG GTAACAT
3 51	AGAAAGACCT TGTTTCTACA AAAAATAAAA ACACAATTAG CCAGG CATGG
701	CGGTGTGCAC CTGTAGTCCC AACTTCTTGG GAGGCCAAGG TGGCAGGATT
51	TCCTGAGCCT GTAAGTTTGA GACTGCAGTG AGCTGAGTTC ACGCCACTGC
0801	ACTTCAGCCT GGACAACAGA ACAAGACCCT GTCTCAAAAC CAGAACGAAA
50851	CTATAAAACT CTTAGAAGAA AACAGGGCTA AATCTTCATG ACTIT GGATT
50901	TGGCAATGGA TGGTTAGAAT TAATACCAAA AACACAATCA ATAAATTGAT
50951	AAATTGGATT TAATAAAAAT TAAGAACTTT TGTGTATCAA GGACATTGTC
51001	AAGAATGTGA AAAGACAGCA TATAGAATGG AAGAAGATAT TTGC AAATCC
51051	TATATCTGAT AAAGGTTTAA TATCCAGAAT ATGTAAGGAA CTCCTGCAGC
51101	TCAACAACAG AAAGCCAGTT AAATCAATTT TGAAATGAGC AAACGCCTGT
51151	AAACCCAGCT GCTTGGCAGA TTGAGACAGG AGGATTGCTT GAGGCTAGGA
51201	GTTCAAGACC AACCTGGACA ACATAGTGAG ACCCTGTCTA AAA.ACATTTT
51251	TITAATTAGC TGGGTGTGGT GGCATATTCC TGTAGTCCCA GCTACATGGG
51301	AGACCGAGGC AGGAGGATCA CTTGGGGCCA GGCAGTCAAGGCTGCCGTGA
51351	GCTGTGATTA TGCCACTGCA TCCCAGCCTG GGCGACAGAG TGAGACCCTG
51401	TCTGAGAAAA AAAAAAAAA AAGAACAAAA AAAAATTTAG AAGATTGCTA
51451	TTCTAGTCTA CTATTTTTC AAAGGGTGGT CTTGTTAACA ATTCTGGAGC
51501	CCACCTAAAC CTGCTAAATC AAACTTGGTA GTAAAGCTGG GGAGATGGGC
51551	ATGTCTAACA GACGTTTCTG GTGGTTTTGA TGTCCAGGCG TGCAGAGAGA
51601	TGATGCTTAC CTTGTGTTTT GTCATTATTT TCAGGATTTA CACCCCTTCC

51651	TIGICITITIG TATCAATATT TATGGAGTCA TGAACTCTAG GATAGGCATG
51701	ATGTTGAGAA CTAGGAGTTC TCCCCTGGCC AGGGAGATAG AGGCAGGTCT
51751	GTGGTTAGTT TTGTAGTTGG CTGTGATGAC ATCTGACATG CTCTCTTCAC
51801	TTGTTGTCTT CTTCCTGTTC CCTTGTCAGG ATTATGAAGA AGCTGTGCTC
51851	TTGCTGTTAG AAGGAGCTGC CTGGGAAGAA GCTTTGAGGC TGGTAAGAAT
51901	CTTGTAAATC CTCTGGATGT TGGGTGCTAA GCAGAGAGAG CAAGCAAGGG
51951	ATTCCAGGTC AGTTGGAATC TCTTGTCTTC TGAGGTTCAT GAAAT AAGTA
52001	GAAATAGGTC AGGTTCCTGG CTTAAGGAAA AGCGGTGTTA CTAAAATCAT
52051	TTTTATCATT CTTGATAATA ATTTGAAATA TTACTGTCTT TTACTGAAAT
52101	GAATTGAATT TCCTTGGCTG CCTTGTAGGA GGCCTGTTTT TCAGGAAAAT
52151	ATTCTGATTA CCTCTGAAAG TAATCCATGT CTTTCTAAGT ATCTTAACTC
52201	TCCAGTGACT AGAAGTTTTC CTTCCTAAAA TATCGTGTTT TTCCTTCTAG
52251	GTATGCAAAT ATAACAGACT GGATATTATA GAAACCAACG TAAAGCCTTC
52301	CATTTTAGAA GGTGAGGGTT CCATTTTAGA TAGAATTCCT CATTTGGAAG
52351	AAGGTGAGGA GAGAGAGTG AGAGAGTCTC CTCCTATTTA CTGTGTTTTC
52401	TTAATAATAT GTCATGTAGA CTCAATCAAA ATTACCACCT GGATATAATA
52451	TTTAATTCTC ACTAGAATTT TTAAATATGC TGAACTATTA AATGGTAACA
52501	AAATATTTAA ATGTTAGAAA CCTGTGATCA AATATGATTA AGAATCTTTG
52551	TATTTGGAAA TAGTAAACTT GAATATGAAC TATATTAGAT AATAATATAA
52601	CACTGATAAA TTTCTGGCAT TTAATAATCA TGTTGTGGTT ATATAAGATA
52651	ATATCCTATT ATTCTCAAGA GATAAATGCT GAAATATTTA GGAATGAAGG
52701	ATCATATCTC TGCCTTACTC TTAAAAGGTT CCACAAAAGT ATTAATGAAT
52751	GTGTGTATGC ATGCAGAGAA ACAGGAAGCA AAAAAATGTC AAAATGTTAG
52801	TAATTGGTAA ATCAAAGTGA AGGGTATATG TGTGTTCATT GAACTCTTAC
52851	AACTTTATG TAGGTTTCAA CGTTTCAAAG TATTTTTAA AAGTTACCTT
52901	TTCAAATGAA GTTTGTGGTT CTTAGAGAAC ATATGAATAT TACCAGTTCT
52951	AGAATACTCA GATGGTCACT GTGACCTCTT AAAAGCAAAG TGGAGAAGGA
53001	CATCAGTTTG ACTTATAGAA ACCTTAGGGA GTGGTTGATT TTAAGTTCTG

53051 CATTTTTATG CACATCTACC CTGTAAGTAA CGTCTGGCCT TTCTGACATT 53101 TACATGTATG CACATTCTTA CCTTGTCTGC ACCCCCTTCC TCCAT CCTAA 53151 TTAAAACGTT GCTGGGGTAC TTTTTATGTC ATTCACTTTA GGTACCTCTA 53201 ACTGGGTACT GAAAACATCA TTCCTCATCT ATAATAATCT AACCAGCTCT 53251 TACTTAGATT TTCACCACTA ATGAGAACCT TTCTTAGATA AATGCCGATA 53301 ATTCATCTAC ATAGGCCCAA AACCTATTAA TAAAATGCAT CCTTG GATAG 53351 TAGTATTITG CTTTTTTAAA ATGTATTCTA CTAGTGTTAT TTTTCTCTTG 53401 TGTATTTTC CATTGGACAA TATTTATTAG ATACATTTTT TCCACATCCA 53451 TGGGCATTIT GATGGATGTT TAGCCAGAAA CATTTAGGTA ATTTTCTTCT 53501 TATTTTGTT AACTGAGCTC CCCTCCCCTA CCCCCCTTT TTTTGTTTGT 53551 TTGTTTGTT TGTTTGTTTG TTTTGCCAAT CCTCCCTTGC TTTAGGTATC 53601 AAGTCTTCGT TCAGGTGATT TTACAAGTTC AGTGGTAGCG CATA TTCTGG 53651 GATAATGTTG ATGAACTCTA AGATCTGGAA TCTCAGTCTC TAATTTGTTA 53701 ATGCTTATTA AGGAAAAAGA GCTCGCTTGG AAAACCTAGT AACCTCTTTC 53751 TTTTGCTGA ATTTTAACCC TCCTTCACTG CTCCCCGCCT TTAGTTTTT 53801 CTCTTTGCTT AAACCTCATG CTCAAACTAT TTTCCATTCT GCATCTCCAG 53851 CCCAGAAAAA TTATATGGCA TTTCTGGACT CTCAGACAGC CACATTCAGT 53901 CGCCACAAGA AACGTTTATT GGTAGTTCGA GAGCTCAAGG AGCAAGCCCA 53951 GCAGGCAGGT CTGGGTGAGT ATCTGCGTGA AGGCCATCGA CGTGCGGGG 54001 CAGTGGGGTT GGGTAACGCC ACACATTGTC TAGATTGCTT GGTGATCCGC 54051 CTGCAATCTG ATTACTGTGC CATGGGCAAG TGTGAGGCTT CTGTGGAGCC 54101 CCTTCAGGGC CCTCTGTGTC TGTGTTTGTG TGTTGGTGAA GGGCAGGACC 54151 AAGCATGAAT GGGGAGAGCT CTGCCAGACA TTCCCACCTA CCCCCATTCA 54201 CCCAGAGCAG CTGACCACTT CCGTGTCTAA CAAAATGAGT TTCCTCATTT 54251 CCAGAAAAA GTTCAGGAAA CTACTGATTT ACATTAGTAA TTACTGTATT 54301 TAATATTATC TCATTCATTT TGAGATCAAC TTTGCAATCA TTTTCATCCA 54351 TCCTTTGATA TGCACCAGTT GACTCTAGTT AGTTCATTTA CCGCCCTGAA 54401 AGTAAACCCA CACATTAGCA GGCAGTGTTT TCATCGGCTT CTGGTTCTTC

54451 TTTTCTAGAT GATGAGGTAC CCCACGGGCA AGAGTCAGAC CTCT TCTCTG 54501 AAACTAGCAG TGTCGTGAGT GGCAGTGAGA TGAGTGGCAA ATACTCCCAT 54551 AGTAACTCCA GGATATCAGC GTACGTATCA CATTGATTCA GCACATTGAC 54601 TATATCCTGG GCATATAGGG AAAGTGGAAG CAAATAGATT GGIT TTCTAC 54651 TGGGACGGTG TAGTGGGAGT GGGGAGAATA TTCTTCAGCG CTG TGTGGAA 54701 GTTGTTCAGA CACTTTCCCA GCATATCTGA GACATTAAAC TTGGCATTGG 54751 AAGGTTTTCT TCCTCAGCTT TGTGGCTTGT GTGTTTTCCC ATTCC CCACG 54801 AGGCAGTTCC TCCCCTGAAT GCTCAGTTTA TATTAACATC TGATTTTATT 54851 TTTTGAACAA ATGTTGTGAC TAAATTATAG GCACTGAAAA AATGA.AAAGA 54901 TAAGCTTCTT CAATTCAAAA TCAGGATTGG AAGAGACCAT AAATGTAAAA 54951 TAAGTCATAA CACTTTTACC AAATATAGTA ATTTGTCAGA AATATTTATT 55001 CAGCACTCAT ATGGTAGGTG CAGTAGATGT TACCAAAAAC TTAT AAGGAG 55051 ATATGAGTTA TAAGAGTTTA TAGTCTTGCT TGGGATGTGT AAAGCAATGC 55101 AAGATTATAT ATTCAAACTG AATTTTGCTT TAGGAATTTA AAATGGAGAT 55151 CTGTGAAGTT GTGTGGGGTC ATCAGCAACT GCAAGAAAGT AGCCAGGCAA 55201 GGTAGCACAT GCCTGTAGTC CTAGCTACTC AGGAGGCTTA AAAATATCTG 55301 AGAAGCACAG CCTCAAAGAA GGCAGTCCGC TGGAGGACCT GGCCCTCCTG 55351 GAGGCACTGA GTGAAGTGGT GCAGAACACT GAAAACCTGA AAGGTATATT 55401 CTCAGTCCTG ATGATGATTC CTGACCACAA ACAATAGTGA ATAGGCAGTA 55451 CAGACAGGCA GAGTTCAGTA GGTGATTAAG CTACCATTTT CCCAATTTGA 55501 GGAAAGATGA GAACTTITAG CAGGAAGGGT CATGTCTGCA CACATTCCTG 55551 AAGCAGCCCT TCTTAGCTGG TAACTGAGAA GCCTTCCTCC ATT TGGCATC 55601 CCCCTAACTG AACTGGGAGA GATGCTTAAG CCAGGATAAA GAATTGTGGG 55651 ACACTGCTTT CTGCGTAGGC CCCCAGCGT GCTTGATTTT CTTTTTGTAG 55701 TACATGTGTT TAATTATTCC AGCATTTGGG AAGAAAAAG ATAATGTGGG 55751 AGAAAGGACC TGCAGTGGGA TCATAGAAAT TTTTGGCTTT GGATAGAAGC 55801 TATGTATGAT TCTGTCAATG GAGCTGGGAA TATAACTTAC CACTCTTTCA

55851 AATTTCTTCT CTCTAGATGA AGTATACCAT ATTTTAAAGG TACTCTTTCT 55901 CTTTGAGTTT GATGAACAAG GAAGGGAATT ACAGAAGGCC TTTGAAGATA 55951 CGCTGCAGTT GATGGAAAGG TCACTTCCAG AAATTTGGAC TCTTACTTAC 56001 CAGCAGAATT CAGCTACCCC GGTAAGTTTT CTCAGAGACG GTGTGCATTT 56051 TTTTCATCAT TTTCATGGGT TATTGTATTC ACACAATCTC CAAGTCAAAA 56101 AGTTTTCCTG TTCTTAAAAC ATAAGATGCC ATAGTTAAAT TATCTTAGCA 56151 TTTATGTGTA AGCTGTCAGT AAGATTTGAT ATTTGCCTGT AGAGTGACTA 56201 GTATACCTTG GCATAGGTTA AATGGACTGT CATTTTCCTT TCTGGATGAA 56251 GTAGCTGTCA TGGAGAAAAT GGGAAAGTCA CATGATTGCT CCTGGCCTTC 56301 AATGAGGTTG GAGTGGGGAG AGATGGGGGA AGATGGGGTC AGAGACGGCC 56351 TCTCACTTTC CTTTCAGAAC TCAGGGATGG GATCAGGCTT TAAAGGGACC 56401 CCAGGCAATT GCTTTTCCTT TTGTTTTATG AAAAATTTGA CTTGTCACTT 56451 CTATGTTGTT ATGATGGACT TTGCGGGTTG TGTTTAAGGC TGAATCAGCT 56501 TTGTATCGCA GAATTCTAGT ATATTGTCAT CTGTTTATTA TTTATACCTC 56551 TGTTCACTCT CTTATACTTC AAGTCTATTG TTAAGAGTTT TTATTTGGAT 56601 TCAAAAAGGC TGGTGTATCA GTCAAGATCT AGAAAGGAAA ACAAAAGCCT 56651 ATCTATTATT TTATCACAGA ATTTAATATA TGGATTTGTT AAATAAGTAT 56701 TAGAGGACTA AACAAGGCAA AAGGGAAATA CAGAGGAAGG ACATTGAGAT 56751 AGTAACTGTA GGAAGCAGCT TTACCCTCTA GCTGAGGGAA CAGGAGGAGT 56801 TGTTGGGAAT TATTAGAATT TAGAAGCCTG GAAGTGGGGC CCTGTAGAGC 56851 TGGCTCTTGA ACCTCTGAGA GGAGGGTGCC AGCCAGCTAA TCCTGGCATT 56901 TCTGAGGGAG CTGGTTCCAA GCGTACAGAA GTAAATGGAA ACTGGAAGGA 56951 ACAGCTGCTG CTGGGGGAAA AGCCAGCCGG TCGGGCCAGG TGTGGTGGTG 57001 GCTCACGCCT GTAATCCCAG CACTTTGGGA GGCCAAGGCA GGCGGATCAC 57051 CTGAAGTCAG GAGTTCGTGA CTAATGTGGC CAACATGGAG AAGCCCCGTC 57101 TCTACTAAAA ATACAAAATT ACCCGGGCAT GGTGGCGCAT GCCTGTAATC 57151 CCAGCTACTC AGGAGGCTGA GGCAAGAGAA TCGCTTGAAC CTGGGAGACA 57201 GAGGTTGTGA TGAGCCAAGA TCGTGCCATT GTACTCCAAC CTGGGCAGCA

57251 AGAGCGAATC TCCGTTTAAA AAAAAAAAA AAAAAGCCAG CCAATCACGG 57301 AAGAAATCTA GAAATCTTTT GTTCATCCTC CAGCTTTGTA CTCCCCCTCT 57351 GGTGTTCACT GTAGGCAGGA CATGATGGGA AGCCAGCAGC AAGGAAGAAT 57401 ATCTTCAGG TGCCCAGCCC CAGCACCACA AGCAGTGGAT AGAA GGGTGG 57451 GTTGGAGCTG AGAGATTACA AATCAGCTCA GTGTTTAGAA ACACATACGC 57501 TTATCATGTC TTGATTTCCT CATTTAGAAA TGGGCATAAG ACTTCTCTGT 57551 GTGCTTCAAT AGAATGCTTT GAAGGTTAAA TAAGAGGGTG TGTGTAAAAG 57601 CACTTTACAA ACCGTTGAAA TAAAAGCAAC TAGGAATCAG GGCCCCAGAA 57651 CTTCTTGAAT TTATTATAAT AGGTATTTCT TAGAAGAAAT GTGATCATCA 57701 TCTTCAAAAC TGTAGTACTT TTGAAGATAA TTGTTTTTGT TTTTTGAGAC 57751 AGGGTCTCAC TCTGTTGCTC AGGCTGGAGT GCAGTGATCA CCGCTCACTG 57801 CAGCATCCAC CGCCCGGGC TCAGGTGATC CTCCCACCTC AGCCTCTTGA 57851 GTAGCTGGGA CTACAGGCGC ATGCCACAAC ACCTGGTTAA TTTTCAAATT 57901 TTCTGTAGAG ACAGGGTGTC ACCAAGTTGT CCCCGCTGGT CTTGAACAAC 57951 TCCTGGGCTC AAGTGGTCTG CCCACCTCAC CTCTCCAAAG TGCTGGGACT 58001 ATAGGCATCA GCCACCATGC CCGGCTTGAA GATAATAATT TATAATACCA 58051 CTCCCATGAG TGATCTTCTC TTCTGATCAC ATATTCACAT TAAGGTCTAT 58101 TTTATTITAT TITTTTCTTG CTCTGTCACC CAGGCTAGAG TGCAGTGACA 58151 GTATGATCAA TCATGGCTTG GTGCAGCCTC GAATGCCTGG GCTAAAGCAG 58201 TCCTCCCACC GCAGTCTCCT GAGTAATTGG GACCACAGGT GCACACCACC 58251 ATGCCCAGCT AATTTTAAAA TTTTTTCCTA GACATGGGGA GAGGGAGTCT 58301 TGCTGTGTTG CCCAAGCTGG TCTTGAACTC CTGGCCTCAA GTGATCCTCC 58351 TGCCTTGGCC TCCCAAAGTG CTGAGATTAC AGGTGTAAGC CACCATGCCT 58401 CCCACATTAA GTTCTAAGAC ATCAATTTTA TGATTGTGGT TTTGATTGGT 58451 GAAGTATGGT TGTGGTATGT GCAGGATACC GTGAGTGACT TCTCATGGCA 58501 TTGCTCTTGA GAGTGTGCCA CCAAGGGTCT GCACTAACCA GGGGTGTGCC 58551 CAGAGGCTCG CTGCAGGCTT GAAATTCCTG CGGAGTCTTG TGTTTTACCT 58601 GGAGCACATG TGCACAGTTT CCATTCTGCT CCATAGTATG CACATGTTTG

58651	TATTTATTTC AACCTAAAAA IGIITGIIIC CCATAACICI IIGCGTATAA
58701	TTGATACTCT ACGTATTTGT AGCCTCTTTT ACTCTTTCC CTTTCCTCAG
58751	GGAGTGGTTT GCTCATTTAG AAAAGGCCAA GATATATCAC TGTAGAGTTT
58801	CGTTTCTTTT CTTTTCCTCC ACCCCCCATC TTTACCTTGT TCTGGGAGAA
58851	AGGAGAATTA GAAGTCTGAG TTGCAGCTGG AGAAACTGGC AAATTAAAAT
58901	CACATTGGGA AAGAGAATTA CTGTGTTTCA CACCATACCA GTAGAAATGA
58951	CAGGCTGTTT TCTGCTGGTA GGGATTTGGC CTTTGGTATT GGCAGTCTTG
59001	AGAAGTATTA GATAATCTTT GCTGATACAG TCTATTTTCT CCTCAGGTTC
59051	TAGGTCCCAA TTCTACTGCA AATAGTATCA TGGCATCTTA TCAGCAACAG
59101	AAGACTTCGG TTCCTGTTCT TGGTTAGTAT TTTTTCTCAT TTAATATTAC
59151	AATACTAAGC AGAAGGACTA TCTTTCTGTA AGTATTGAGA AGATCAGCAG
59201	TATAAGGAGA GATTGGATAC AATTTTTCAC TACAAAAAT TGACTACAAT
59251	TCTTCCTCAA TTCTAAGACC GCATCTTTAG TATGATCAGT TTCATGCTTC
59301	TAGCGGTGGG GGACCTGGTG CAGGAAAATC CAGCATGACC ATTGTATGTG
59351	TAATTTTTAA AAATATTTAT GTGGCATATG CTTGTTCATA AAGGCACACC
59401	ACAGTTCCAG TTTCAGTCTA AACTGTCTAC ATTTACATAT ACATCAAAAG
59451	ATTCTTCTGA AGCATCATTA CTGGCTATTG GCAGTTATGC TTTGCATCTT
59501	GGGGGCATTT TCATAAACCT TGCTTATGAG TGGGACCTTT TTAT TATGTT
59551	TAGGATTGAC AATATAATTT GAAGGCAAAT CCAAAGAATA TTAGCATTTT
59601	ATACATATTT CCTGTTTAGT TATGCATGAA GTGTTTTATT TGTTGAGGGG
59651	AGATGATTCT CAATTAGATT ACTTATTTCC CTAAAAATTA AAAAC CCTAA
59701	GCGCTTTCTT TTGAAAGTTG GTTAGAAACA TTTGATGAGT CAGCTTGGGA
59751	CTTTCAGTAT TTGCCCTTAC TTATAGTTGG ATCAATGAAG CATCTTAGCT
59801	TTGAAAAGTG AATGATAGTT TCTAAAATAA TTGGCAGTTT TAACTGCTAT
59851	TATTTGCATT TCTAGCATGT GACAAGCAAC TTTCTGAAAT TTTTTTCAC
59901	CGAAGTGCTA CACTGTAATA GCATTTTGAT GACATTTGAA GTAGCCTGTG
59951	GGGATTCAAA TTAAGTTTGA CTTTAACAGC TTATGTTGCT ACCAGGAAGA
60001	ACAGCTACCT TCCATCCCAG CTAAACTCAT ACATCCAGAC TGTAACTACT

60051	GTATTCCTAG CTCCTCTTCT GTCTAGAGAA TGGCAAGGTT CTTTTGGTAT
60101	GCAGTTTCGA CATATCCACT TATTCCTTTT TTTTTCTTAA GTTTTTT CAT
60151	TTAGAAAAAA AAACAGATGG GGTCTTAATA TGTTGCCCAG GCTGGTCTCA
60201	GCCTCCTGGT CTCAAGTGAT CCTCCTGCCT CGGCCTCCCA AAGTGCTGGG
60251	ATTACAGGCG TCTGCCCCTG TGCCCAGCCC ACTTATTTCC CAGA TGCTAG
60301	GAACTTACAT TAGACCTGAG GCCATTTGGT CATTGTTTAT TTTGTGCTGT
60351	AGTCCAATCC AGTTGTGATT TCTGCCTCCT GTGTTCCTCG TTGCTGGCCT
60401	GATGCTGACC TTCAGGTTAG GTCAGTCCCA TCATTCCCCA GGGTATTCTA
60451	GATGGCTTTC CCACTTCAAA GAGCACTTTC TTGTTTTCCA GCTGAGCCTT
60501	AAAGACACTC TGTAATATTT GAGAGCCCCT CATTATCTGA GTGT TTATTA
60551	TCATTACCCT TGTGGTTTCA AGGATGTATA GGAAAAGGTA AGTTCCTATA
60601	ATTCAAAAAT TGCCACTGAT GAACTAATCA CAAAATTAGT GCCACTCAAA
60651	TATTACTCAG CTGCCCCTCC CCAGCTAACA ATAGTTAAGT ATATTGGCAC
60701	ATCCCCACAA GTGAAATCAA TGACTTGATG GGTCATTTCT GATTGTTTCC
60751	TGCTTTGATG CAATACAATA TCATGCAGAT CAATTGCAAG TCTTGCAAAA
60801	ATTTAGTATT ACATAAAATA GATTAAAATG ATATTGGAAA AGTACTTGAA
60851	TCACAGCTGG GTTGGACTTG TTGCAATTGA TGACAAAATA AGTGCTTCAA
60901	ATGATTTTGA CTATCAAAGG ATTGAGAGG GTCCTTAGAA AAATTGAAAA
60951	GCCCTCAAGT TATTTTTATA AAAATGGCCT TTTTTGTGTG CTGTGAAATC
61001	CACATATGGA AATGTGAAAT ATGTCATGTC CTGCTGTCAT ATAATTTGTC
61051	AGAATAATTA CTTTCTTGCC CAAAAGTCTG TACTTTGTGT TTATTTCAAG
61101	TTAAGTCTAG AATCAAATAT AGTTGTAGTT ATGCCTAATT TTAAAAAATG
61151	AGATAGAGCA CATTATTTT GTAACTAGTT TTTTTTTTT TTTTCAGAC
61201	AGAGTCTTGC TCTGTGGCCC AGGCGGGAGT GCAGTGGCGC AATCTCGGCT
61251	CACTGCAAGC TCCGCCTCCC GGGTTCACGC CATTCTCCTG CCTCACCCTC
61301	CTGAGTAGCT GGGACTACAG GCGCCCGCCA TCACGCCCGG CTAATTTTTT
61351	TGTATTTTA GTAGAGACGG GGTTTCACCG TGTTAGCCAG GATGGTCTCG
61401	ATCTCCTGAC CTCGTGATCC ACCCGCCTCG GCCTCCCAAA GTGCTGGGAT

61451 TACAAGCGTG AGCCACCGCG CCCGGCCTGT AAATAGTTTT TTTAAGATAA 61501 AGTCTTATTC CAACTTTAAT TGGAATTTAT GAAATACCTT GTTGATAGTG 61551 AATTTATTTA AGTAGCCTTT TTTCAGTATT GATATTCTTA TATCTTTATG 61601 GCACCATTTA GTGGAGAGAA ATGTAAACAA ACATAAAGAT GTAGTATTAA 61651 ATCATAACTG CATAAAATTA ACTGTAGTAT GTACTGCACT ACTGTAATAA 61701 TTTTGTAGCT ACCTCCTGTT GCTATTGTGG TGAGTGAGCT CAAGTGTTAC 61751 CAATATCTGC TTAAAATGCC ATGTGCCGCT AACCATCTCC ACATGAGCAG 61801 CACATGAGAG TCTCCATTAA TTGCATATGG CAGCGAAAAG TGATCTCTTG 61851 CATTGTCGTG TATTTTTTAT CACGTTTAAT GTAATATCGT AAACCTTAAA 61901 TAACACCATG AGACCTATAG GAAGTACCAC AAGTGTTGCT CCCA.GGAAGC 61951 AGAGAAAAGT CATAACATTA CAAGAAAAAG TTGACTTGCT CGATATGTAC 62001 TATAGATTGA GGTCTGCAGC TGTAGTTGCC CACCACTTCA AGAT AAATGA 62051 ACCCAGTGCA AGGACTATTA TAAAAGAAAA GGAAATTTAT GAAGCTGTCA 62101 CTGCAGTTAT GCCAGCAGGC ATGAAAACCT TGTACTTTTT GCAAAATACC 62151 TTTTTATGTT GTATTGAAGA TGCAGCTTTT ATGTGGGTGC AGGATTGCTA 62201 TGAGAAAGGC ATACCTATAC AACTATTATG ATTTGAGAAA AAGCACAGTC 62251 ATTGTATGAG AACTTAAAGC AAAAAGATGA AGGATCAAAG CTGGAGAATT 62301 TAATGCCAGC AAAGGATGGT TTGATAATTT TAGAAAGAGG TTTGGCTTTG 62351 TAAATGTCTG GATAATAGGA AAAGCAGCTC CTGCCATCCA GGAGGCAGCA 62401 GCAAAGGCAG TCAGGTTTAT GATCAGGACT GCCCTTATCT GTAAAGCTGC 62451 TAACCCCGA GCCTGGAAGG GAAAAGATTA ACACCAGCTG CCAGGCTTTT 62501 GGTTGTACCA TACAACAAGA AGGCTTGGAC AAGGAGAACA CTTTTTCTGG 62551 ATTGGTTCCA TTGTCGATTT GTCCCTGAAG TTAAGTAGTA TCTTGCCAGT 62601 AAGGGGACTG CCTTTTAAAG TTCTTTTGAT ACTGGAGAAT GCCCGAGGCC 62651 ACCCCAAACT CCATGAGTTC AACACCGAAG ACATTGAAGT GATCTACTTG 62701 CCCCCAAACA CACATCTCTA ATTCAGCCTC TAGATCAGGG TGTCATAAGG 62751 ACCTTTAAGG CTCGTTACAA ACAGTACTCT ATAGAAAGGA TTGTCAAATG 62801 TATGGAAAAG AACCTTGACA GAACATGAAA GTCTGAAAGA ATTACACCAT

62851	CAATGATGCC ATCATTGTTA TAGAAAAAGC TGTGAAAGCC ATCAA GCCCA
62901	GGACAATAAA TTCCTGCTAG AGAAAACTGT GTCCAGATGT GCATGACTTC
62951	ACAGGCTTTA CGACAGCCAA TCAAGGAAAT CATGAAAAAG ATTGTGGATC
63001	TGGCACAAAA AAAAAAAAAA AAAAAAAAAAA TGGTGCATGA AGGATTTCAA
63051	GATAGGAATC TTGGAGAAAT TCAAGAGGTG ATAGACATCA CACCGGAGGA
63101	ATTAACAGAA GATGACTTGA TGGAGATGAG TACTTCCAAA CCAGCGCCAG
63151	ACAATGAGGA AGATTACATA AAAGAAGCAG TGCCAGAAAA TAAA T
63201	TTTGTTCCAA AGGTTCCAAT TATTCAAGAC TGCCTTTGGC TTCTT TTACA
63251	ACATGGATGA TTCTATGTTA TGGGCACTGA AACTAAAAGA AACTGTGGAA
63301	GGATTGGTAC CTTAGAGAAA TGAAAAAGCA AAAACATCAG AAATTATGGT
63351	GTATTTCTGT AAAGTTAGTG ACACTGAGTG TGCCCACCTC TCTTGCCTCC
63401	TCTTTAACCT CCCCTACCTG TTTCATCTCT ACCACCCCTG AGACAGCAAG
63451	ACCAACCCCT CCACTTCCTC CTCTACTTCA GCCTACTCAA CGTGGAGATG
63501	ACAAAGATGA AGACCTTTAT GATGATCCAC TTCCATTTAA TGAATAGTAA
63551	ATATTGTTTT CTTTATGATT TTCTTAATAT TTTCTTTTCT
63601	TTATTGTAGG AATGTAGTAT ATAATACATA TAACATACAA AACATTTGTT
63651	AACTGACTTT TTATGCTGCC AATACACTGC CGAACAACAG TAAGCTATTG
63701	GTACTTGAGT TTTGGAGATT CAGAAGTTAA ACATGGGGCC AGGTGTGGTG
63751	GCTCACACCT GTAATCCCAG CACTTTGGGA GGCTGAGGTG GGTGGAACGA
63801	GACCAGGAGT TTTGAGAGTA GCCTGGGCAG CATGGTGAAA CCTTGTCTCT
	ACAGAAATTA GCCAGGTATG GTGGTGTACA CTTGTAGTCC CAGCTACTTG
63901	GGAGGCTGAG GCAGGAGAAT CGCTTGAACC CAGGGGGTCG AGGCTGCAGT
63951	GAGTCATGAT CGTGCCACTG CACTCCAACC TGGGCAACAA AATGAGACCC
64001	TGTCTCAAAA AAAGAAAAAA AAAAGGTATA TGCAGATTTT TGACTGTGCA
64051	GGGGGGTCCG CACCCATAAC CCTACATTCA AGGATCAACT GTAATTTTTC
64101	ATGCCTGCAT GGCTCATATG TACAGATTTA CTGCTGGAAG TTTATCATAA
64151	ATAATGCTGA AAAAGAAAAT CCTTATATAT ACATATTTTC TCCTATCTCT
64201	GCTTGCAGTA TATGATTCCT GGTTAGAAAA GAAACTTAAC AAATCTAAGT

64251	GAAAGAGTGC CTGGGAGTTT TAGGTTACAA TGACAGAATC TTTTCCTAAC
64301	CCTCTCTCTC CATTCACTTT TTTTAAAGCA GGGGCATCTT TATTGATCAA
4351	CATGTTTGTC GAAGITTCAT CATAAAGTAG TTCCTGTCCA TTAACTT CAC
401	TTACTGAATA TGTGCTATCA CATTTTGCTA TTCCTTAAAA ATTGAGCTAG
. 51	ACTITACATA TAGTGAAATG CAGAGATTTC AGGTGTACAA TTTGAT GAGT
51	TTTAATAAAT GTATACAGCC ATGTGACTGC TGCCACCACC CCTCC CACCA
55 :	GTTTGAAATA CAGAACATTC TTCCACTTTG AATCACTGGG TGAGCATGCC
01	TGAGGTTGAA ATGCAGTCCC TCCTCTCAGG GCGGGGCCTC CAGGTTGTGT
. 31	TTGCTCTGAC CTGGAGGTTG CAGGGGTAGC AGACACATGA ACTCTGGCTC
	IGATGG ICTT ATTGCTGCAA ACTCCACCTG CCTAGTTTGT TTAGTTTAGA
	CTGCCT CAGCGCCCTC CAACAAGAGT ATGTCTGTCA CAAT TTCCCT
	TCCTTTCTTG CTTTTAGATG CTGAGCTTTT TATACCACCA AAGATCAACA
,51	GAAGAACCCA GTGGAAGCTG AGCCTGCTAG ACTGAGTGAC TGC.AGTTAGG
4901	AGGGATCCGA CAGAGAAGAC CATTTCCACT CATTCCTGTT GTCCTACCAC
<i>3</i> 4951	CCCTTGCTCT TTGAGGGCTG GCTATTGAGA ACTGGAAAGA GTAAAATGAT
65001	AACTTACCTT AGCATTGCCA AGAACTTCAG CAGACAACAA GCAATTCTAT
65051	TTATTTTATG TTGTGTATAC ATCTTGATCA TTAGCAAGAC ATTAAGCTTT
65101	AACCATTATG GCACCATTTT GTGAGAATGA TTGTTCTTTC ACTIGGGCTG
65151	TTTGAGAGCA TAATTATGGT AATCATGAGA TTAATGTTTC ATGAT TTCTA
65201	CCTCCAAAGT GTGAAGACAA GTAAAACAAT GTTTCTAAAT TGTCTTATTT
65251	TGTTGGCGGA GAAGATTACA ATGGCTATTA GTGCTACATT TGGTCAAATG
65301	TAATCACTTA AATAGCTTCT TGTCACCTTA AACTAAAGCA GAATAAAAAG
65351	TATCCTTTGA AATTATAAGC CCTCCTTTGC TGACAGCTAT TATTTTGTAA
65401	CATCTTACCA GGTCATGTGC TTTCAGTTAT AACTGGGCTG AGCCTCCTAT
65451	AATTACAATG TCTATAGGGA CTGTTTTACT GCCTGTGTAT TTTCTGCTAG
65501	AGAGTTAGCA ATGTTAGAGC TAGAACAGAT TAGAATTTCT AAACAGTATC
65551	ATGCACAGTT GGTGTGAGTG ATCAGTGTGC ATTGTATGGC ATG CATGGTT
65601	GTGAATTATT CTCTGTTCTC CAAATACTGT TTCTTTAACT CAGATATTTT

65651	TGTTAGTGTC TAGGCCACTT CATTTATTTT TCGTCATGGT ACTTTACTGA
65701	CTTCTCTTTA TTCAATTCTC CACGCCCTCA CCAAAAAAAA CTGTCTCAAA
65751	ATGAGAATAT TTTATTTTCA TGGTGAGTCT AGAAAACGCC CACTTCATTC
65801	TGATTAAAAA TTCTTCCATG TTTTAAATAT CAGAACCAGA CCTTTCT TAC
65851	TGTGTATCTT AGCCCATTTG TGTCTCTATA ACAACAACCA GCTTTCAAAG
65901	GAACTAATAG AGTGAAAACT CACTCATTAC CACGAGGATG GCACAAGCGA
65951	TTCACGTAGG ATCTGCCCCT GTGACCAAAA CACCTCCCAT TGGGCCCCAC
66001	TTCCAACACT GGTGATCACA TTTCAACATG AGGTTTAGGG AAACA.AATGC
66051	CTAAACTACA GCACTGTACA TAAACTAACA GGAAATGCTG CTTTTGATCC
66101	TCAAAGAAGT GATATAGCCA AAATTGTAAT TTAAGAAGCC TTTCCCAGTA
66151	TAGCAAGATG TTAACTATAG AATCAATCTA GGAGTATTCA CTGTAAAATT
66201	CAACTTTCT GTATGTTTGA ACATTTTCAC AATCTCATAG GAGTTT TTAA
66251	AAAGAAGAGA AAGAAGATAT ACTTTGCTTT GGAGAAATCT ACTTTTTGAC
66301	TTACATGGGT TTGCTGTAAT TAAGTGCCCA ATATTGAAAG GCTGCAAGTA
66351	CTTTGTAATC ACTCTTTGGC ATGGGTAAAT AAGCATGGTA ACTTATATTG
66401	AAATATAGTG CTCTTGCTTT GGATAACTGT AAAGGGACCC ATGCTGATAG
66451	ACTGGAAATA GAAGTAAATG TGTTTATTG

FIGURE 7

1 ccagtgctgg ggctgcctag ttgacgcacc cattgagtcg ctggcttctt tgcagcgctt 61 cagcgttttc ccctgqaqqq cqcctccatc cttgqaqqcc tagtqccqtc ggaqaqaq 121 cgggagccgc ggacagagac gcgtgcgcaa ttcggagccg actctgggtg cggactgtgg 181 gagetgaete tgggtageeg getgegegtg getggggagg egaggeegga egeaeetetg 241 tttgggggtc ctcagagatt aatgattcat caagggatag ttgtactgtt ctcgtgggaa 301 tcacttcatc atgcgaaatc tgaaattatt tcggaccctg gagttcaggg atattcaagg 361 tocagggaat cotcagtgot tototocog aactgaacag gggacggtgo toattggtto 421 agaacatggc ctgatagaag tagaccctgt ctcaagagaa gtgaaaaatg aagtttcttt 481 ggtggcagaa ggctttctcc cagaggatgg aagtggccgc attgttggtg ttcaggactt 541 gctggatcag gagtctgtgt gtgtggccac agcctctgga gacgtcatac tctgcagtct 601 cagcacacaa cagctggagt gtgttgggag tgtagccagt ggtatctctg ttatgagttg 661 gagteetgae caagagetgg tgettettge caeaggteaa eagaceetga ttatgatgae 721 aaaagatttt gagccaatcc tggagcagca gatccatcag gatgattttg gtgaaagcaa 781 gtttatcact gttggatggg gtaggaagga gacacagttc catggatcag aaggcagaca 841 agcagetttt cagatgeaaa tgeatgagte tgetttgeee tgggatgaee atagaeeaca 901 agttacctgg cggggggatg gacagttttt tgctgtgagt gttgtttgcc cagaaacagg 961 ggctcggaag gtcagagtgt ggaaccgaga gtttgctttg cagtcaacca gtgagcctgt 1021 ggcaggactg ggaccagccc tggcttggaa accctcaggc agtttgattg catctacaca 1081 agataaaccc aaccagcagg atattgtgtt ttttgagaaa aatggactcc ttcatggaca 1141 ctttacactt cccttcctta aagatgaggt taaggtaaat gacttgctct ggaatgcaga 1201 ttcctctgtg cttgcagtct ggctggaaga ccttcagaga gaagaaagct ccattccgaa 1261 aacctgtgtt cagctctgga ctgttggaaa ctatcactgg tatctcaagc aaagtttatc 1321 cttcagcacc tgtgggaaga gcaagattgt gtctctgatg tgggaccctg tgaccccata 1381 ccggctgcat gttctctgtc agggctggca ttacctcgcc tatgattggc actggacgac 1441 tqaccqqaqc qtqqqaqata attcaaqtga cttqtccaat qtqqctqtca ttqatqqaaa 1501 caqqqtqttg qtgacagtct teeggeagac tgtggtteeg ceteceatgt geacetacea 1561 actgctgttc ccacaccctg tgaatcaagt cacattctta gcacaccctc aaaagagtaa 1621 tgaccttgct gttctagatg ccagtaacca gatttctgtt tataaatgtg gtgattgtcc 1681 aagtgctgac cctacagtga aactgggagc tgtgggtgga agtggattta aagtttgcct 1741 tagaactcct catttggaaa agagatacaa aatccagttt gagaataatg aagatcaaga 1801 tgtaaacccg ctgaaactag gccttctcac ttggattgaa gaagacgtct tcctggctgt 1861 aagccacagt gagttcagcc cccggtctgt cattcaccat ttgactgcag cttcttctga 1921 gatggatgaa gagcatggac agctcaatgt cagttcatct gcagcggtgg atggggtcat 1981 aatcagtcta tgttgcaatt ccaagaccaa gtcagtagta ttacagctgg ctgatggcca 2041 gatatttaag tacctttggg agtcaccttc tctggctatt aaaccatgga agaactctgg 2101 tggatttcct gttcggtttc cttatccatg cacccagacc gaattggcca tgattggaga 2161 agaggaatgt gtccttggtc tgactgacag gtgtcgcttt ttcatcaatg acattgaggt 2221 tgcgtcaaat atcacgtcat ttgcagtata tgatgagttt ttattgttga caacccattc 2281 ccatacctgc cagtgttttt gcctgaggga tgcttcattt aaaacattac aggccggcct 2341 gagcagcaat catgtgtccc atggggaagt tctgcggaaa gtggagaggg gttcacggat 2401 tgtcactgtt gtgccccagg acacaaagct tgtattacag atgccaaggg gaaacttaga 2461 agttqttcat catcgagccc tggttttagc tcagattcgg aagtggttgg acaaacttat 2521 gtttaaagag gcatttgaat gcatgagaaa gctgagaatc aatctcaatc tgatttatga 2581 tcataaccct aaggtgtttc ttggaaatgt ggaaaccttc attaaacaga tagattctgt 2641 qaatcatatt aacttgtttt ttacagaatt gaaagaagaa gatgtcacga agaccatgta 2701 ccctgcacca gttaccagca gtgtctacct gtccagggat cctgacggga ataaaataga 2761 ccttgtctgc gatgctatga gagcagtcat ggagagcata aatcctcata aatactgcct 2821 atccatactt acateteatg taaagaagac aaceeeagaa etggaaattg taetgcaaaa 2881 agtacacgag cttcaaggaa atgctccctc tgatcctgat gctgtgagtg ctgaagaggc 2941 cttgaaatat ttgctgcatc tggtagatgt taatgaatta tatgatcatt ctcttggcac 3001 ctatgacttt gatttggtcc tcatggtagc tgagaagtca cagaaggatc ccaaagaata 3061 tottocattt ottaatacac ttaagaaaat ggaaactaat tatcagoggt ttactataga 3121 caaatacttg aaacgatatg aaaaagccat tggccacctc agcaaatgtg gacctgagta

Figure 7 Continued

3181 cttcccagaa tgcttaaact tgataaaaqa taaaaacttg tataacqaag ctctqaagtt 3241 atattcacca ageteacaac agtaccagga tatcagcatt gettatgggg ageacctgat 3301 gcaggagcac atgtatgagc caggggggt catgtttgcc cgttgcggtg cccacgagaa 3361 agetetetea geetttetea catgtggcaa etggaageaa geeetetgtg tggcageeca 3421 gettaaettt accaaagace agetggtggg ceteggeaga actetggeag gaaagetggt 3481 tgagcagagg aagcacattg atgcggccat ggttttggaa gagagtgccc aggattatga 3541 agaagctgtg ctcttgctgt tagaaggagc tgcctgggaa gaagctttga ggctggtata 3601 caaatataac agactggata ttatagaaac caacgtaaag cottocattt tagaagcoca 3661 gaaaaattat atggcatttc tggactctca gacagccaca ttcagtcgcc acaagaaacg 3721 tttattggta gttcgagagc tcaaggagca agcccagcag gcaggtctgg atgatgaggt 3781 accccacggg caagagtcag acctettete tgaaactage agtgtegtga gtggeagtga 1841 gatgagtggc aaatactccc atagtaactc caggatatca gcgagatcat ccaagaatcg 3901 ccgaaaagcg gagcggaaga agcacagcct caaagaaggc agtccgctgg aggacctggc 3961 cctcctggag gcactgagtg aagtggtgca gaacactgaa aacctgaaag atgaagtata 4021 ccatatttta aaggtactct ttctctttga gtttgatgaa caaggaaggg aattacagaa 4081 ggcctttgaa gatacgctgc agttgatgga aaggtcactt ccagaaattt ggactcttac +1 ttaccagcag aattcagcta ccccggttct aggtcccaat tctactgcaa atagtatcat ggcatcttat cagcaacaga agacttcggt tcctgttctt gatgctgagc tttttatacc .i accaaagate aacagaagaa cccagtggaa getgageetg etagaetgag tgaetgeagt taggagggat ccgacagaga agaccatttc cactcattcc tgttgtccta ccaccccttg ctctttgagg gctggctatt gagaactgga aagagtaaaa tgataactta ccttagcatt 4441 gccaaqaaat tcagcagaca acaagcaatt ctatttattt tatgttgtgt atacatcttg 4501 atcattagca agacattaag ctttaaccat tatggcacca ttttgtgaga atgattgttc 45%1 tttcacttgg gctgtttgag agcataatta tggtaatcat gagattaatg tttcatgatt ... 4621 totacotoca aagtgtgaag acaagtaaaa caatgtttot aaattgtott attttgttgg 4681 cggagaagat tacaatggct attagtgcta catttggtca aatgtaatca cttaaatagc 4741 ttcttgtcac cttaaactaa agcagaataa aaagtatcct ttgaaattat aagccctcct 4801 ttgctgacag ctattatttt gtaacatctt accaggtcat gtgctttcag ttataactgg 4861 gctgagcctc ctataattac aatgtctata gggactgttt tactgcctgt gtattttctg 4921 ctagagagtt agcaatgtta gagctagaac agattagaat ttctaaacag tatcatgcac 4981 agttggtgtg agtgatcagt gtgcattgta tggcatgcat ggttgtgaat tattctctgt 5041 totocaaata otgittotti aactoagata tittigtiag tigtotaggoo acticatita 5101 tttttegtea tggtaettta etgaettete tttatteaat tetecaegee eteaecaaaa 5161 aaaactgtct caaaatgaga atatttttat tetteatggt gagtetagaa aacgeeceae 5221 ttcattctga ttaaaaaatt cttccatgtt tttaaatatc agaaccagac ctttcttact 5281 gtgtatctta gcccatttgt gtctctataa caacaaccag ctttcaaagg aactaataga 5341 gtgaaaactc actcattacc acgaggatgg cacaagcgat tcacgtagga tctgcccctg 5401 tgaccaaaac acctcccatt gggccccact tccaacactg gtgatcacat ttcaacatga 5461 gqtttaggga aacaaatgcc taaactacag cactgtacat aaactaacag gaaatgctgc 5521 ttttqatcct caaagaagtg atatagccaa aattgtaatt taagaagcct ttgtcagtat 5581 agcaagatgt taactataga atcaatctag gagtattcac tgtaaaaattc aacttttctg 5641 tatgtttgaa cattttcaca atctcatagg agtttttaaa aagaagagaa agaagatata 5701 ctttqctttg gagaaatcta ctttttgact tacatgggtt tgctgtaatt aagtgcccaa 5761 tattgaaagg ctgcaagtac tttgtaatca ctctttggca tgggtaaata agcatggtaa 5821 cttatattga aatatagtgc tcttgctttg gataactgta aagggaccca tgctgataga

WO 02/059381 PCT/US02/00473 56/62

FIGURE 8

```
1 mrnlklfrtl efrdiggpgn pqcfslrteq gtvligsehg lievdpvsre vknevslvae
  61 gflpedgsgr ivgvqdlldq esvcvatasg dvilcslstq qlecvgsvas gisvmswspd
121 qelvllatgq qtlimmtkdf epileqqihq ddfgeskfit vgwgrketqf hgsegrqaaf
181 qmqmhesalp wddhrpqvtw rgdgqffavs vvcpetgark vrvwnrefal qstsepvagl
241 gpalawkpsg sliastqdkp nqqdivffek ngllhghftl pflkdevkvn dllwnadssv
301 lavrledlgr ekssipktcv qlwtvgnyhw ylkqslsfst cgkskivslm wdpvtpyrlh
361 vlcqqwhyla ydwhwttdrs vgdnssdlsn vavidgnrvl vtvfrqtvvp ppmctyqllf
421 phpvnqvtfl ahpqksndla vldasnqisv ykcgdcpsad ptvklgavgg sgfkvclrtp
481 hlekrykigf ennedgdvnp lklglltwie edvflavshs efsprsvihh ltaassemde
541 ehqqlnvsss aavdgviisl ccnsktksvv lqladgqifk ylwespslai kpwknsggfp
 601 vrfpypctqt elamigeeec vlgltdrcrf findievasn itsfavydef llltthshtc
 661 qcfclrdasf ktlqaglssn hvshgevlrk vergsrivtv vpqdtklvlq mprgnlevvh
721 hralvlaqir kwldklmfke afecmrklri nlnpiydhnp kvflgnvetf ikqidsvnhi
781 nlfftelkee dvtktmypap vtssvylsrd pdgnkidlvc damravmesi nphkyclsil
841 tshvkkttpe leivlqkvhe lqgnapsdpd avsaeealky llhlvdvnel ydhslgtydf
901 dlvlmvaeks qkdpkeylpf lntlkkmetn yqrftidkyl kryekaighl skcgpeyfpe
 961 clnlikdknl ynealklysp ssqqyqdisi aygehlmqeh myepaglmfa rcgahekals
1021 afltcgnwkg alcvaaqlnf tkdqlvglgr tlagklvegr khidaamvle esaqdyeeav
1081 llllegaawe ealrlvykyn rldiietnvk psileaqkny mafldsqtat fsrhkkrllv
1141 vrelkeqaqq aglddevphg qesdlfsets svvsgsemsg kyshsnsris arssknrrka
1201 erkkhslkeg spledlalle alsevvqnte nlkdevyhil kvlflfefde ggrelqkafe
1261 dtlqlmersl peiwtltygg nsatpvlgpn stansimasy gggktsvpvl daelfippki
1321 nrrtgwklsl ld
```



FIG. 1. Comparison of the amino acid sequence of Ikap across several species. Alignment of the amino acid sequence of Ikap (M_musculus) with that of Homo sapiens (H_sapiens), Drosophila melanogaster (D_melanogaster), Saccharomyces cerevisiae (S_cerevisiae), Arabidopsis thaliana (A_thaliana), and Caenorhabditis elegans (C_elegans). Black boxes indicate identical AA, while conserved AA residues are shown in gray. Asterisk (*) at AA position 696 for mouse and human proteins indicates the location of the heterozygous R696P mutation found in only 4 FD patients. Sequence alignments were made using Pileup and Boxshade commands from GCG Wisconsin Package V.9.0 (Madison, WI).

Figure 9




Figure 9
Continued




Figure 9
Continued

TABLE 2. COMPARISON OF THE NOVEL MOUSE Ikbkap GENE WITH MULTIPLE SPECIES HOMOLOGS

Species	Gene name	No. of amino acids	Molecular weighi (kDa)	% aa identity with M.m.	GenBank Accession No.
Mus musculus (M.m.)	Ikbkap	1332	149.11		AF367244
Homo sapiens	IKBKAP	1332	149.11	80	AF153419
Drosophila melanogaster	CG10535	1213	138.21	32	AAF54670
Saccharomyces cerevisiae	ElpI/Iki3p	1349	152.99	29	AAB67278
Arabidopsis thaliana	Unknown	1308	146.63	27	BAB08695
Caenorhabditis elegans	Unknown	1177	134.80	24	AAF60430

Figure 10

TABLE 1. MOUSE Ikbkap Exon and Intron Boundaries

		Donor	Size	
Exon	Acceptor site	site	(<i>bp</i>)	cDNA position
1		AGgtgagcattcgcccg	129	I129*
2	tttttttccctcagAA	AAgtaggtcactgatgc	163	130 2 92 ⁶
3	tatgctttgtgaaagGT	AGgtaggtgtaaggcct	153	29 3445
4	ttttctctgatgcagCT	AGgtaagetttgcactg*	82	446527
5	acatgaactcctaagCT	AGgtaagcgtttcttgg	81	528 6 08
6	cttgaaaaactgtagGC	TGgtaaggcgggatgat	86	609694
7	ggtgtctctcttcagCC	TGgtgtctctcttcagc*	97	695791
8	ctacctcctttgcagAG	AAgtgagtgagcataaa*	91	792882
9	aggttctgctttcagAC	AGgtaggggtcagagtt	124	8831006
10	ttttgtccctaccagGT	TGgtatgacagcttgtg	94	10071100
11	tccctccacacagTC	AAgtaagttgctgcgaa	231	11011331
12	cttttcattgtgtagAC	TGgtaagtggaagcagg	165	13321496
13	ttttttgttttctagGT	TCgtaagttcctaaata	100	14971596
14	ctaatatttgaacagGA	AGgtatcatggttcatc	189	15971785
15	tttttttgctttagTT	GGgtgaggatcagagtt	107	17861892
16	ttaatcttacaacagAG	AGgtgaatagacacggc	104	18931996
17	ttcatttctttgcagGA	AGgtatgtaggcttggt	54	19972050
18	tettgeetgttgeagGT	AAgtaagctctcctata	106	20512156
19	cactggtattttagTG	AGgtaagetgactette*	116	21572272
20	gggtttattttgagAT	AAgtaagtatttattct*	74	22732346
21	ttcctgtcctcacagAC	AGgtacactttgcgtct	79	23472425
22	tactttctttgatagGT	AGgtaagtattttgata*	80	24262505
23	tactgtggttcttagGG	AAgtgggtgctgtgtgt	138	25062643
24	cacttactacctcagGT	AGgtagagacctgcgcg*	86	26442729
25	cttaaactccaacagGA	AGgtatgtggagttgag*	149	27302878
26	aacttttttcctaggGA	TGgtaagggttttttt	124	28793002
27	ttttttttttcagGA	AGgtatgtggtgggtta*	98	30033100
28	cgtctcttgtcacagGC	AGgtaagcaggccatt	20 2	31013302
29	ttgctgtcttttcagGA	AGgtgagctcctcccg	62	33033364
30	ctcttcccttgtcagGA	TGgtaaggaagctctga	63	33653427
31	tttcttccctcttagGT	AGgtgaggattacattt*	61	34283488
32	attatgcatcctcagCC	GGgtgagtgcctccaaa*	114	34893602
33	gttcatcttctctagAT	GCgtacgtacgagacct*	112	36033714
34	tgtaatttctgacagGA	AGgtatggcttcagtgc	128	37153842
35	ccatttcttctctagAT	CGgtaagcttcctcaga	155	38433997
36	cigitticigcttagGT	CGgtgtactgctcgttc	76	39984073
37	cattcttgcttccagAT		709	407447 9 9°

Figure 11




Figure 12

		·